

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
13 September 2001 (13.09.2001)

PCT

(10) International Publication Number
WO 01/66690 A2

(51) International Patent Classification⁷: C12N

(21) International Application Number: PCT/US01/07143

(22) International Filing Date: 5 March 2001 (05.03.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/187,107 6 March 2000 (06.03.2000) US
60/188,916 13 March 2000 (13.03.2000) US
60/236,874 3 October 2000 (03.10.2000) US
60/237,846 3 October 2000 (03.10.2000) US

(71) Applicants (for all designated States except US):
SMITHKLINE BEECHAM CORPORATION
[US/US]; One Franklin Plaza, Philadelphia, PA 19103
(US). SMITHKLINE BEECHAM P.L.C. [GB/GB]; New
Horizons Court, Great West Road, Brentford, Middlesex
TW8 9EP (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): AGARWAL,
Pankaj [IN/US]; 251 West DeKalb Pike, King of Prussia,

PA 19406 (US). MURDOCH, Paul, R. [GB/GB]; New
Frontiers Science Park South, Third Avenue, Harlow,
Essex CM19 5AW (GB). RIZVI, Safia, K. [PK/US];
4617 Pine Street, Philadelphia, PA 19143 (US). SMITH,
Randall, F. [US/US]; 4138 Presidential Drive, Lafayette
Hill, PA 19444 (US). XIANG, Zhaoying [CN/US]; 2413
Ridgeway, Fort Lee, NJ 07024 (US).

(74) Agents: GIMMI, Edward, R. et al.; SmithKline Beecham
Corporation, Corporate Intellectual Property, UW2220,
709 Swedeland Road, P.O. Box 1539, King of Prussia, PA
19406-0939 (US).

(81) Designated States (national): JP, US.

(84) Designated States (regional): European patent (AT, BE,
CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,
NL, PT, SE, TR).

Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

WO 01/66690 A2

(54) Title: NOVEL COMPOUNDS

(57) Abstract: Polypeptides and polynucleotides of the genes set forth in Table I and methods for producing such polypeptides by recombinant techniques are disclosed. Also disclosed are methods for utilizing polypeptides and polynucleotides of the genes set forth in Table I in diagnostic assays.

Novel Compounds

Field of Invention

5 This invention relates to newly identified polypeptides and polynucleotides encoding such polypeptides, to their use in diagnosis and in identifying compounds that may be agonists, antagonists that are potentially useful in therapy, and to production of such polypeptides and polynucleotides. The polynucleotides and polypeptides of the present invention also relate to proteins with signal sequences which allow them to be secreted
10 extracellularly or membrane-associated (hereinafter often referred collectively as secreted proteins or secreted polypeptides).

Background of the Invention

 The drug discovery process is currently undergoing a fundamental revolution as it
15 embraces "functional genomics", that is, high throughput genome- or gene-based biology. This approach as a means to identify genes and gene products as therapeutic targets is rapidly superseding earlier approaches based on "positional cloning". A phenotype, that is a biological function or genetic disease, would be identified and this would then be tracked back to the responsible gene, based on its genetic map position.

20 Functional genomics relies heavily on high-throughput DNA sequencing technologies and the various tools of bioinformatics to identify gene sequences of potential interest from the many molecular biology databases now available. There is a continuing need to identify and characterise further genes and their related polypeptides/proteins, as targets for drug discovery.

25 Proteins and polypeptides that are naturally secreted into blood, lymph and other body fluids, or secreted into the cellular membrane are of primary interest for pharmaceutical research and development. The reason for this interest is the relative ease to target protein therapeutics into their place of action (body fluids or the cellular membrane). The natural pathway for protein secretion into extracellular space is the endoplasmic reticulum in
30 eukaryotes and the inner membrane in prokaryotes (Palade, 1975, Science, 189, 347; Milstein, Brownlee, Harrison, and Mathews, 1972, Nature New Biol., 239, 117; Blobel, and Dobberstein, 1975, J. Cell. Biol., 67, 835). On the other hand, there is no known natural pathway for exporting a protein from the exterior of the cells into the cytosol (with the exception of pinocytosis, a mechanism of snake venom toxin intrusion into cells). Therefore
35 targeting protein therapeutics into cells poses extreme difficulties.

 The secreted and membrane-associated proteins include but are not limited to

all peptide hormones and their receptors (including but not limited to insulin, growth hormones, chemokines, cytokines, neuropeptides, integrins, kallikreins, lamins, melanins, natriuretic hormones, neuropsin, neurotrophins, pituitary hormones, pleiotropins, prostaglandins, secretogranins, selectins, thromboglobulins, thymosins),
5 the breast and colon cancer gene products, leptin, the obesity gene protein and its receptors, serum albumin, superoxide dismutase, spliceosome proteins, 7TM (transmembrane) proteins also called as G-protein coupled receptors, immunoglobulins, several families of serine proteinases (including but not limited to proteins of the blood coagulation cascade, digestive enzymes), deoxyribonuclease I,
10 etc.

Therapeutics based on secreted or membrane-associated proteins approved by FDA or foreign agencies include but are not limited to insulin, glucagon, growth hormone, chorionic gonadotropin, follicle stimulating hormone, luteinizing hormone, calcitonin, adrenocorticotrophic hormone (ACTH), vasopressin, interleukines,
15 interferones, immunoglobulins, lactoferrin (diverse products marketed by several companies), tissue-type plasminogen activator (Alteplase by Genentech), hyaluronidase (Wydase by Wyeth-Ayerst), dornase alpha (Pulmozyme[®] by Genentech), Chymodiactin (chymopapain by Knoll), alglucerase (Ceredase by Genzyme), streptokinase (Kabikinase by Pharmacia) (Streptase by Astra), etc. This
20 indicates that secreted and membrane-associated proteins have an established, proven history as therapeutic targets. Clearly, there is a need for identification and characterization of further secreted and membrane-associated proteins which can play a role in preventing, ameliorating or correcting dysfunction or disease, including but not limited to diabetes, breast-, prostate-, colon cancer and other malignant tumors,
25 hyper- and hypotension, obesity, bulimia, anorexia, growth abnormalities, asthma, manic depression, dementia, delirium, mental retardation, Huntington's disease, Tourette's syndrome, schizophrenia, growth, mental or sexual development disorders, and dysfunctions of the blood cascade system including those leading to stroke. The proteins of the present invention which include the signal sequences are also useful to
30 further elucidate the mechanism of protein transport which at present is not entirely understood, and thus can be used as research tools.

Summary of the Invention

The present invention relates to particular polypeptides and polynucleotides of the
35 genes set forth in Table I, including recombinant materials and methods for their production. Such polypeptides and polynucleotides are of interest in relation to methods of treatment of

certain diseases, including, but not limited to, the diseases set forth in Tables III and V, hereinafter referred to as "diseases of the invention". In a further aspect, the invention relates to methods for identifying agonists and antagonists (*e.g.*, inhibitors) using the materials provided by the invention, and treating conditions associated with imbalance of polypeptides and/or polynucleotides of the genes set forth in Table I with the identified compounds. In still a further aspect, the invention relates to diagnostic assays for detecting diseases associated with inappropriate activity or levels the genes set forth in Table I. Another aspect of the invention concerns a polynucleotide comprising any of the nucleotide sequences set forth in the Sequence Listing and a polypeptide comprising a polypeptide encoded by the nucleotide sequence. In another aspect, the invention relates to a polypeptide comprising any of the polypeptide sequences set forth in the Sequence Listing and recombinant materials and methods for their production. Another aspect of the invention relates to methods for using such polypeptides and polynucleotides. Such uses include the treatment of diseases, abnormalities and disorders (hereinafter simply referred to as diseases) caused by abnormal expression, production, function and or metabolism of the genes of this invention, and such diseases are readily apparent by those skilled in the art from the homology to other proteins disclosed for each attached sequence. In still another aspect, the invention relates to methods to identify agonists and antagonists using the materials provided by the invention, and treating conditions associated with the imbalance with the identified compounds. Yet another aspect of the invention relates to diagnostic assays for detecting diseases associated with inappropriate activity or levels of the secreted proteins of the present invention.

Description of the Invention

In a first aspect, the present invention relates to polypeptides the genes set forth in Table I. Such polypeptides include:

- (a) an isolated polypeptide encoded by a polynucleotide comprising a sequence set forth in the Sequence Listing, herein when referring to polynucleotides or polypeptides of the Sequence Listing, a reference is also made to the Sequence Listing referred to in the Sequence Listing;
- (b) an isolated polypeptide comprising a polypeptide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;
- (c) an isolated polypeptide comprising a polypeptide sequence set forth in the Sequence Listing;
- (d) an isolated polypeptide having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;

(e) a polypeptide sequence set forth in the Sequence Listing; and
(f) an isolated polypeptide having or comprising a polypeptide sequence that has an Identity Index of 0.95, 0.96, 0.97, 0.98, or 0.99 compared to a polypeptide sequence set forth in the Sequence Listing;

5 (g) fragments and variants of such polypeptides in (a) to (f).

Polypeptides of the present invention are believed to be members of the gene families set forth in Table II. They are therefore of therapeutic and diagnostic interest for the reasons set forth in Tables III and V. The biological properties of the polypeptides and polynucleotides of the genes set forth in Table I are hereinafter referred to as "the biological activity" of

10 polypeptides and polynucleotides of the genes set forth in Table I. Preferably, a polypeptide of the present invention exhibits at least one biological activity of the genes set forth in Table I.

Polypeptides of the present invention also include variants of the aforementioned polypeptides, including all allelic forms and splice variants. Such polypeptides vary from the
15 reference polypeptide by insertions, deletions, and substitutions that may be conservative or non-conservative, or any combination thereof. Particularly preferred variants are those in which several, for instance from 50 to 30, from 30 to 20, from 20 to 10, from 10 to 5, from 5 to 3, from 3 to 2, from 2 to 1 or 1 amino acids are inserted, substituted, or deleted, in any combination.

20 Preferred fragments of polypeptides of the present invention include an isolated polypeptide comprising an amino acid sequence having at least 30, 50 or 100 contiguous amino acids from an amino acid sequence set forth in the Sequence Listing, or an isolated polypeptide comprising an amino acid sequence having at least 30, 50 or 100 contiguous amino acids truncated or deleted from an amino acid sequence set forth in the Sequence
25 Listing. Preferred fragments are biologically active fragments that mediate the biological activity of polypeptides and polynucleotides of the genes set forth in Table I, including those with a similar activity or an improved activity, or with a decreased undesirable activity. Also preferred are those fragments that are antigenic or immunogenic in an animal, especially in a human.

30 Fragments of a polypeptide of the invention may be employed for producing the corresponding full-length polypeptide by peptide synthesis; therefore, these variants may be employed as intermediates for producing the full-length polypeptides of the invention. A polypeptide of the present invention may be in the form of the "mature" protein or may be a part of a larger protein such as a precursor or a fusion protein. It is often advantageous to
35 include an additional amino acid sequence that contains secretory or leader sequences, pro-

sequences, sequences that aid in purification, for instance multiple histidine residues, or an additional sequence for stability during recombinant production.

Polypeptides of the present invention can be prepared in any suitable manner, for instance by isolation from naturally occurring sources, from genetically engineered host cells comprising expression systems (*vide infra*) or by chemical synthesis, using for instance automated peptide synthesizers, or a combination of such methods. Means for preparing such polypeptides are well understood in the art.

In a further aspect, the present invention relates to polynucleotides of the genes set forth in Table I. Such polynucleotides include:

- 10 (a) an isolated polynucleotide comprising a polynucleotide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polynucleotide sequence set forth in the Sequence Listing;
 - (b) an isolated polynucleotide comprising a polynucleotide set forth in the Sequence Listing;
 - (c) an isolated polynucleotide having at least 95%, 96%, 97%, 98%, or 99% identity to a
15 polynucleotide set forth in the Sequence Listing;
 - (d) an isolated polynucleotide set forth in the Sequence Listing;
 - (e) an isolated polynucleotide comprising a polynucleotide sequence encoding a polypeptide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;
 - 20 (f) an isolated polynucleotide comprising a polynucleotide sequence encoding a polypeptide set forth in the Sequence Listing;
 - (g) an isolated polynucleotide having a polynucleotide sequence encoding a polypeptide sequence having at least 95%, 96%, 97%, 98%, or 99% identity to a polypeptide sequence set forth in the Sequence Listing;
 - 25 (h) an isolated polynucleotide encoding a polypeptide set forth in the Sequence Listing;
 - (i) an isolated polynucleotide having or comprising a polynucleotide sequence that has an Identity Index of 0.95, 0.96, 0.97, 0.98, or 0.99 compared to a polynucleotide sequence set forth in the Sequence Listing;
 - (j) an isolated polynucleotide having or comprising a polynucleotide sequence encoding a
30 polypeptide sequence that has an Identity Index of 0.95, 0.96, 0.97, 0.98, or 0.99 compared to a polypeptide sequence set forth in the Sequence Listing; and
- polynucleotides that are fragments and variants of the above mentioned polynucleotides or that are complementary to above mentioned polynucleotides, over the entire length thereof.

Preferred fragments of polynucleotides of the present invention include an isolated
35 polynucleotide comprising an nucleotide sequence having at least 15, 30, 50 or 100

contiguous nucleotides from a sequence set forth in the Sequence Listing, or an isolated polynucleotide comprising a sequence having at least 30, 50 or 100 contiguous nucleotides truncated or deleted from a sequence set forth in the Sequence Listing.

Preferred variants of polynucleotides of the present invention include splice variants, allelic variants, and polymorphisms, including polynucleotides having one or more single nucleotide polymorphisms (SNPs).

Polynucleotides of the present invention also include polynucleotides encoding polypeptide variants that comprise an amino acid sequence set forth in the Sequence Listing and in which several, for instance from 50 to 30, from 30 to 20, from 20 to 10, from 10 to 5, from 5 to 3, from 3 to 2, from 2 to 1 or 1 amino acid residues are substituted, deleted or added, in any combination.

In a further aspect, the present invention provides polynucleotides that are RNA transcripts of the DNA sequences of the present invention. Accordingly, there is provided an RNA polynucleotide that:

(a) comprises an RNA transcript of the DNA sequence encoding a polypeptide set forth in the Sequence Listing;

(b) is a RNA transcript of a DNA sequence encoding a polypeptide set forth in the Sequence Listing;

(c) comprises an RNA transcript of a DNA sequence set forth in the Sequence Listing; or

(d) is a RNA transcript of a DNA sequence set forth in the Sequence Listing; and RNA polynucleotides that are complementary thereto.

The polynucleotide sequences set forth in the Sequence Listing show homology with the polynucleotide sequences set forth in Table II. A polynucleotide sequence set forth in the Sequence Listing is a cDNA sequence that encodes a polypeptide set forth in the Sequence Listing. A polynucleotide sequence encoding a polypeptide set forth in the Sequence Listing may be identical to a polypeptide encoding a sequence set forth in the Sequence Listing or it may be a sequence other than a sequence set forth in the Sequence Listing, which, as a result of the redundancy (degeneracy) of the genetic code, also encodes a polypeptide set forth in the Sequence Listing. A polypeptide of a sequence set forth in the Sequence Listing is related to other proteins of the gene families set forth in Table II, having homology and/or structural similarity with the polypeptides set forth in Table II. Preferred polypeptides and polynucleotides of the present invention are expected to have, *inter alia*, similar biological functions/properties to their homologous polypeptides and polynucleotides. Furthermore,

preferred polypeptides and polynucleotides of the present invention have at least one activity of the genes set forth in Table I.

Polynucleotides of the present invention may be obtained using standard cloning and screening techniques from a cDNA library derived from mRNA from the tissues set forth in Table IV (see for instance, Sambrook *et al.*, Molecular Cloning: A Laboratory Manual, 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989)).

Polynucleotides of the invention can also be obtained from natural sources such as genomic DNA libraries or can be synthesized using well known and commercially available techniques.

When polynucleotides of the present invention are used for the recombinant production of polypeptides of the present invention, the polynucleotide may include the coding sequence for the mature polypeptide, by itself, or the coding sequence for the mature polypeptide in reading frame with other coding sequences, such as those encoding a leader or secretory sequence, a pre-, or pro- or prepro- protein sequence, or other fusion peptide portions. For example, a marker sequence that facilitates purification of the fused polypeptide can be encoded. In certain preferred embodiments of this aspect of the invention, the marker sequence is a hexa-histidine peptide, as provided in the pQE vector (Qiagen, Inc.) and described in Gentz *et al.*, Proc Natl Acad Sci USA (1989) 86:821-824, or is an HA tag. A polynucleotide may also contain non-coding 5' and 3' sequences, such as transcribed, non-translated sequences, splicing and polyadenylation signals, ribosome binding sites and sequences that stabilize mRNA.

Polynucleotides that are identical, or have sufficient identity to a polynucleotide sequence set forth in the Sequence Listing, may be used as hybridization probes for cDNA and genomic DNA or as primers for a nucleic acid amplification reaction (for instance, PCR). Such probes and primers may be used to isolate full-length cDNAs and genomic clones encoding polypeptides of the present invention and to isolate cDNA and genomic clones of other genes (including genes encoding paralogs from human sources and orthologs and paralogs from species other than) that have a high sequence similarity to sequences set forth in the Sequence Listing, typically at least 95% identity. Preferred probes and primers will generally comprise at least 15 nucleotides, preferably, at least 30 nucleotides and may have at least 50, if not at least 100 nucleotides. Particularly preferred probes will have between 30 and 50 nucleotides. Particularly preferred primers will have between 20 and 25 nucleotides.

A polynucleotide encoding a polypeptide of the present invention, including homologs from species other than , may be obtained by a process comprising the steps of screening a library under stringent hybridization conditions with a labeled probe having a

sequence set forth in the Sequence Listing or a fragment thereof, preferably of at least 15 nucleotides; and isolating full-length cDNA and genomic clones containing the polynucleotide sequence set forth in the Sequence Listing. Such hybridization techniques are well known to the skilled artisan. Preferred stringent hybridization conditions include

5 overnight incubation at 42°C in a solution comprising: 50% formamide, 5xSSC (150mM NaCl, 15mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10 % dextran sulfate, and 20 microgram/ml denatured, sheared salmon sperm DNA; followed by washing the filters in 0.1x SSC at about 65°C. Thus the present invention also includes isolated polynucleotides, preferably with a nucleotide sequence of at least 100, obtained by

10 screening a library under stringent hybridization conditions with a labeled probe having the sequence set forth in the Sequence Listing or a fragment thereof, preferably of at least 15 nucleotides.

The skilled artisan will appreciate that, in many cases, an isolated cDNA sequence will be incomplete, in that the region coding for the polypeptide does not extend all the way

15 through to the 5' terminus. This is a consequence of reverse transcriptase, an enzyme with inherently low "processivity" (a measure of the ability of the enzyme to remain attached to the template during the polymerisation reaction), failing to complete a DNA copy of the mRNA template during first strand cDNA synthesis.

There are several methods available and well known to those skilled in the art to

20 obtain full-length cDNAs, or extend short cDNAs, for example those based on the method of Rapid Amplification of cDNA ends (RACE) (see, for example, Frohman et al., Proc Nat Acad Sci USA 85, 8998-9002, 1988). Recent modifications of the technique, exemplified by the Marathon (trade mark) technology (Clontech Laboratories Inc.) for example, have significantly simplified the search for longer cDNAs. In the Marathon (trade mark)

25 technology, cDNAs have been prepared from mRNA extracted from a chosen tissue and an 'adaptor' sequence ligated onto each end. Nucleic acid amplification (PCR) is then carried out to amplify the "missing" 5' end of the cDNA using a combination of gene specific and adaptor specific oligonucleotide primers. The PCR reaction is then repeated using 'nested' primers, that is, primers designed to anneal within the amplified product (typically an adapter specific

30 primer that anneals further 3' in the adaptor sequence and a gene specific primer that anneals further 5' in the known gene sequence). The products of this reaction can then be analyzed by DNA sequencing and a full-length cDNA constructed either by joining the product directly to the existing cDNA to give a complete sequence, or carrying out a separate full-length PCR using the new sequence information for the design of the 5' primer.

Recombinant polypeptides of the present invention may be prepared by processes well known in the art from genetically engineered host cells comprising expression systems. Accordingly, in a further aspect, the present invention relates to expression systems comprising a polynucleotide or polynucleotides of the present invention, to host cells which
5 are genetically engineered with such expression systems and to the production of polypeptides of the invention by recombinant techniques. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of the present invention.

For recombinant production, host cells can be genetically engineered to incorporate
10 expression systems or portions thereof for polynucleotides of the present invention. Polynucleotides may be introduced into host cells by methods described in many standard laboratory manuals, such as Davis et al., Basic Methods in Molecular Biology (1986) and Sambrook *et al. (ibid)*. Preferred methods of introducing polynucleotides into host cells include, for instance, calcium phosphate transfection, DEAE-dextran mediated transfection,
15 transfection, micro-injection, cationic lipid-mediated transfection, electroporation, transduction, scrape loading, ballistic introduction or infection.

Representative examples of appropriate hosts include bacterial cells, such as *Streptococci*, *Staphylococci*, *E. coli*, *Streptomyces* and *Bacillus subtilis* cells; fungal cells, such as yeast cells and *Aspergillus* cells; insect cells such as *Drosophila* S2 and *Spodoptera*
20 Sf9 cells; animal cells such as CHO, COS, HeLa, C127, 3T3, BHK, HEK 293 and Bowes melanoma cells; and plant cells.

A great variety of expression systems can be used, for instance, chromosomal, episomal and virus-derived systems, *e.g.*, vectors derived from bacterial plasmids, from bacteriophage, from transposons, from yeast episomes, from insertion elements, from yeast
25 chromosomal elements, from viruses such as baculoviruses, papova viruses, such as SV40, vaccinia viruses, adenoviruses, fowl pox viruses, pseudorabies viruses and retroviruses, and vectors derived from combinations thereof, such as those derived from plasmid and bacteriophage genetic elements, such as cosmids and phagemids. The expression systems may contain control regions that regulate as well as engender expression. Generally, any
30 system or vector that is able to maintain, propagate or express a polynucleotide to produce a polypeptide in a host may be used. The appropriate polynucleotide sequence may be inserted into an expression system by any of a variety of well-known and routine techniques, such as, for example, those set forth in Sambrook *et al., (ibid)*. Appropriate secretion signals may be incorporated into the desired polypeptide to allow secretion of the translated protein into the

lumen of the endoplasmic reticulum, the periplasmic space or the extracellular environment. These signals may be endogenous to the polypeptide or they may be heterologous signals.

If a polypeptide of the present invention is to be expressed for use in screening assays, it is generally preferred that the polypeptide be produced at the surface of the cell. In this event, the cells may be harvested prior to use in the screening assay. If the polypeptide is secreted into the medium, the medium can be recovered in order to recover and purify the polypeptide. If produced intracellularly, the cells must first be lysed before the polypeptide is recovered.

Polypeptides of the present invention can be recovered and purified from recombinant cell cultures by well-known methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Most preferably, high performance liquid chromatography is employed for purification. Well known techniques for refolding proteins may be employed to regenerate active conformation when the polypeptide is denatured during intracellular synthesis, isolation and/or purification.

Polynucleotides of the present invention may be used as diagnostic reagents, through detecting mutations in the associated gene. Detection of a mutated form of a gene is characterized by the polynucleotides set forth in the Sequence Listing in the cDNA or genomic sequence and which is associated with a dysfunction. Will provide a diagnostic tool that can add to, or define, a diagnosis of a disease, or susceptibility to a disease, which results from under-expression, over-expression or altered spatial or temporal expression of the gene. Individuals carrying mutations in the gene may be detected at the DNA level by a variety of techniques well known in the art.

Nucleic acids for diagnosis may be obtained from a subject's cells, such as from blood, urine, saliva, tissue biopsy or autopsy material. The genomic DNA may be used directly for detection or it may be amplified enzymatically by using PCR, preferably RT-PCR, or other amplification techniques prior to analysis. RNA or cDNA may also be used in similar fashion. Deletions and insertions can be detected by a change in size of the amplified product in comparison to the normal genotype. Point mutations can be identified by hybridizing amplified DNA to labeled nucleotide sequences of the genes set forth in Table I. Perfectly matched sequences can be distinguished from mismatched duplexes by RNase digestion or by differences in melting temperatures. DNA sequence difference may also be detected by alterations in the electrophoretic mobility of DNA fragments in gels, with or without denaturing agents, or by direct DNA sequencing (see, for instance, Myers *et al.*,

Science (1985) 230:1242). Sequence changes at specific locations may also be revealed by nuclease protection assays, such as RNase and S1 protection or the chemical cleavage method (see Cotton *et al.*, Proc Natl Acad Sci USA (1985) 85: 4397-4401).

5 An array of oligonucleotides probes comprising polynucleotide sequences or fragments thereof of the genes set forth in Table I can be constructed to conduct efficient screening of *e.g.*, genetic mutations. Such arrays are preferably high density arrays or grids. Array technology methods are well known and have general applicability and can be used to address a variety of questions in molecular genetics including gene expression, genetic linkage, and genetic variability, see, for example, M. Chee *et al.*, Science, 274, 610-613
10 (1996) and other references cited therein.

Detection of abnormally decreased or increased levels of polypeptide or mRNA expression may also be used for diagnosing or determining susceptibility of a subject to a disease of the invention. Decreased or increased expression can be measured at the RNA level using any of the methods well known in the art for the quantitation of polynucleotides, such as, for
15 example, nucleic acid amplification, for instance PCR, RT-PCR, RNase protection, Northern blotting and other hybridization methods. Assay techniques that can be used to determine levels of a protein, such as a polypeptide of the present invention, in a sample derived from a host are well-known to those of skill in the art. Such assay methods include radio-immunoassays, competitive-binding assays, Western Blot analysis and ELISA assays.

20 Thus in another aspect, the present invention relates to a diagnostic kit comprising:
(a) a polynucleotide of the present invention, preferably the nucleotide sequence set forth in the Sequence Listing, or a fragment or an RNA transcript thereof;
(b) a nucleotide sequence complementary to that of (a);
(c) a polypeptide of the present invention, preferably the polypeptide set forth in the Sequence
25 Listing or a fragment thereof; or
(d) an antibody to a polypeptide of the present invention, preferably to the polypeptide set forth in the Sequence Listing.

It will be appreciated that in any such kit, (a), (b), (c) or (d) may comprise a substantial component. Such a kit will be of use in diagnosing a disease or susceptibility to a
30 disease, particularly diseases of the invention, amongst others.

The polynucleotide sequences of the present invention are valuable for chromosome localisation studies. The sequences set forth in the Sequence Listing are specifically targeted to, and can hybridize with, a particular location on an individual human chromosome. The mapping of relevant sequences to chromosomes according to the present invention is an
35 important first step in correlating those sequences with gene associated disease. Once a

sequence has been mapped to a precise chromosomal location, the physical position of the sequence on the chromosome can be correlated with genetic map data. Such data are found in, for example, V. McKusick, Mendelian Inheritance in Man (available on-line through Johns Hopkins University Welch Medical Library). The relationship between genes and diseases that have been mapped to the same chromosomal region are then identified through linkage analysis (co-inheritance of physically adjacent genes). Precise human chromosomal localisations for a genomic sequence (gene fragment etc.) can be determined using Radiation Hybrid (RH) Mapping (Walter, M. Spillett, D., Thomas, P., Weissenbach, J., and Goodfellow, P., (1994) A method for constructing radiation hybrid maps of whole genomes, *Nature Genetics* 7, 22-28). A number of RH panels are available from Research Genetics (Huntsville, AL, USA) e.g. the GeneBridge4 RH panel (*Hum Mol Genet* 1996 Mar;5(3):339-46 A radiation hybrid map of the human genome. Gyapay G, Schmitt K, Fizames C, Jones H, Vega-Czarny N, Spillett D, Muselet D, Prud'Homme JF, Dib C, Auffray C, Morissette J, Weissenbach J, Goodfellow PN). To determine the chromosomal location of a gene using this panel, 93 PCRs are performed using primers designed from the gene of interest on RH DNAs. Each of these DNAs contains random human genomic fragments maintained in a hamster background (human / hamster hybrid cell lines). These PCRs result in 93 scores indicating the presence or absence of the PCR product of the gene of interest. These scores are compared with scores created using PCR products from genomic sequences of known location. This comparison is conducted at <http://www.genome.wi.mit.edu/>.

The polynucleotide sequences of the present invention are also valuable tools for tissue expression studies. Such studies allow the determination of expression patterns of polynucleotides of the present invention which may give an indication as to the expression patterns of the encoded polypeptides in tissues, by detecting the mRNAs that encode them. The techniques used are well known in the art and include in situ hybridization techniques to clones arrayed on a grid, such as cDNA microarray hybridization (Schena *et al*, *Science*, 270, 467-470, 1995 and Shalon *et al*, *Genome Res*, 6, 639-645, 1996) and nucleotide amplification techniques such as PCR. A preferred method uses the TAQMAN (Trade mark) technology available from Perkin Elmer. Results from these studies can provide an indication of the normal function of the polypeptide in the organism. In addition, comparative studies of the normal expression pattern of mRNAs with that of mRNAs encoded by an alternative form of the same gene (for example, one having an alteration in polypeptide coding potential or a regulatory mutation) can provide valuable insights into the role of the polypeptides of the present invention, or that of inappropriate expression thereof in disease. Such inappropriate expression may be of a temporal, spatial or simply quantitative nature.

A further aspect of the present invention relates to antibodies. The polypeptides of the invention or their fragments, or cells expressing them, can be used as immunogens to produce antibodies that are immunospecific for polypeptides of the present invention. The term "immunospecific" means that the antibodies have substantially greater affinity for the polypeptides of the invention than their affinity for other related polypeptides in the prior art.

Antibodies generated against polypeptides of the present invention may be obtained by administering the polypeptides or epitope-bearing fragments, or cells to an animal, preferably a non-human animal, using routine protocols. For preparation of monoclonal antibodies, any technique which provides antibodies produced by continuous cell line cultures can be used. Examples include the hybridoma technique (Kohler, G. and Milstein, C., *Nature* (1975) 256:495-497), the trioma technique, the human B-cell hybridoma technique (Kozbor *et al.*, *Immunology Today* (1983) 4:72) and the EBV-hybridoma technique (Cole *et al.*, *Monoclonal Antibodies and Cancer Therapy*, 77-96, Alan R. Liss, Inc., 1985).

Techniques for the production of single chain antibodies, such as those described in U.S. Patent No. 4,946,778, can also be adapted to produce single chain antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms, including other mammals, may be used to express humanized antibodies.

The above-described antibodies may be employed to isolate or to identify clones expressing the polypeptide or to purify the polypeptides by affinity chromatography.

Antibodies against polypeptides of the present invention may also be employed to treat diseases of the invention, amongst others.

Polypeptides and polynucleotides of the present invention may also be used as vaccines. Accordingly, in a further aspect, the present invention relates to a method for inducing an immunological response in a mammal that comprises inoculating the mammal with a polypeptide of the present invention, adequate to produce antibody and/or T cell immune response, including, for example, cytokine-producing T cells or cytotoxic T cells, to protect said animal from disease, whether that disease is already established within the individual or not. An immunological response in a mammal may also be induced by a method comprises delivering a polypeptide of the present invention *via* a vector directing expression of the polynucleotide and coding for the polypeptide *in vivo* in order to induce such an immunological response to produce antibody to protect said animal from diseases of the invention. One way of administering the vector is by accelerating it into the desired cells as a coating on particles or otherwise. Such nucleic acid vector may comprise DNA, RNA, a modified nucleic acid, or a DNA/RNA hybrid. For use a vaccine, a polypeptide or a nucleic acid vector will be normally provided as a vaccine formulation (composition). The

formulation may further comprise a suitable carrier. Since a polypeptide may be broken down in the stomach, it is preferably administered parenterally (for instance, subcutaneous, intra-muscular, intravenous, or intra-dermal injection). Formulations suitable for parenteral administration include aqueous and non-aqueous sterile injection solutions that may contain
5 anti-oxidants, buffers, bacteriostats and solutes that render the formulation instonic with the blood of the recipient; and aqueous and non-aqueous sterile suspensions that may include suspending agents or thickening agents. The formulations may be presented in unit-dose or multi-dose containers, for example, sealed ampoules and vials and may be stored in a freeze-dried condition requiring only the addition of the sterile liquid carrier immediately prior to
10 use. The vaccine formulation may also include adjuvant systems for enhancing the immunogenicity of the formulation, such as oil-in water systems and other systems known in the art. The dosage will depend on the specific activity of the vaccine and can be readily determined by routine experimentation.

Polypeptides of the present invention have one or more biological functions that are
15 of relevance in one or more disease states, in particular the diseases of the invention hereinbefore mentioned. It is therefore useful to identify compounds that stimulate or inhibit the function or level of the polypeptide. Accordingly, in a further aspect, the present invention provides for a method of screening compounds to identify those that stimulate or inhibit the function or level of the polypeptide. Such methods identify agonists or antagonists
20 that may be employed for therapeutic and prophylactic purposes for such diseases of the invention as hereinbefore mentioned. Compounds may be identified from a variety of sources, for example, cells, cell-free preparations, chemical libraries, collections of chemical compounds, and natural product mixtures. Such agonists or antagonists so-identified may be natural or modified substrates, ligands, receptors, enzymes, etc., as the case may be, of the
25 polypeptide; a structural or functional mimetic thereof (see Coligan *et al.*, Current Protocols in Immunology 1(2):Chapter 5 (1991)) or a small molecule. Such small molecules preferably have a molecular weight below 2,000 daltons, more preferably between 300 and 1,000 daltons, and most preferably between 400 and 700 daltons. It is preferred that these small molecules are organic molecules.

30 The screening method may simply measure the binding of a candidate compound to the polypeptide, or to cells or membranes bearing the polypeptide, or a fusion protein thereof, by means of a label directly or indirectly associated with the candidate compound. Alternatively, the screening method may involve measuring or detecting (qualitatively or quantitatively) the competitive binding of a candidate compound to the polypeptide against a
35 labeled competitor (*e.g.* agonist or antagonist). Further, these screening methods may test

whether the candidate compound results in a signal generated by activation or inhibition of the polypeptide, using detection systems appropriate to the cells bearing the polypeptide. Inhibitors of activation are generally assayed in the presence of a known agonist and the effect on activation by the agonist by the presence of the candidate compound is observed.

5 Further, the screening methods may simply comprise the steps of mixing a candidate compound with a solution containing a polypeptide of the present invention, to form a mixture, measuring an activity of the genes set forth in Table I in the mixture, and comparing activity of the mixture of the genes set forth in Table I to a control mixture which contains no candidate compound.

10 Polypeptides of the present invention may be employed in conventional low capacity screening methods and also in high-throughput screening (HTS) formats. Such HTS formats include not only the well-established use of 96- and, more recently, 384-well micotiter plates but also emerging methods such as the nanowell method described by Schullek et al, Anal Biochem., 246, 20-29, (1997).

15 Fusion proteins, such as those made from Fc portion and polypeptide of the genes set forth in Table I, as hereinbefore described, can also be used for high-throughput screening assays to identify antagonists for the polypeptide of the present invention (see D. Bennett *et al.*, J Mol Recognition, 8:52-58 (1995); and K. Johanson *et al.*, J Biol Chem, 270(16):9459-9471 (1995)).

20 The polynucleotides, polypeptides and antibodies to the polypeptide of the present invention may also be used to configure screening methods for detecting the effect of added compounds on the production of mRNA and polypeptide in cells. For example, an ELISA assay may be constructed for measuring secreted or cell associated levels of polypeptide using monoclonal and polyclonal antibodies by standard methods known in the art. This can be
25 used to discover agents that may inhibit or enhance the production of polypeptide (also called antagonist or agonist, respectively) from suitably manipulated cells or tissues.

A polypeptide of the present invention may be used to identify membrane bound or soluble receptors, if any, through standard receptor binding techniques known in the art. These include, but are not limited to, ligand binding and crosslinking assays in which the
30 polypeptide is labeled with a radioactive isotope (for instance, ¹²⁵I), chemically modified (for instance, biotinylated), or fused to a peptide sequence suitable for detection or purification, and incubated with a source of the putative receptor (cells, cell membranes, cell supernatants, tissue extracts, bodily fluids). Other methods include biophysical techniques such as surface plasmon resonance and spectroscopy. These screening methods may also be used to identify
35 agonists and antagonists of the polypeptide that compete with the binding of the polypeptide

to its receptors, if any. Standard methods for conducting such assays are well understood in the art.

Examples of antagonists of polypeptides of the present invention include antibodies or, in some cases, oligonucleotides or proteins that are closely related to the ligands, substrates, receptors, enzymes, etc., as the case may be, of the polypeptide, *e.g.*, a fragment of the ligands, substrates, receptors, enzymes, etc.; or a small molecule that bind to the polypeptide of the present invention but do not elicit a response, so that the activity of the polypeptide is prevented.

Screening methods may also involve the use of transgenic technology and the genes set forth in Table I. The art of constructing transgenic animals is well established. For example, the genes set forth in Table I may be introduced through microinjection into the male pronucleus of fertilized oocytes, retroviral transfer into pre- or post-implantation embryos, or injection of genetically modified, such as by electroporation, embryonic stem cells into host blastocysts. Particularly useful transgenic animals are so-called "knock-in" animals in which an animal gene is replaced by the human equivalent within the genome of that animal. Knock-in transgenic animals are useful in the drug discovery process, for target validation, where the compound is specific for the human target. Other useful transgenic animals are so-called "knock-out" animals in which the expression of the animal ortholog of a polypeptide of the present invention and encoded by an endogenous DNA sequence in a cell is partially or completely annulled. The gene knock-out may be targeted to specific cells or tissues, may occur only in certain cells or tissues as a consequence of the limitations of the technology, or may occur in all, or substantially all, cells in the animal. Transgenic animal technology also offers a whole animal expression-cloning system in which introduced genes are expressed to give large amounts of polypeptides of the present invention

Screening kits for use in the above described methods form a further aspect of the present invention. Such screening kits comprise:

- (a) a polypeptide of the present invention;
 - (b) a recombinant cell expressing a polypeptide of the present invention;
 - (c) a cell membrane expressing a polypeptide of the present invention; or
 - (d) an antibody to a polypeptide of the present invention;
- which polypeptide is preferably that set forth in the Sequence Listing.

It will be appreciated that in any such kit, (a), (b), (c) or (d) may comprise a substantial component.

Glossary

The following definitions are provided to facilitate understanding of certain terms used frequently hereinbefore.

"Antibodies" as used herein includes polyclonal and monoclonal antibodies, chimeric, single chain, and humanized antibodies, as well as Fab fragments, including the products of an
5 Fab or other immunoglobulin expression library.

"Isolated" means altered "by the hand of man" from its natural state, *i.e.*, if it occurs in nature, it has been changed or removed from its original environment, or both. For example, a polynucleotide or a polypeptide naturally present in a living organism is not "isolated," but the same polynucleotide or polypeptide separated from the coexisting materials
10 of its natural state is "isolated", as the term is employed herein. Moreover, a polynucleotide or polypeptide that is introduced into an organism by transformation, genetic manipulation or by any other recombinant method is "isolated" even if it is still present in said organism, which organism may be living or non-living.

"Secreted protein activity or secreted polypeptide activity" or "biological activity of
15 the secreted protein or secreted polypeptide" refers to the metabolic or physiologic function of said secreted protein including similar activities or improved activities or these activities with decreased undesirable side-effects. Also included are antigenic and immunogenic activities of said secreted protein.

"Secreted protein gene" refers to a polynucleotide comprising any of the attached
20 nucleotide sequences or allelic variants thereof and/or their complements.

"Polynucleotide" generally refers to any polyribonucleotide (RNA) or polydeoxiribonucleotide (DNA), which may be unmodified or modified RNA or DNA.

"Polynucleotides" include, without limitation, single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded regions, single- and double-stranded RNA, and RNA
25 that is mixture of single- and double-stranded regions, hybrid molecules comprising DNA and RNA that may be single-stranded or, more typically, double-stranded or a mixture of single- and double-stranded regions. In addition, "polynucleotide" refers to triple-stranded regions comprising RNA or DNA or both RNA and DNA. The term "polynucleotide" also includes
30 DNAs or RNAs containing one or more modified bases and DNAs or RNAs with backbones modified for stability or for other reasons. "Modified" bases include, for example, tritylated bases and unusual bases such as inosine. A variety of modifications may be made to DNA and RNA; thus, "polynucleotide" embraces chemically, enzymatically or metabolically modified forms of polynucleotides as typically found in nature, as well as the chemical forms of DNA and RNA characteristic of viruses and cells. "Polynucleotide" also embraces
35 relatively short polynucleotides, often referred to as oligonucleotides.

"Polypeptide" refers to any polypeptide comprising two or more amino acids joined to each other by peptide bonds or modified peptide bonds, i.e., peptide isosteres.

"Polypeptide" refers to both short chains, commonly referred to as peptides, oligopeptides or oligomers, and to longer chains, generally referred to as proteins. Polypeptides may contain amino acids other than the 20 gene-encoded amino acids. "Polypeptides" include amino acid sequences modified either by natural processes, such as post-translational processing, or by chemical modification techniques that are well known in the art. Such modifications are well described in basic texts and in more detailed monographs, as well as in a voluminous research literature. Modifications may occur anywhere in a polypeptide, including the peptide backbone, the amino acid side-chains and the amino or carboxyl termini. It will be appreciated that the same type of modification may be present to the same or varying degrees at several sites in a given polypeptide. Also, a given polypeptide may contain many types of modifications. Polypeptides may be branched as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched and branched cyclic polypeptides may result from post-translation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation, biotinylation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphatidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cystine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination (see, for instance, *Proteins - Structure and Molecular Properties*, 2nd Ed., T. E. Creighton, W. H. Freeman and Company, New York, 1993; Wold, F., *Post-translational Protein Modifications: Perspectives and Prospects*, 1-12, in *Post-translational Covalent Modification of Proteins*, B. C. Johnson, Ed., Academic Press, New York, 1983; Seifter *et al.*, "Analysis for protein modifications and nonprotein cofactors", *Meth Enzymol*, 182, 626-646, 1990, and Rattan *et al.*, "Protein Synthesis: Post-translational Modifications and Aging", *Ann NY Acad Sci*, 663, 48-62, 1992).

"Fragment" of a polypeptide sequence refers to a polypeptide sequence that is shorter than the reference sequence but that retains essentially the same biological function or activity as the reference polypeptide. "Fragment" of a polynucleotide sequence refers to a

polynucleotide sequence that is shorter than the reference sequence set forth in the Sequence Listing.

"Variant" refers to a polynucleotide or polypeptide that differs from a reference polynucleotide or polypeptide, but retains the essential properties thereof. A typical variant of a polynucleotide differs in nucleotide sequence from the reference polynucleotide. Changes in the nucleotide sequence of the variant may or may not alter the amino acid sequence of a polypeptide encoded by the reference polynucleotide. Nucleotide changes may result in amino acid substitutions, additions, deletions, fusions and truncations in the polypeptide encoded by the reference sequence, as discussed below. A typical variant of a polypeptide differs in amino acid sequence from the reference polypeptide. Generally, alterations are limited so that the sequences of the reference polypeptide and the variant are closely similar overall and, in many regions, identical. A variant and reference polypeptide may differ in amino acid sequence by one or more substitutions, insertions, deletions in any combination. A substituted or inserted amino acid residue may or may not be one encoded by the genetic code. Typical conservative substitutions include Gly, Ala; Val, Ile, Leu; Asp, Glu; Asn, Gln; Ser, Thr; Lys, Arg; and Phe and Tyr. A variant of a polynucleotide or polypeptide may be naturally occurring such as an allele, or it may be a variant that is not known to occur naturally. Non-naturally occurring variants of polynucleotides and polypeptides may be made by mutagenesis techniques or by direct synthesis. Also included as variants are polypeptides having one or more post-translational modifications, for instance glycosylation, phosphorylation, methylation, ADP ribosylation and the like. Embodiments include methylation of the N-terminal amino acid, phosphorylations of serines and threonines and modification of C-terminal glycines.

"Allele" refers to one of two or more alternative forms of a gene occurring at a given locus in the genome.

"Polymorphism" refers to a variation in nucleotide sequence (and encoded polypeptide sequence, if relevant) at a given position in the genome within a population.

"Single Nucleotide Polymorphism" (SNP) refers to the occurrence of nucleotide variability at a single nucleotide position in the genome, within a population. An SNP may occur within a gene or within intergenic regions of the genome. SNPs can be assayed using Allele Specific Amplification (ASA). For the process at least 3 primers are required. A common primer is used in reverse complement to the polymorphism being assayed. This common primer can be between 50 and 1500 bps from the polymorphic base. The other two (or more) primers are identical to each other except that the final 3' base wobbles to match one of the two (or more) alleles that make up the polymorphism. Two (or more) PCR

reactions are then conducted on sample DNA, each using the common primer and one of the Allele Specific Primers.

"Splice Variant" as used herein refers to cDNA molecules produced from RNA molecules initially transcribed from the same genomic DNA sequence but which have undergone alternative RNA splicing. Alternative RNA splicing occurs when a primary RNA transcript undergoes splicing, generally for the removal of introns, which results in the production of more than one mRNA molecule each of that may encode different amino acid sequences. The term splice variant also refers to the proteins encoded by the above cDNA molecules.

"Identity" reflects a relationship between two or more polypeptide sequences or two or more polynucleotide sequences, determined by comparing the sequences. In general, identity refers to an exact nucleotide to nucleotide or amino acid to amino acid correspondence of the two polynucleotide or two polypeptide sequences, respectively, over the length of the sequences being compared.

"% Identity" - For sequences where there is not an exact correspondence, a "% identity" may be determined. In general, the two sequences to be compared are aligned to give a maximum correlation between the sequences. This may include inserting "gaps" in either one or both sequences, to enhance the degree of alignment. A % identity may be determined over the whole length of each of the sequences being compared (so-called global alignment), that is particularly suitable for sequences of the same or very similar length, or over shorter, defined lengths (so-called local alignment), that is more suitable for sequences of unequal length.

"Similarity" is a further, more sophisticated measure of the relationship between two polypeptide sequences. In general, "similarity" means a comparison between the amino acids of two polypeptide chains, on a residue by residue basis, taking into account not only exact correspondences between a between pairs of residues, one from each of the sequences being compared (as for identity) but also, where there is not an exact correspondence, whether, on an evolutionary basis, one residue is a likely substitute for the other. This likelihood has an associated "score" from which the "% similarity" of the two sequences can then be determined.

Methods for comparing the identity and similarity of two or more sequences are well known in the art. Thus for instance, programs available in the Wisconsin Sequence Analysis Package, version 9.1 (Devereux J et al, Nucleic Acids Res, 12, 387-395, 1984, available from Genetics Computer Group, Madison, Wisconsin, USA), for example the programs BESTFIT and GAP, may be used to determine the % identity between two polynucleotides and the %

identity and the % similarity between two polypeptide sequences. BESTFIT uses the "local homology" algorithm of Smith and Waterman (J Mol Biol, 147,195-197, 1981, Advances in Applied Mathematics, 2, 482-489, 1981) and finds the best single region of similarity between two sequences. BESTFIT is more suited to comparing two polynucleotide or two polypeptide sequences that are dissimilar in length, the program assuming that the shorter sequence represents a portion of the longer. In comparison, GAP aligns two sequences, finding a "maximum similarity", according to the algorithm of Neddleman and Wunsch (J Mol Biol, 48, 443-453, 1970). GAP is more suited to comparing sequences that are approximately the same length and an alignment is expected over the entire length.

5
10
15
20
25
30
35

Preferably, the parameters "Gap Weight" and "Length Weight" used in each program are 50 and 3, for polynucleotide sequences and 12 and 4 for polypeptide sequences, respectively. Preferably, % identities and similarities are determined when the two sequences being compared are optimally aligned.

Other programs for determining identity and/or similarity between sequences are also known in the art, for instance the BLAST family of programs (Altschul S F et al, J Mol Biol, 215, 403-410, 1990, Altschul S F et al, Nucleic Acids Res., 25:389-3402, 1997, available from the National Center for Biotechnology Information (NCBI), Bethesda, Maryland, USA and accessible through the home page of the NCBI at www.ncbi.nlm.nih.gov) and FASTA (Pearson W R, Methods in Enzymology, 183, 63-99, 1990; Pearson W R and Lipman D J, Proc Nat Acad Sci USA, 85, 2444-2448, 1988, available as part of the Wisconsin Sequence Analysis Package).

Preferably, the BLOSUM62 amino acid substitution matrix (Henikoff S and Henikoff J G, Proc. Nat. Acad Sci. USA, 89, 10915-10919, 1992) is used in polypeptide sequence comparisons including where nucleotide sequences are first translated into amino acid sequences before comparison.

Preferably, the program BESTFIT is used to determine the % identity of a query polynucleotide or a polypeptide sequence with respect to a reference polynucleotide or a polypeptide sequence, the query and the reference sequence being optimally aligned and the parameters of the program set at the default value, as hereinbefore described.

"Identity Index" is a measure of sequence relatedness which may be used to compare a candidate sequence (polynucleotide or polypeptide) and a reference sequence. Thus, for instance, a candidate polynucleotide sequence having, for example, an Identity Index of 0.95 compared to a reference polynucleotide sequence is identical to the reference sequence except that the candidate polynucleotide sequence may include on average up to five differences per each 100 nucleotides of the reference sequence. Such differences are selected from the group

consisting of at least one nucleotide deletion, substitution, including transition and transversion, or insertion. These differences may occur at the 5' or 3' terminal positions of the reference polynucleotide sequence or anywhere between these terminal positions, interspersed either individually among the nucleotides in the reference sequence or in one or more
 5 contiguous groups within the reference sequence. In other words, to obtain a polynucleotide sequence having an Identity Index of 0.95 compared to a reference polynucleotide sequence, an average of up to 5 in every 100 of the nucleotides of the in the reference sequence may be deleted, substituted or inserted, or any combination thereof, as hereinbefore described. The same applies *mutatis mutandis* for other values of the Identity Index, for instance 0.96, 0.97,
 10 0.98 and 0.99.

Similarly, for a polypeptide, a candidate polypeptide sequence having, for example, an Identity Index of 0.95 compared to a reference polypeptide sequence is identical to the reference sequence except that the polypeptide sequence may include an average of up to five differences per each 100 amino acids of the reference sequence. Such differences are selected
 15 from the group consisting of at least one amino acid deletion, substitution, including conservative and non-conservative substitution, or insertion. These differences may occur at the amino- or carboxy-terminal positions of the reference polypeptide sequence or anywhere between these terminal positions, interspersed either individually among the amino acids in the reference sequence or in one or more contiguous groups within the reference sequence. In
 20 other words, to obtain a polypeptide sequence having an Identity Index of 0.95 compared to a reference polypeptide sequence, an average of up to 5 in every 100 of the amino acids in the reference sequence may be deleted, substituted or inserted, or any combination thereof, as hereinbefore described. The same applies *mutatis mutandis* for other values of the Identity Index, for instance 0.96, 0.97, 0.98 and 0.99.

25 The relationship between the number of nucleotide or amino acid differences and the Identity Index may be expressed in the following equation:

$$n_a \leq x_a - (x_a \bullet I),$$

in which:

- n_a is the number of nucleotide or amino acid differences,
- 30 x_a is the total number of nucleotides or amino acids in a sequence set forth in the Sequence Listing,
- I is the Identity Index,
- \bullet is the symbol for the multiplication operator, and

in which any non-integer product of x_a and l is rounded down to the nearest integer prior to subtracting it from x_a .

"Homolog" is a generic term used in the art to indicate a polynucleotide or polypeptide sequence possessing a high degree of sequence relatedness to a reference sequence. Such relatedness may be quantified by determining the degree of identity and/or similarity between the two sequences as hereinbefore defined. Falling within this generic term are the terms "ortholog", and "paralog". "Ortholog" refers to a polynucleotide or polypeptide that is the functional equivalent of the polynucleotide or polypeptide in another species. "Paralog" refers to a polynucleotide or polypeptide that within the same species which is functionally similar.

"Fusion protein" refers to a protein encoded by two, often unrelated, fused genes or fragments thereof. In one example, EP-A-0 464 533-A discloses fusion proteins comprising various portions of constant region of immunoglobulin molecules together with another human protein or part thereof. In many cases, employing an immunoglobulin Fc region as a part of a fusion protein is advantageous for use in therapy and diagnosis resulting in, for example, improved pharmacokinetic properties [see, *e.g.*, EP-A 0232 262]. On the other hand, for some uses it would be desirable to be able to delete the Fc part after the fusion protein has been expressed, detected and purified.

All publications and references, including but not limited to patents and patent applications, cited in this specification are herein incorporated by reference in their entirety as if each individual publication or reference were specifically and individually indicated to be incorporated by reference herein as being fully set forth. Any patent application to which this application claims priority is also incorporated by reference herein in its entirety in the manner described above for publications and references.

Table I.

Gene Name	GSK Gene ID	Nucleic Acid SEQ ID NO's	Corresponding Protein SEQ ID NO's
sbg101452SLITa	101452	SEQ ID NO:1	SEQ ID NO:27
sbg29046CYSa	29046a	SEQ ID NO:2	SEQ ID NO:28
sbg29046CYSb	29046b	SEQ ID NO:3 SEQ ID NO:4	SEQ ID NO:29 SEQ ID NO:30
sbg37149SLITb	37149	SEQ ID NO:5	SEQ ID NO:31
sbg36267SLITa	36267	SEQ ID NO:6	SEQ ID NO:32
sbg35579MELAA	35579	SEQ ID NO:7 SEQ ID NO:8	SEQ ID NO:33 SEQ ID NO:34
SBh69447. Triglyceride Lipase	69447	SEQ ID NO:9	SEQ ID NO:35
SBh86614.TrypI	86614	SEQ ID NO:10 SEQ ID NO:11	SEQ ID NO:36 SEQ ID NO:37
sbg106886DELTAa	106886	SEQ ID NO:12	SEQ ID NO:38
sbg35779THYa	35779	SEQ ID NO:13	SEQ ID NO:39
sbg15130INHaa	15130	SEQ ID NO:14 SEQ ID NO:15	SEQ ID NO:40 SEQ ID NO:41
SBh26548.homebox	26548	SEQ ID NO:16	SEQ ID NO:42
sbg26991CERUa	26991	SEQ ID NO:17	SEQ ID NO:43
sbg35851PEROa	35851	SEQ ID NO:18 SEQ ID NO:19	SEQ ID NO:44 SEQ ID NO:45
sbg36274SLITa	36274	SEQ ID NO:20	SEQ ID NO:46
sbg34575SLITa	34575	SEQ ID NO:21	SEQ ID NO:47
SBh71706.NIAP	71706	SEQ ID NO:22 SEQ ID NO:23	SEQ ID NO:48 SEQ ID NO:49
SBh77492.Breast Specific BS200	77492	SEQ ID NO:24 SEQ ID NO:25	SEQ ID NO:50 SEQ ID NO:51
sbg115305LRRa	115305	SEQ ID NO:26	SEQ ID NO:52

Table II

Gene Name	Gene Family	Closest Polynucleotide by homology	Closest Polypeptide by homology	Cell Localization (by homology)
sbg101452SLITa	Slit-like membrane glycoprotein	GB:AL138498 Submitted (07-DEC-2000) by Genoscope - Centre National de Sequencage : BP 191 91006 EVRY cedex - FRANCE	KIAA1246 protein,gi:6330833 Submitted (04-OCT-1999) by Osamu Ohara, Kazusa DNA Research Institute, Laboratory of DNA Technology; 1532-3 Yana, Kisarazu, Chiba 292-0812, Japan	Membrane-bound
sbg29046CYSa	Cystatin	GB:AL121894 Submitted on Feb 18,2000 by Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK	Human cystatin family member gi :9944240 Submitted (25-OCT-2000) Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Secreted
sbg29046CYSb	Cystatin	GB:AL121894 Submitted on Feb 18,2000 by Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK	Novel human cystatin-related protein geneseq:Y53771 (KARO-) KAROLINSKA INNOVATIONS AB WO9958565-A1, 18-NOV-99	Secreted
sbg37149SLITb	Slit-like membrane glycoprotein	GB:Z94160 Submitted on Dec8, 1999, Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Human putative leucine rich protein gi:3191975 Submitted (08-DEC-1999) Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Membrane-bound
sbg36267SLITa	Slit 3-like membrane glycoprotein	GB:AL080239 Submitted on Jan10, 2000, by Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Human KIAA0918 protein, gi :4240325 Nagase,T., Ishikawa,K., Suyama,M., Kikuno,R., Hirosawa,M., Miyajima,N., Tanaka,A., Kotani,H., Nomura,N. and Ohara,O. DNA Res. 5 (6), 355-364 (1998)	Membrane-bound
sbg35579MELAa	Brain-specific transmembrane glycoprotein	GB:AC018477 Submitted (12-DEC-1999) by Human Genome Sequencing Center, Department of Molecular and Human Genetics, Baylor College of Medicine, One Baylor Plaza, Houston, TX 77030, USA	Human KIAA1484 protein, gi: 7959229 Nagase,T., Kikuno,R., Ishikawa,K., Hirosawa,M. and Ohara,O. DNA Res. 7 (2), 143-150 (2000).	Membrane-bound
SBh69447. Triglyceride Lipase	Triglyceride lipase	GB:AC011277 Submitted (05-OCT-1999) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA	Human gastric lipase, gi:4758676 Bodmer,M.W., Angal,S., Yarranton,G.T., Harris,T.J., Lyons,A., King,D.J., Pieroni,G., Riviere,C., Verger,R. and Lowe,P.A. Biochim. Biophys. Acta 909 (3), 237-244 (1987)	Secreted

Table II Cont

Gene Name	Gene Family	Closest Polynucleotide by homology	Closest Polypeptide by homology	Cell Localization (by homology)
SBh86614.Tryp1	Serine protease	JGI:RPCI-11± 388M20 Found at Joint Genome Institute	Human PRO351 protein, gene: Y41704 GENENTECH INC WO9946281-A2, 16-SEP-99	Secreted
sbg106886DELTAa	DELTAa	GB:AC021391 Submitted on JAN 16, 2000, Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA	Rat preadipocyte factor, gi: 802014 Carlsson,C., Tornhave,D., Lindberg,K., Galante,P., Billestrup,N., Michelsen,B., Larsson,L.I. and Nielsen,J.H. Endocrinology 138 (9), 3940-3948 (1997)	Secreted
sbg35779THYa	Thyroxine binding globulin	GB:AL132990 Submitted (27-JAN-2000) by Genoscope - Centre National de Sequencage :BP 191 91006 EVRY cedex	Human PRO1337 GENENTECH INC WO200012708-A2, 09-MAR-00	Secreted
sbg15130INHaa	Leukocyte protease inhibitor	SC:Z93016 Submitted (31-JUL-2000) Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Human serine protease inhibitor, gene: Y28645 Human Genome Sci Inc WO199940183-A1, 12-AUG-99	Secreted
SBh26548.homebox	LBX, HOX, DLX	GB:AC005041 Sulston,J.E. and Waterston,R. Genome Res. 8 (11), 1097-1108 (1998)	Mouse lady bird-like homeobox 2 homolog, gi: 6754512 Chen,F., Liu,K.C. and Epstein,J.A. Mech. Dev. (1999).	Nucleus
sbg26991CERUa	Ceruloplasmin precursor	GB:AC010909 Submitted (26-SEP-1999) by Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA	Human ceruloplasmin, gi: 1070458 Takahashi,N., Ortel,T.L. and Putnam,F.W. Proc. Natl. Acad. Sci. U.S.A. 81 (2), 390-394 (1984).	Secreted
sbg35851PEROa	Slit-like membrane glycoprotein	GB:AF038458 Submitted (12-DEC-1997) Human Genome Center, Lawrence Livermore National Laboratory, 7000 East Ave., Livermore, CA 94551, USA	Human KIAA1246 protein, gi: 6330833 Submitted (04-OCT-1999) by Osamu Ohara, Kazusa DNA Research Institute, Laboratory of DNA Technology; 1532-3 Yana, Kisarazu, Chiba 292-0812, Japan	Membrane-bound
sbg36274SLITa	Slit-like membrane glycoprotein	GB:AL109653 Submitted (22-NOV-1999) Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Human novel protein, gi: 11877257 Submitted (20-JAN-2000) Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA	Membrane-bound

Table II Cont

Gene Name	Gene Family	Closest Polynucleotide by homology	Closest Polypeptide by homology	Cell Localization (by homology)
sbg34575SLITa	Slit-like membrane glycoprotein	GB:AC005343 Submitted (31-JUL-1998) by Molecular and Human Genetics, Baylor College of Medicine, One Baylor Plaza, Houston, TX 77030, USA.	pineal gland specific gene-1 protein, geneseqp: W09405 Human Genome Sci Inc W09639158-A1, 12-DEC-96	Membrane-bound
SBh71706.NIAP	Apoptosis inhibitory protein	GB:AL121653 Submission (29-FEB-2000) by Genoscope.	Human hypothetical protein, weakly similar to mouse neuronal apoptosis inhibitory protein 2, gi:9367840 Submitted (15-JUL-2000) by Dept. Genetica Molecular, Institut de Recerca Oncologica (IRO), Hospital Duran i Reynals, Av. Gran Via s/n Km 2,7 L'Hospitalet de Llobregat, 08907 Barcelona, Catalunya, SPAIN.	Cytosolic
SBh77492.Breast Specific BS200	EGF-related protein	SC:Z82214,GB:Z99756 Submitted (08-DEC-1999) by Sanger Centre, Hinxton, Cambridgeshire, CB10 1SA, UK.	Mouse EGF-related protein SCUBE1, gi: 10998440 Submitted (08-JUN-2000) Mammalian Genetics Unit, MRC Harwell, Chilton, Didcot, Oxon OX11 0RD, United Kingdom.	Secreted
sbgl15305LRRa	Leucine-rich repeat (LRR)	GB:AC023484 Submitted (14-FEB-2000) Human Genomic Center, Institute of Genetics, Chinese Academy of Sciences, Datun Road, Beijing, Beijing 100101, P.R.China	Muse leucine rich repeat protein 1, gi:678724 Taguchi A, Wanaka A, Mori T, Matsumoto K, Imai Y, Tagaki T, Tohyama M, 1996, Brain Res Mol Brain Res;35:31-4.	Membrane-bound

Table III.

Gene Name	Uses	Associated Diseases
sbg101452SLITa	An embodiment of the invention is the use of sbg101452SLITa, a member of the slit protein family, for diagnosis and treatment of nervous and muscular diseases. This is because other members of the slit protein family may be necessary for CNS development. In addition, sbg101452SLITa shows homology to leucine-rich repeat proteins, which demonstrates significant functions in neural development. It is thus possible that similar molecules play a crucial role in the morphogenesis of the mammalian nervous system (Taniguchi H, Tohyama M, Takagi T. Brain Res Mol Brain Res 1996 Feb;36(1):45-52).	Gastrointestinal ulceration, Zollinger-Ellison syndrome, congenital microvillus atrophy, skin diseases
sbg29046CYSa	An embodiment of the invention is the use of sbg29046CYSa to inhibit tumor formation and metastasis and may also be involved in natural tissue remodeling events such as bone resorption and embryo implantation. Close Homologs of sbg29046CYSa are cysteine protease inhibitors known as cystatins. Cystatins and their target proteases have been associated with tumor formation and metastasis, but also are involved in natural tissue remodeling events such as bone resorption and embryo implantation (Tohonen V., Osterlund C., and Nordqvist K., 1998 Proc Natl Acad Sci U S A 95(24):14208-13). Cystatin is a natural and specific inhibitor of the cysteine proteases generating in cancer invasion. The level of cystatin determination in serum and tissue extracts can be the clinical diagnostic and prognostic parameters in human cancers (Kos J., Stabuc B., Cimerman N., and Brunner N., 1998. Clin Chem 44(12):2556-7).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing, inflammation metastasis, amyloid angiopathies, and progressive myoclonus epilepsy
sbg29046CYSb	An embodiment of the invention is the use of sbg29046CYSb to inhibit tumor formation and metastasis and may also be involved in natural tissue remodeling events such as bone resorption and embryo implantation. Close homologs of sbg29046CYSa are cysteine protease inhibitors known as cystatins. Cystatins and their target proteases have been associated with tumor formation and metastasis, but also are involved in natural tissue remodeling events such as bone resorption and embryo implantation (Tohonen V., Osterlund C., and Nordqvist K., 1998 Proc Natl Acad Sci U S A 95(24):14208-13). Cystatin is a natural and specific inhibitor of the cysteine proteases generating in cancer invasion. The level of cystatin determination in serum and tissue extracts can be the clinical diagnostic and prognostic parameters in human cancers (Kos J., Stabuc B., Cimerman N., and Brunner N., 1998. Clin Chem 44(12):2556-7).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing, inflammation metastasis, amyloid angiopathies, and progressive myoclonus epilepsy
sbg37149SLITb	An embodiment of the invention is the use of sbg37149SLITb, a member of human slit-like proteins, which may be necessary for CNS development, and therefore can be useful for diagnosis and treatment of nervous and muscular diseases. In addition, sbg37149SLITb shows similarity to leucine-rich repeat proteins, and may also demonstrate significant functions in neural development. It has been shown that expression of slit genes is associated with neuronal migration in the developing forebrain (Hu H, Neuron 703-11,1999). It is thus possible that sbg37149SLITb plays a crucial role in the morphogenesis of the mammalian nervous system (Taniguchi H, Tohyama M, Takagi T. Brain Res Mol Brain Res 1996 Feb;36(1):45-52)	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing, inflammation, and diseases in spinal cord, thyroid gland, ovary, prostate, renal gland, small intestine, heart, trachea, thymus, lymph node, and muscular system

Table III Cont

Gene Name	Uses	Associated Diseases
sbg36267SLITa	An embodiment of the invention is the use of sbg36267SLITa to treat gastrointestinal ulceration as well as prevention and treatment of diseases in spinal cord, thyroid gland, ovary, prostate, renal gland, small intestine, heart, trachea, thymus, lymph node, muscular system and colon. sbg36267SLITa is exploitable in similar ways to a close homolog human KIAA0918 protein, which is functionally related to cell signaling/communication, cell structure/motility and nucleic acid management. A close homolog of sbg36267SLITa is PRO266 and human slit 3 mature protein.	Gastrointestinal ulceration, diseases in spinal cord, thyroid gland, ovary, prostate, renal gland, small intestine, heart, trachea, thymus, lymph node, muscular system and colon
sbg35579MELAa	An embodiment of the invention is the use of sbg35579MELAa The closest homologue to this novel protein is human KIAA1484 protein which is derived from brain-specific cDNA library and functionally related to cell signaling/communication, cell structure/motility and nucleic acid management. Other close homologs to sbg35579MELAa are human KIAA1246, also derived from brain-specific cDNA library and human brain-specific transmembrane glycoprotein B09968. B09968 has a typical PDZ protein binding motif and functions as a cellular signal transducer, useful in developing drugs for treating nervous diseases	Gastrointestinal ulceration, diseases in spinal cord, thyroid gland, ovary, prostate, renal gland, small intestine, heart, trachea, thymus, lymph node, muscular system and colon.
SBh69447. Triglyceride Lipase	An embodiment of the invention is the use of SBh69447. Triglyceride Lipase, a member of gastric lipases, for oral administration to treat lipase deficiency in cystic fibrosis and pancreatitis. Some gastric lipases are also useful therapeutically for absorption of ingested fat in patients with mucoviscidiosis of fat and defective transesterification (WO8601532-A).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing, inflammation, gastric lipase deficiency, cystic fibrosis, Pancreatitis, altered absorption of fat, gastrointestinal disorders, defective biocatalysis, mucoviscidiosis, poor enzymatic bioconversion of fat, cystic fibrosis, pancreatitis diseases
SBh86614. TrypI	An embodiment of the invention is the use of SBh86614. TrypI, a member of the mast cell protease/ tryptase family, for treatment of undesirable clot formation such as myocardial infraction, during angioplasty and all surgical procedures that require decreased blood clot formation and may also be involved in tumor growth and fertility. Other homologs of the mast cell protease/ tryptase family have been identified in WO9836054-A1 and WO9824886-A1.	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorder, inflammation, blood coagulation disorders, cancers and cellular adhesion disorders, deep vein thrombosis, myocardial infraction
sbg106886 DELTAa	An embodiment of the invention is the use of sbg106886DELTAa in cellular interactions and fetal development. Close homologs of sbg106886DELTAa are involved in cell-to-cell communications in mammalian embryos through the Notch signaling pathway, and therefore may have a role in cellular interactions (Artavanis-Tsakonas et al., 1995, Science 268: 225-232). It has been shown that mouse Delta1 protein is essential for normal somitogenesis and neuronal differentiation, and Delta1 expression can be detected during organogenesis and fetal development (Beckers J., Clark A., Wunsch K., Hrabe De Angelis M., Gossler A. 1999, Mech Dev 84:165-8).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing, inflammation

Table III Cont.

Gene Name	Uses	Associated Diseases
sbg35779THY _a	An embodiment of the invention is the use of sbg35779THY _a , a secreted protein, in the diagnosis and also in the treatment of thyroid and liver diseases, treatment of septic shock, pancreatitis, coagulation disorders, and microbial diseases. Close homologs of sbg35779THY _a are Mutant Human alpha-1-antichymotrypsin with Arg(358) and Alpha-1-antichymotrypsin (Leu358Arg).	Thyroid and liver diseases, septic shock, pancreatitis, coagulation disorders, microbial diseases
sbg15130INH _a	An embodiment of the invention is the use of sbg15130INH _a , a secreted protein, in developing products for treating e.g. immune disorders, cancers, inflammation, transplant rejection or infections. A close homolog of sbg15130INH _a is mouse and rat secretory leukocyte protease inhibitors (SLPI). Transfection of macrophages with SLPI have been shown to suppress LPS-induced activation of NF-kappa B and production of nitric oxide and TNF alpha (Jin, F.Y., Nathan, C., Radzioch, D. and Ding, A. Cell 88 (3), 417-426 (1997)).	Immune disorders, cancers, inflammation, transplant rejection or infections, disorders in fetal development
SBh26548.home-box	An embodiment of the invention is the use of SBh26548 homebox to enhance bone thickness and increase bone density at the site of application or may affect developmental conditions if expressed in the thymus or T cells. Close homologs of SBh26548 homebox are members of HOX and DLX (US5850002-A and WO9943784-A2).	Autoimmune disorder, hematopoietic disorder, wound healing disorder, cancer, inflammation, viral and bacterial infection, autosomal dominant disorder, bone defects, osteoporosis, trauma, periodontal defects
sbg26991CERU _a	An embodiment of the invention is the use of sbg26991CERU _a to reduce the loss of essential ferroxidases. Copper is an essential trace metal which plays a fundamental role in the biochemistry of the human nervous system. Close homologs of sbg26991CERU _a are Ceruloplasmins. Ceruloplasmins are plasma metalloproteins that contains 95% of the copper found in human plasma and inherited loss of this essential ferroxidase is associated with progressive neurodegeneration of the retina and basal ganglia (Waggoner DJ, Bartnikas TB, Gitlin JD, 1999 Neurobiol Dis 6(4):221-30). Ceruloplasmin deficiency leads to iron accumulation and causes damage to a variety of tissues and organs. Serum ceruloplasmin determination can be part of diagnostic procedures of Wilson's disease, an inherited copper storage disease.	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorder, inflammation, and progressive neurodegeneration of the retina and basal ganglia
sbg35851PERO _a	An embodiment of the invention is the use of sbg35851PERO _a , a member of the slit protein family, for diagnosis and treatment of nervous and muscular diseases. In addition, sbg35851PERO _a shows homology to leucine-rich repeat proteins, which demonstrates significant functions in neural development. It is thus possible that similar molecules play a crucial role in the morphogenesis of the mammalian nervous system (Taniguchi H, Tohyama M, Takagi T. Brain Res Mol Brain Res 1996 Feb;36(1):45-52).	Cancer, Gastrointestinal ulceration, Zollinger-Ellison syndrome, congenital microvillus atrophy, skin diseases, diseases associated with nervous system.
sbg36274SLIT _a	An embodiment of the invention is the use of sbg36274SLIT _a , a member of human slit-like proteins, which may be necessary for CNS development, and therefore can be useful for diagnosis and treatment of nervous and muscular diseases. A close homolog of sbg36274SLIT _a is insulin-like growth factor. Insulin-like growth factors may be used to treat patients with growth hormone receptor deficiency (GHRD) (Fielder PJ, Gargosky SE, Vaccarello M, Wilson K, Cohen P, Diamond F, Guevara-Aguirre J, Rosenbloom AL, and Rosenfeld RG 1993. Acta Paediatr Suppl 388:40-3).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorder, inflammation, gastrointestinal ulceration, and diseases in spinal cord, thyroid gland, ovary, prostate, renal gland, small intestine, heart, trachea, thymus, lymph node, and muscular system

TABLE III Cont

Gene Name	Uses	Associated Diseases
sbg34575SLITa	An embodiment of the invention is the use of sbg34575SLITa, a member of human slit-like proteins, which may be necessary for CNS development, and therefore can be useful for diagnosis and treatment of nervous and muscular diseases. A close homolog of sbg34575SLITa is leucine-rich repeat proteins(BAA85972, mouse ISLR), which also demonstrates significant functions in neural development (Nagasawa, A., Kudoh, J., Noda, S., Mashima, Y., Wright, A., Oguchi, Y., and Shimizu, N. Genomics 61 (1), 37-43, 1999). It has been shown that expression of slit genes is associated with neuronal migration in the developing forebrain (Hu H, Neuron 23:703-11, 1999). It is thus possible that similar molecules play a crucial role in the morphogenesis of the mammalian nervous system (Taniguchi H, Tohyama M, Takagi T. Brain Res Mol Brain Res 1996 36(1):45-52).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorder, inflammation, gastrointestinal ulceration, and diseases in spinal cord, thyroid gland, ovary, prostate, small intestine, heart, trachea, thymus, lymph node, muscular system and colon
SBh71706.NIAP	An embodiment of the invention is the use of SBh71706.NIAP in the suppression of apoptosis. Related polypeptides have been used for treating regulation of cellular proliferation and differentiation and cell survival. The NIAP prevent motor neuron apoptosis induced by a variety of signals. These proteins do contain 3 BIR(Baculoviral Inhibition of apoptosis protein repeats (LISTON, P. Nature 379 (6563), 349-353 (1996).	Autoimmune disorder, hematopoietic disorder, wound healing disorder, viral and bacterial infection, cancer, AIDS, amyotrophic lateral sclerosis, infertility, human spinal muscular atrophy and neurodegenerative disorder
SBh77492.Breast Specific BS200	An embodiment of the invention is the use of SBh77492.Breast Specific BS200 in regulating vascular smooth muscle cell proliferation. A close homolog of SBh77492.Breast Specific BS200 is EGF protein. EGF protein is useful for enhancing neurological functions or treating neoplasia and other disorders (LI HS and OLSEN H, New isolated extracellular/epidermal growth factor, Patent Accession Number W79739, HUMAN GENOME SCI INC).	Cancer, autoimmune disorders, wound healing disorders, infections, and hematopoietic disorders
sbg115305LRRa	An embodiment of the invention is the use of sbg115305LRRa, a Leucine-rich repeat (LRR) protein, in neuronal development and the adult nervous systems as cell adhesion molecules. Close homologs of sbg115305LRRa are connectin, slit, chaoptin, and toll. These LRR proteins possibly have important roles in neuronal development and the adult nervous systems as cell adhesion molecules (Taguchi A, Wanaka A, Mori T, Matsumoto K, Imai Y, Tagaki T, Tohyama M, 1996, Brain Res Mol Brain Res 35:31-4). Leucine-rich repeat protein family has been implicated in protein-protein interactions, such as cell adhesion or receptor-ligand binding. At least one LRR was shown to be specifically expressed on B cells, suggesting its role in immunization (Miyake K, Yamashita Y, Ogata M, Sudo T, Kimoto M, 1995. J Immunol 154:3333-40). Some studies have shown that brain injury can cause over expression of neuronal LRR, suggesting that neuronal LRR may be an important component of the pathophysiological response to brain injury (Ishii N, Wanaka A, Tohyama M, Brain Res Mol Brain Res 1996 Aug;40(1):148-52).	Cancer, infection, autoimmune disorder, hematopoietic disorder, wound healing disorder, inflammation, gastrointestinal ulceration, diseases in spinal cord, thyroid gland, heart, trachea, thymus, lymph node, muscular system, and nervous system

Table IV. Quantitative, Tissue-specific mRNA expression detected using SybrMan

Quantitative, tissue-specific, mRNA expression patterns of the genes were measured using SYBR-Green Quantitative PCR (Applied Biosystems, Foster City, CA; see Schmittgen T.D. et al., Analytical Biochemistry 285:194-204, 2000) and human cDNAs prepared from various human tissues. Gene-specific PCR primers were designed using the first nucleic acid sequence listed in the Sequence List for each gene. Results are presented as the number of copies of each specific gene's mRNA detected in 1ng mRNA pool from each tissue. Two replicate mRNA measurements were made from each tissue RNA.

Gene Name	Tissue-Specific mRNA Expression (copies per ng mRNA; avg. \pm range for 2 data points per tissue)									
	Brain	Heart	Lung	Liver	Kidney	Skeletal muscle	Intestine	Spleen/lymph	Placenta	Testis
sbg10145 2SLITa	3389 \pm 33	174 \pm 11	187 \pm 29	-6 \pm 2	112 \pm 4	64 \pm 5	159 \pm 7	147 \pm 8	209 \pm 37	563 \pm 37
sbg29046 CYSa	338 \pm 60	385 \pm 69	735 \pm 29	138 \pm 41	592 \pm 36	218 \pm 25	186 \pm 35	348 \pm 52	839 \pm 65	46124 \pm 22605
sbg29046 CYSb	951 \pm 69	1121 \pm 74	358 \pm 110	364 \pm 44	871 \pm 128	1133 \pm 203	347 \pm 101	612 \pm 18	601 \pm 12	591 \pm 51
sbg37149 SLITb	4989 \pm 18	51 \pm 10	457 \pm 41	148 \pm 12	769 \pm 90	17 \pm 2	31 \pm 11	37 \pm 14	10 \pm 6	346 \pm 10
sbg36267 SLITa	2976 \pm 186	258 \pm 8	127 \pm 30	2 \pm 0	1374 \pm 13	2188 \pm 72	44 \pm 1	81 \pm 5	113 \pm 4	242 \pm 1
sbg35579 MELAAa	4630 \pm 1163	5518 \pm 506	6114 \pm 1422	1701 \pm 140	5876 \pm 1366	4017 \pm 291	1918 \pm 25	4310 \pm 279	5247 \pm 1	3589 \pm 148
SBh69447 Triglyceride Lipase	1 \pm 0	5 \pm 1	6 \pm 6	-7 \pm 6	3 \pm 0	1 \pm 0	-2 \pm 3	4 \pm 1	200 \pm 8	18 \pm 7
SBh86614 Tryp1	742 \pm 82	392 \pm 18	487 \pm 24	642 \pm 6	576 \pm 12	369 \pm 53	234 \pm 15	547 \pm 25	662 \pm 2	550 \pm 4
sbg10688 6 DELTAa	1308 \pm 49	520 \pm 19	340 \pm 66	127 \pm 11	418 \pm 24	264 \pm 39	130 \pm 21	269 \pm 21	538 \pm 99	558 \pm 116
sbg35779 THYa	2 \pm 1	2 \pm 1	21 \pm 1	-4 \pm 8	2 \pm 1	-5 \pm 8	26 \pm 2	886 \pm 38	7 \pm 2	6 \pm 5
sbg151301 NHa	4 \pm 1	6 \pm 2	209 \pm 2	-4 \pm 6	42 \pm 1	-2 \pm 8	9 \pm 5	14 \pm 0	12 \pm 4	133 \pm 9
SBh26548 home-box	56 \pm 3	85 \pm 5	111 \pm 18	273 \pm 1	149 \pm 12	80 \pm 17	86 \pm 12	88 \pm 8	120 \pm 49	81 \pm 35
sbg26991 CERUa	1 \pm 0	4 \pm 2	2 \pm 2	1 \pm 3	4 \pm 0	-1 \pm 0	4 \pm 0	2 \pm 2	9 \pm 0	26 \pm 8
sbg35851 PEROa	83 \pm 20	31 \pm 1	37 \pm 17	29 \pm 5	53 \pm 14	35 \pm 8	17 \pm 4	25 \pm 13	36 \pm 9	38 \pm 3
sbg36274 SLITa	8770 \pm 345	598 \pm 8	591 \pm 57	7 \pm 5	518 \pm 82	75 \pm 9	253 \pm 13	2847 \pm 37	13 \pm 1	278 \pm 6
sbg34575 SLITa	2045 \pm 346	2 \pm 0	5 \pm 0	-14 \pm 2	-2 \pm 4	-4 \pm 3	0 \pm 0	26 \pm 7	10 \pm 0	45 \pm 6
SBh71706 NIAP	251 \pm 9	535 \pm 25	1055 \pm 55	122 \pm 36	144 \pm 7	322 \pm 15	149 \pm 5	1081 \pm 67	740 \pm 27	387 \pm 17
SBh77492 Breast Specific BS200	154 \pm 4	134 \pm 4	1954 \pm 135	325 \pm 57	981 \pm 13	60 \pm 6	700 \pm 15	1246 \pm 5	586 \pm 30	2614 \pm 69
sbg11965 2TYRa	43 \pm 11	132 \pm 21	25 \pm 8	10 \pm 7	122 \pm 15	24 \pm 10	22 \pm 11	30 \pm 8	15 \pm 15	615 \pm 4
sbg11530 5LRRa	7057 \pm 326	289 \pm 1	1122 \pm 88	111 \pm 4	547 \pm 5	6178 \pm 84	361 \pm 12	896 \pm 8	377 \pm 18	9121 \pm 120

Table V. Additional diseases based on mRNA expression in specific tissues

Tissue Expression	Additional Diseases
Brain	Neurological and psychiatric diseases, including Alzheimers, parasupranuclear palsey, Huntington's disease, myotonic dystrophy, anorexia, depression, schizophrenia, headache, amnesias, anxiety disorders, sleep disorders, multiple sclerosis
Heart	Cardiovascular diseases, including congestive heart failure, dilated cardiomyopathy, cardiac arrhythmias, Hodgson's Disease, myocardial infarction, cardiac arrhythmias
Lung	Respiratory diseases, including asthma, Chronic Obstructive Pulmonary Disease, cystic fibrosis, acute bronchitis, adult respiratory distress syndrome
Liver	Dyslipidemia, hypercholesterolemia, hypertriglyceridemia, cirrhosis, hepatic encephalopathy, fatty hepatocirrhosis, viral and nonviral hepatitis, Type II Diabetes Mellitis, impaired glucose tolerance
Kidney	Renal diseases, including acute and chronic renal failure, acute tubular necrosis, cystinuria, Fanconi's Syndrome, glomerulonephritis, renal cell carcinoma, renovascular hypertension
Skeletal muscle	Eulenburg's Disease, hypoglycemia, obesity, tendinitis, periodic paralyses, malignant hyperthermia, paramyotonia congenita, myotonia congenita
Intestine	Gastrointestinal diseases, including Myotonia congenita, Ileus, Intestinal Obstruction, Tropical Sprue, Pseudomembranous Enterocolitis
Spleen/lymph	Lymphangiectasia, hypersplenism, angiomas, ankylosing spondylitis, Hodgkin's Disease, macroglobulinemia, malignant lymphomas, rheumatoid arthritis
Placenta	Choriocarcinoma, hydatidiform mole, placenta previa
Testis	Testicular cancer, male reproductive diseases, including low testosterone and male infertility
Pancreas	Diabetic ketoacidosis, Type 1 & 2 diabetes, obesity, impaired glucose tolerance

What is claimed is:

1. An isolated polypeptide selected from the group consisting of:
 - (a) an isolated polypeptide encoded by a polynucleotide comprising a sequence set forth in
5 Table I;
 - (b) an isolated polypeptide comprising a polypeptide sequence set forth in Table I; and
 - (c) a polypeptide sequence of a gene set forth in Table I.
2. An isolated polynucleotide selected from the group consisting of:
 - 10 (a) an isolated polynucleotide comprising a polynucleotide sequence set forth in Table I;
 - (b) an isolated polynucleotide of a gene set forth in Table I;
 - (c) an isolated polynucleotide comprising a polynucleotide sequence encoding a polypeptide set forth in Table I;
 - (d) an isolated polynucleotide encoding a polypeptide set forth in Table I;
 - 15 (e) a polynucleotide which is an RNA equivalent of the polynucleotide of (a) to (d);
or a polynucleotide sequence complementary to said isolated polynucleotide.
3. An expression vector comprising a polynucleotide capable of producing a polypeptide of claim 1 when said expression vector is present in a compatible host cell.
20
4. A process for producing a recombinant host cell which comprises the step of introducing an expression vector comprising a polynucleotide capable of producing a polypeptide of claim 1 into a cell such that the host cell, under appropriate culture conditions, produces said polypeptide.
25
5. A recombinant host cell produced by the process of claim 6.
6. A membrane of a recombinant host cell of claim 7 expressing said polypeptide.
- 30 7. A process for producing a polypeptide which comprises culturing a host cell of claim 7 under conditions sufficient for the production of said polypeptide and recovering said polypeptide from the culture.

SEQUENCE LISTING

<110> SMITHKLINE BEECHAM CORPORATION
SMITHKLINE BEECHAM p.l.c.

<120> NOVEL COMPOUNDS

<130> GP50016

<140> TO BE ASSIGNED

<141> 2001-03-05

<150> 60/187,107

<151> 2000-03-06

<150> 60/236,874

<151> 2000-10-03

<150> 60/188,916

<151> 2000-03-13

<150> 60/237,846

<151> 2000-10-03

<160> 52

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 2301

<212> DNA

<213> Homo sapiens

<400> 1

atggaaaaag	ttctttttta	tctgtttctc	attggcatag	cagtgaagc	tcagatctgt	60
ccaaagcggt	gtgtctgtca	gattttgtct	cctaattctg	caacccttg	tgccaagaaa	120
gggcttttat	ttgttccacc	aaacattgac	agaagaactg	tggaactgcg	gttggcagac	180
aattttgtta	caaataattaa	aaggaaagat	tttgccaata	tgaccagctt	ggtggacctg	240
actctatcca	ggaatacaat	aagttttatt	acacctcatg	ctttcgctga	cctacgaaat	300
ttgagggctt	tgcatTTTgaa	tagcaacaga	ttgactaaaa	ttacaaatga	tatgttcagt	360
ggtctttcca	atcttcatca	tttgatactg	aacaacaatc	agctgacttt	aatttcctct	420

```

acagcgtttg atgatgtctt cgcccttgag gagctggatc tgcctataa taatctagaa 480
accattcctt gggatgctgt tgagaagatg gttagcttgc atacccttag tttggatcac 540
aatatgattg ataacattcc taaggggacc ttctccatt tgcacaagat gactcggtta 600
gatgtgacat caaataaatt gcagaagcta ccacctgacc ctctctttca gcgagctcag 660
gtactagcaa cctcaggaat cataagccca tctacttttg cattaagttt tgggtgaaac 720
cccttgcatc gcaattgtga attgttgtgg ttgaggcgtc tgtccagaga agatgactta 780
gagacctgtg cttctcctcc acttttaact ggccgctact tttggtcaat tcctgaagaa 840
gagtttttgt gtgagcctcc tctcattact cgtcatacac atgagatgag agtcctggag 900
ggacaaaggg caacactgag gtgcaaagcc aggggagacc ctgagcctgc aattcactgg 960
atttctcctg aagggaagct tatttcaaat gcaacaagat ctctggtgta tgataacgga 1020
acacttgaca ttcttatcac aactgtaaag gatacaggtg cttttacctg cattgcttcc 1080
aatcctgctg ggggaagcaac acaaatagtg gatcttcata taattaagct ccctcactta 1140
ctaaatagta caaacatat ccatgagcct gatcctggtt cttcagatat ctcaacttct 1200
accaagtcag gttctaatac aagcagtagt aatggtgata cttaattgag tcaagataaa 1260
attgtggtgg cagaagctac atcatcaacg gcactactta aatttaattt tcaaagaaat 1320
atccctggaa tacgtatgtt tcaaatccag tacaatggta cttatgatga cacccttggt 1380
tacagaatga tacctctac gagcaaaact tttctggtca ataactctggc tgctggaact 1440
atgtatgact tgtgtgtctt ggccatatat gatgatggca tcaactccct cactgccaca 1500
agagtcgtgg gttgcatcca gtttactacg gaacaggatt atgtgcgttg ccatttcatg 1560
cagtctcagt ttttgggagg caccatgatt attattattg gtggaatcat tgtagcatct 1620
gtgctggtat tcatcattat tctgatgac cgggtataagg tttgcaacaa taatgggcaa 1680
cacaaggtca ccaagggttag caatgtttat tcccaaacta acgggggtca aatacaaggc 1740
tgtagtgtaa cgctgccccca gtccgtgtcc aaacaagctg tgggacacga agagaatgcc 1800
cagtgttgta aagctaccag tgacaatgtg attcaatctt cagaaaactg ttcgagtcag 1860
gactcctcta ccactacctc tgetttgctt ccttctctgga cttcaagcac ttctgtgtcc 1920
caaaagcaga aaagaaagac tggcacaaag ccaagtacag aaccacagaa tgaagccgtc 1980
acaaatgttg aatcccaaaa cactaacagg aacaactcaa ctgccttgca gttagctagc 2040
cgtcctcccg attctgtcac agagggggccc acgtctaaaa gagcacatat aaagccaagt 2100
aagtttatca ctttgccctgc tgagagatcc ggagcaaggc acaagtactc cctcaatgga 2160
gaattaaagg aatactattg ttatattaac tcgccgaaca catgtggact gtttcctaaa 2220
agaagcatgt ctatgaatgt gatgtttatt cagtctgact gttctgatgg tcatagtgga 2280
aaggcaactc tcaaattctg a 2301

```

<210> 2

<211> 445

<212> DNA

<213> Homo sapiens

<400> 2

```

aatgctgggc ctgccgtgga agggaggtct gtccctggcg ctgctgctgc ttctcttagg 60
ctcccagatc ctgctgatct atgcctggca tttccacgag caaagggact gtgatgaaca 120
caatgtcatg gctcgttacc tccctgccac agtggagttt gctgtccaca cattcaacca 180

```

acagagcaag gactactatg cctacagact ggggcacatc ttgaattcct ggaaggagca	240
ggtaggagtc aagactgtat tctcaatgga gctactgctg gggagaacta ggtgtgggaa	300
atttgaagac gacattgaca actgccattt ccaagaaagc acagagctga acaatacttt	360
cacctgcttc ttcacatca gcaccaggcc ctggatgact cagttcagcc tcctgaacaa	420
gacctgcttg gagggattcc actga	445

<210> 3

<211> 477

<212> DNA

<213> Homo sapiens

<400> 3

atgtggagtc tgccgccgag cagggctctg tcctgtgcgc cactgctgct tctcttcagc	60
ttccagttcc tggttaccta tgcttggcgt ttccaagagg aagaggagtg gaatgaccaa	120
aaacaaattg ctgtttatct cctccccacc ctggagtttg ccgtgtacac attcaacaag	180
cagagcaagg actggtatgc ctacaagctg gtgcctgtcc tggcttcctg gaaggagcag	240
ggttatgata agatgacatt ctccatgaat ctgcaactgg gcagaaccat gtgtgggaaa	300
tttgaagatg acattgacaa ctgccctttt caagagagcc cagagctgaa caatgtaaga	360
caagacacca gcttccctcc tggatacagc tgtggatgcc gcatggggtg tgggtgcggac	420
acagacctgc acctgcttct tcaccattgg aatagagccc tggaggacac ggtttga	477

<210> 4

<211> 444

<212> DNA

<213> Homo sapiens

<400> 4

atgtggagtc tgccgccgag cagggctctg tcctgtgcgc cactgctgct tctcttcagc	60
ttccagttcc tggttaccta tgcttggcgt ttccaagagg aagaggagtg gaatgaccaa	120
aaacaaattg ctgtttatct cctccccacc ctggagtttg ccgtgtacac attcaacaag	180
cagagcaagg actggtatgc ctacaagctg gtgcctgtcc tggcttcctg gaaggagcag	240
ggttatgata agatgacatt ctccatgaat ctgcaactgg gcagaaccat gtgtgggaaa	300
tttgaagatg acattgacaa ctgccctttt caagagagcc cagagctgaa caataacctgc	360
acctgcttct tcaccattgg aatagagccc tggaggacac ggtttgacct ctggaacaag	420
acgtgctcag gcgggcattc ctga	444

<210> 5

<211> 2463

<212> DNA

<213> Homo sapiens

<400> 5

atgctgcgcc	tggggctgtg	cgcgggcgcg	ctgctgtgcg	tgtgccggcc	gggtgccgtg	60
cgtgccgact	gctggctcat	tgaggggcgac	aagggtacg	tgtggctggc	catctgcagc	120
cagaaccagc	cgccctacga	gaccatcccc	cagcacatca	atagcaccgt	gcacgacctg	180
cggctcaacg	agaacaagct	caaagccgtg	ctctactcct	cgctcaaccg	ctttgggaac	240
ctcaccgacc	tcaacctcac	caagaacgag	atctcctaca	tcgaggacgg	tgccttcctg	300
ggccagtcga	gcctgcaggt	cctgcagctg	ggctacaaca	agctcagcaa	cctgacggag	360
ggcatgctgc	gaggcatgag	ccgcctgcag	tctctctttg	tccagcacia	cctcatcgag	420
gtggtgacgc	ccaccgcctt	ctccgagtgc	ccgagcctca	tcagcatcga	cctgtcctcc	480
aaccgcctca	gccgcctgga	cggtgccacc	tttgccagcc	tcgccagcct	gatggtgtgt	540
gagctggccg	gcaacccctt	caactgtgag	tgcgacctct	tcggcttcct	ggcctggctg	600
gtggtcttca	acaacgtcac	caagaactac	gaccgcctgc	agtgtgagtc	gccgcgggag	660
tttgccggct	acccgctgct	ggtgccccgg	ccctaccaca	gcctcaacgc	catcaccgta	720
ctccaggcca	agtgtcggaa	tggctcgctg	cccgcccggc	ccgtgagcca	ccccacgccc	780
tactccaccg	acgcccagag	ggagccagac	gagaactcgg	gcttcaaccc	cgacgagatc	840
ctttcggtgg	agccgcccgg	ctcgctccacc	acggatgcgt	cggcagggcc	agccatcaag	900
ctgcaccacg	tcacgttcac	ctcggccacc	ctggtggtca	tcattcccaca	cccctacagc	960
aagatgtaca	tcctcgtgca	gtacaacaac	agctacttct	ccgacgtcat	gaccctcaag	1020
aacaagaagg	agatcgtgac	gctggacaaa	ctgcgggcgc	acactgagta	caccttctgc	1080
gtgacctcgc	tgcgcaacag	ccgccgcttc	aaccacacct	gcctgacctt	caccacgcgg	1140
gaccccgctc	ccgggagactt	ggcgcccagc	acctccacca	ccaccacta	catcatgacc	1200
atcctgggct	gcctctttgg	catggttatc	gtgctgggag	ccgtgtacta	ctgcctgcgc	1260
aagcggcgca	tgcaggagga	gaagcagaag	tctgtcaacg	tcaagaagac	catcctggag	1320
atgcgctacg	gggtgatgt	ggatgccggc	tccattgtgc	acgcgcacca	gaagctgggc	1380
gagcctcccc	tgctgcccgt	atctcgcatg	gcctccatcc	cctccatgat	cggggagaag	1440
ctgcccaccg	ccaaggggtt	ggaggccggg	ctggacacac	ccaaggtagc	caccaaaggc	1500
aactatatcg	aggtgcgcac	aggcgccggc	ggggacggtc	tggctcggcc	cgaggatgac	1560
ctcccggaac	tcgagaacgg	ccagggtctg	gctgcagaga	tctccaccat	tgccaaggag	1620
gtggacaagg	tcaaccagat	cattaacaac	tgcacgatg	ctctcaagct	ggactcggcc	1680
tcttttctgg	gaggcggcag	cagcagtggg	gaccccgagc	tggccttcga	gtgccagtcc	1740
ctccctgcag	ctgctgccgc	ctcctcagcc	actggccccg	gggcccctga	gcgcccagc	1800
ttcctttcgc	ctccctacaa	ggagagctcc	caccacccac	tacagcgcca	gctgagcgcc	1860
gacgcggccg	tgaccgcaa	gacctgcagc	gtgtcgteca	gtggttccat	caagagcgcc	1920
aaggtcttta	gcctggacgt	gcccgaccat	ccggccgcca	cagggtggc	taagggcgac	1980
tccaagtaca	tcgagaaggg	cagccccctc	aacagccccg	tggaccggct	cccgtggtg	2040
ccggcgggca	gcggcggggg	cagcgcgggg	ggcgggggca	tccaccacct	ggaggtgaag	2100
ccggcctacc	actgcagcga	gcaccggcac	agctttcccg	ccctgtacta	cgaggagggt	2160
gccgacagcc	tgagccagcg	cgtgtccttc	ctcaagccgc	tgacccgctc	caagcgtgac	2220
tccacctact	cgcagctctc	ccccagacac	tactactcag	ggtactcttc	cagcccagag	2280
tactcatccg	agagcacgca	caagatctgg	gagcgcttcc	ggccctacaa	gaagcaccac	2340
cgggaggagg	tgtacatggc	cgccggtcac	gccctgcgca	agaaggtcca	gttcgccaag	2400
gacgaggatc	tgcatgacat	ccttgattac	tgggaagggg	tctccgcccc	gcagaagctg	2460
tga						2463

<210> 6
 <211> 2601
 <212> DNA
 <213> Homo sapiens

<400> 6

```

atgaccattg aaaaaatggt ttctttttat ttttttagatt atttctcttt attcagaagc      60
atacagttgt ttgctgattg caagaagatg tttctgtggc tgtttctgat tttgtcagcc      120
ctgatttctt cgacaaatgc agattctgac atatcggtgg aaatttgcaa tgtgtgttcc      180
tgcgtgtcag ttgagaatgt gctctatgtc aactgtgaga aggtttcagt ctacagacca      240
aatcagctga aaccaccttg gtctaatttt tatcacctca atttccaaaa taatttttta      300
aatattctgt atccaaatac attcttgaat ttttcacatg cagtctccct gcattctgggg      360
aataataaac tgcagaacat tgagggagga gcctttcttg ggctcagtgc attaaagcag      420
ttgcacttga acaacaatga attaaagatt ctccgagctg acactttcct tggcatagag      480
aacttggagt atctccaggc tgactacaat ttaatcaagt atattgaacg aggagccttc      540
aataagctcc acaaactgaa agttctcatt cttaatgaca atctgatttc attccttcct      600
gataaatatt tccgattcgc atctttgacc catctggata tacgagggaa cagaatccag      660
aagctccctt atatcggggt tctggaacac attggccgtg tcgttgaatt gcaactggaa      720
gataaccctt ggaactgtag ctgtgattta ttgcccttaa aagcttggct ggagaacatg      780
ccatataaca ttacatagg agaagctatc tgtgaaactc ccagtgactt atatggaagg      840
cttttaaaag aaaccaacaa acaagagcta tgtcccatgg gcaccggcag tgattttgac      900
gtgcgcatcc tgcctccatc tcagctggaa aatggctaca ccactcccaa tggtcacact      960
acccaacat ctttacacag attagtaact aaaccaccaa aaacaacaaa tccttccaag     1020
atctctggaa tcgttgagg caaagccctc tccaaccgca atctcagtca gattgtgtct     1080
taccaaacaa ggggtgcctc tctaacacct tggccggcac cttgcttctg caaaacacac     1140
ccttcagatt tgggactaag tgtgaactgc caagagaaaa atatacagtc tatgtctgaa     1200
ctgataccga aacctttaa tgcaagaag ctgcacgtca atggcaatag catcaaggat     1260
gtggacgtat cagacttcac tgactttgaa ggactggatt tgcttcattt aggcagcaat     1320
caaattacag tgattaaggg agacgtattt cacaatctca ctaatttacg caggctatat     1380
ctcaatggca atcaaattga gagactctat cctgaaatat tttcaggctc tcataacctg     1440
cagtatctgt atttgaata caatttgatt aaggaaatct cagcaggcac ctttgactcc     1500
atgccaaatt tgcagttact gtacttaaac aataatctcc taaagagcct gcctgtttac     1560
atcttttccg gagcaccctt agctagactg aacctgagga acaacaaatt catgtacctg     1620
cctgtcagtg gggtccttga tcagttgcaa tctcttacac agattgactt ggagggcaac     1680
ccatgggact gtacttgtga cttggtggca ttaaagctgt gggaggagaa gttgagcgac     1740
gggattgttg tgaaagaact gaaatgtgag acgcctgttc agtttgccaa cattgaactg     1800
aagtccttca aaaaatgaaat cttatgtccc aaacttttaa ataagccgtc tgcaccattc     1860
acaagccctg cacctgccat tacattcacc actcctttgg gtcccattcg aagtcctcct     1920
ggtagggccag tgcctctgtc tattttaatc ttaagtatct tagtggtcct cattttaacg     1980
gtgtttgttg ctttttgctt tcttgttttt gtccctgcgac gcaacaagaa acccacagtg     2040
aagcacgaag gcctggggaa tcctgactgt ggctccatgc agctgcagct aaggaagcat     2100

```


gaccacaaaa	ccaataaaaa	agatggactg	agcacagaag	ctttcattcc	acaaactata	2160
gaacagatga	gcaagagcca	cacttggtggc	ttgaaagagt	cagaaactgg	gttcatgttt	2220
tcagatcctc	caggacagaa	agttgttatg	agaaatgtgg	ccgacaagga	gaaagattta	2280
ttacatgtag	ataccaggaa	gagactgagc	acaattgatg	agctggatga	attattccct	2340
agcagggatt	ccaatgtgtt	tattcagaat	tttcttgaaa	gcaaaaagga	gtataatagc	2400
ataggtgtca	gtggctttga	gatccgctat	ccagaaaaac	aaccagacaa	aaaaagtaag	2460
aagtcactga	taggtggcaa	ccacagtaaa	attgttgtgg	aacaaaggaa	gagtgagtat	2520
tttgaactga	aggcgaaact	gcagagttcc	cctgactacc	tacaggtcct	tgaggagcaa	2580
acagctttga	acaagatcta	g				2601

<210> 7

<211> 1602

<212> DNA

<213> Homo sapiens

<400> 7

atggetccag	gacccttctc	ctcggeccctc	ctctcgccgc	cgcccgctgc	cctgcccttt	60
ctgctgctgc	tctgggcggg	ggcatctcgt	ggccagccct	gccccggccg	ctgcatctgc	120
cagaacgtgg	cgccacact	gacaatgctg	tgcgccaaga	ccggcttgct	ctttgtgccg	180
cccgccatcg	accggcgctg	ggtggagctg	cggtcaccg	acaacttcat	cgccgcccgtg	240
cgccgcccag	acttcgcaa	catgaccagc	ctggtgcacc	tcactctctc	ccggaacacc	300
atcggccagg	tggcagctgg	cgcttcgccc	gacctgcgtg	ccctccgggc	cctgcacctg	360
gacagcaacc	gcctggcgga	ggtgcgcggc	gaccagctcc	gcggcctggg	caacctccgc	420
cacctgatcc	ttggaaacaa	ccagatccgc	cgggtggagt	cggcggcctt	tgacgccttc	480
ctgtccaccg	tggaggacct	ggatctgtcc	tacaacaacc	tggaggccct	gccgtgggag	540
gcggtgggccc	agatggtgaa	cctaaacacc	ctcacgctgg	accacaacct	catcgaccac	600
atcgcgaggg	ggaccttcgt	gcagcttcac	aagctggtec	gtctggacat	gacctccaac	660
cgctgcata	aactcccgc	cgacgggctc	ttcctgaggt	cgcagggcac	cgggcccaag	720
ccgcccaccc	cgctgaccgt	cagcttcggc	ggcaaccccc	tgactgcaa	ctgcgagctg	780
ctctggctgc	ggcggtgac	ccgcgaggac	gacttagaga	cctgcgccac	gcccgaacac	840
ctcaccgacc	gctacttctg	gtccatcccc	gaggaggagt	tcctgtgtga	gcccccgctg	900
atcacacggc	aggcgggggg	ccgggccctg	gtggtggaag	gccaggcggt	gagcctgcgc	960
tgccgagcgg	tgggtgaccc	cgagccgggt	gtgactggg	tggcacctga	tgggcggctg	1020
ctggggaaact	ccagccggac	ccgggtccgg	ggggacggga	cgctggatgt	gaccatcacc	1080
accttgaggg	acagtggcac	cttcacttgt	atgcctcca	atgctgctgg	ggaagcgacg	1140
gcgcccgtgg	agggtgtcgt	ggtacctctg	cctctgatgg	cacccccgcc	ggctgccccg	1200
ccgctctca	ccgagcccgg	ctcctctgac	atcgccacgc	cgggcagacc	aggtgccaac	1260
gattctgcgg	ctgagcgctg	gctcgtggca	gccgagctca	cctcgaactc	cgtgctcatc	1320
cgctggccag	cccagaggcc	tgtgcccggg	atagcatgt	accaggttca	gtacaacagt	1380
tccgttgatg	actccctcgt	ctacagctct	gcctccctca	tgcacattgt	agagcaccag	1440
ttaaagtctt	cagtcactctg	cttggcttca	cctggagatg	ccagcggggc	tggagctgtt	1500
tccttacctg	tggagagcct	cagctcctgg	ctgtcagatc	ttaccgaga	aacctgcctc	1560

ttggcctcca tctctgcctt tccagtgttt tcttggecat ag

1602

<210> 8

<211> 2316

<212> DNA

<213> Homo sapiens

<400> 8

atggctccag gacccttctc ctcgccctc ctctcgccgc cgcccgtgc cctgcccttt	60
ctgctgctgc tctgggcggg ggcatctcgt ggccagccct gcccggccg ctgcatctgc	120
cagaacgtgg cgcccacact gacaatgctg tgcgccaaaga ccggttgcct ctttgtgccg	180
cccgccatcg accggcgcgt ggtggagctg ccggtcaccg acaacttcat cgccggcgtg	240
cgccggcag acttcgcaa catgaccagc ctggtgcacc tcaactcttc ccggaacacc	300
atcgccagg tggcagctgg cgccttcgcc gacctgcgtg ccctccgggc cctgcacctg	360
gacagcaacc gcctggcgga ggtgcgcggc gaccagctcc gcggcctggg caacctccgc	420
cacctgatcc ttggaaacaa ccagatccgc cgggtggagt cggcgccctt tgacgccttc	480
ctgtccaccg tggaggacct ggatctgtcc tacaacaacc tggaggccct gccgtgggag	540
gcggtggggc agatggtgaa cctaaacacc ctacgctgg accacaacct catcgaccac	600
atcgcgagg ggacctcgt gcagcttcac aagctggctc gtctggacat gacctccaac	660
cgcctgcata aactcccgcc cgacgggctc ttctgaggt cgcagggcac cgggcccgaag	720
ccgcccaccc cgctgaccgt cagcttcggc ggcaaccccc tgcaactgcaa ctgcgagctg	780
ctctggctgc ggcggtgac ccgcgaggac gacttagaga cctgcgccac gcccgaacac	840
ctcacggacc gctacttctg gtccatcccc gaggaggagt tctgtgtga gccccgctg	900
atcacacggc aggcgggggg ccgggccctg gtggtggaag gccaggcggg gaggctgcgc	960
tgccgagcgg tgggtgacct cgagccgggt gtgcactggg tggcacctga tggcgggctg	1020
ctggggaact ccagccggac ccgggtccgg ggggacggga cgctggatgt gaccatcacc	1080
accttgaggg acagtggcac cttcacttgt atcgcccca atgctgctgg ggaagcgacg	1140
gcgcccgtgg aggtgtgcgt ggtacctctg cctctgatgg ccccccgcc ggctgccccg	1200
ccgcctctca ccgagcccg ctcctctgac atcgccacgc cgggcagacc aggtgccaac	1260
gattctgcgg ctgagcgtcg gctcgtggca gccgagctca cctcgaactc cgtgctcatc	1320
cgctggccag cccagaggcc tgtgcccga atacgcatgt accaggttca gtacaacagt	1380
tccgttgatg actccctcgt ctacaggatg atcccgcca ccagtcagac cttcctggtg	1440
aatgacctgg cggcgggccg tgccctacgac ttgtgcgtgc tggcggtcta cgacgacggg	1500
gccacagcgc tgccggcaac gcgagtgggt ggctgtgtac agttcaccac cgctggggat	1560
ccggcgccct gccgcccgt gagggcccat ttcttgggcg gcaccatgat catcgccatc	1620
gggggctca tcgtcgctc ggtcctcgtc ttcatcgctc tgctcatgat ccgctataag	1680
gtgtatggcg acggggacag ccgccgcgtc aagggtcca ggtcgctccc gcgggtcagc	1740
cacgtgtgct cgcagaccaa cggcgcaggc acaggcgcgg cacaggcccc ggccctgccg	1800
gcccaggacc actacagggc gctgcgcgag gtggagtccc aggctgcccc cgccgtcgcc	1860
gtcgaggcca aggccatgga ggccgagacg gcatccgcgg agccggagggt ggtccttga	1920
cgttctctgg gcggctcggc cacctcgctg tgccctgctc catccgagga aacttccggg	1980
gaggagtctc gggccgcggg gggccctcga aggagccgat ccggcgccct ggagccacca	2040

acctcggcgc	cccctactct	agctctagtt	cctgggggag	ccgcggcccc	gccgaggccg	2100
cagcagcgct	attcgttcga	cggggactac	ggggcactat	tccagagcca	cagttacccg	2160
cgccgcgccc	ggcggacaaa	gcgccaccgg	tccacgcgcg	acctggacgg	ggctggaggg	2220
ggcgcggccg	gggaggatgg	agacctgggg	ctgggctccg	ccagggcggtg	cctggctttc	2280
accagcaccg	agtggatgct	ggagagtacc	gtgtga			2316

<210> 9

<211> 1200

<212> DNA

<213> Homo sapiens

<400> 9

atgtggcagc	ttttagcagc	agcatgctgg	atgcttcttc	ttggatctat	gtatggttat	60
gacaagaaag	gaaacaatgc	aaaccctgaa	gctaatatga	atattagcca	gattattttct	120
tactgggggtt	atccttatga	agagtatgat	gttacaacaa	aagatgggta	tatccttgga	180
atztatagga	ttccacatgg	aagaggatgc	ccagggagga	cagctccaaa	gcctgctgtg	240
tatttgacgc	atggcttaat	tgcactctgc	agtaactgga	tttgcaacct	gccaacaac	300
agtttggtctt	tccttctggc	agatagtggg	tatgacgtgt	ggttggggaa	cagccgagga	360
aacacttggg	ccagaaaaca	ccttaaattg	tcaccgaaat	caccagaata	ctgggccttc	420
agtttggtatg	agatggctaa	atatgacctt	ccagccacaa	tcaattttat	catagagaaa	480
actggacaga	agcgactcta	ctacgtgggc	cactcacaag	gcaccaccat	agcttttata	540
gcatttttcta	caaaccagga	actggctaaa	aagattaaga	tattttttgc	actggctcca	600
gttggtcacag	ttaaatacac	ccaaagtcct	atgaaaaaac	taacaacctt	ttccaggcga	660
gtagttaagg	tgttggttgg	tgacaaaatg	ttccaccctc	atacattggt	tgaccaattc	720
attgccacca	aagtgtgcaa	tcgaaagcta	ttccgtcgta	tttgacagca	cttcctatct	780
actctgagtg	gatttgatcc	gcaaaactta	aatatgagtc	gcttggtatg	ttatttgctc	840
cacaatcctg	cgggaacatc	tgttcagaat	atgctgcact	gggctcaggc	tgtaatttct	900
ggtcagctcc	aagcttttga	ttggggaaac	tctgatcaga	acatgatgca	cttcaccag	960
cttacacctc	ctttatacaa	cattactaag	atcgaagttc	caacagcaat	atggaatggg	1020
ggacaggaca	ttgtggctga	tccaaggat	gttgaaaatt	tacttcctca	aattgctaac	1080
cttattttatt	acaagctgat	tccacactac	aatcatgtgg	atttttacct	tggagaggat	1140
gcacctcagg	aaatttacca	agaccttaatt	atattgatgg	aagaatattt	acaaaattaa	1200

<210> 10

<211> 768

<212> DNA

<213> Homo sapiens

<400> 10

atcgtggggg	gctcaaacgc	gcagccgggc	acctggcctt	ggcaagtgg	cctgcaccat	60
ggaggtggcc	acatctgcgg	gggctccctc	atcgccccct	cctgggtcct	ctccgctgct	120
cactgtttca	tgacggggcg	gcagtagccg	tgcccgga	cccgccgcac	gcgctctgcc	180

```

ctgcctacca ggaaaaggag gagggcctat aaccactaca gccagggctc agacctggcc      240
ctgctgcagc tcgcccaccc caccagccac acacccctct gcctgcccc a gcccggccat      300
cgcttcccc ttggagcctc ctgctggggc actggctggg atcaggacac cagtgatgcc      360
ccgtctcttt caccagctcc tgggacccta cgcaatctgc gcctgcgtct catcagtcgc      420
cccacatgta actgtatcta caaccagctg caccagcgac acctgtccaa cccggcccgg      480
cctgggatgc tatgtggggg cccccagcct ggggtgcagg gcccctgtca gggcttgttt      540
ggggcaccac tgggtcatga ggtgaggggc acatggttcc tggccgggct gcàcagtttc      600
ggagatgctt gccaaggccc cgccaggccg gcggtcttca ccgcgctccc tgcctatgagg      660
actgggtcag cagtttgagc tcggcaggtc tacttcgccg aggaaccaga gcccagggt      720
gagcctggaa gctgcctggc caacataaga ccttctcttc tccagtga      768

```

<210> 11

<211> 906

<212> DNA

<213> Homo sapiens

<400> 11

```

atggagactg ctgggagtga ttgggttgca ggaggccac tgaccagggc ctctcaccac      60
tcagagtgcg ggaaggcccc gcggccaggg gcctggccct gggaggccca ggtgatggtg      120
ccaggatcca gacctgcca tggggcgctg gtgtctgaaa gctgggtctt ggcacctgcc      180
agctgctttc tggagcaagt aacacacaca ctttgttgct gcagaatgac tcgcgttgga      240
gccttttgct ccaggaggag gggacctggt ttctggctgg aatcagagac tttcccagtg      300
gctgtctact tgcccagggc ctataaccac tacagccagg gctcagacct ggccttgcctg      360
cagctcgccc accccacgac ccacacaccc ctctgcctgc cccagcccgc ccatcgcttc      420
ccctttggag cctcctgctg ggccactggc tgggatcagg acaccagtga tgctcctggg      480
accctacgca atctgcgcct gcgtctcatc agtcgcccc catgtaactg tatctacaac      540
cagctgcacc agcgacacct gtccaacccg gcccggcctg ggatgctatg tgggggcccc      600
cagcctgggg tgcaggggcc ctgtcagggc ttgtttgggg caccactggt gcatgagggtg      660
aggggcacat ggttcctggc cgggctgcac agtttcggag atgcttgcca aggccccgcc      720
aggccggcgg tcttcaccgc gtcacctgct atgaggactg ggtcagcagt ttggactcgg      780
caggtctact tcgccgagga accagagccc gaggctgagc ctggaagctg cctggccaac      840
ataagtatgt ggccccgggg cctcctgcca aaccctgcct ctccaggacc cttctctctc      900
cagtga      906

```

<210> 12

<211> 1152

<212> DNA

<213> Homo sapiens

<400> 12

```

atgccagcg gctgccgctg cctgcctctc gtgtgcctgt tgtgcattct gggggctccc      60
ggtcagcctg tccgagccga tgactgcagc tcccactgtg acctggccca cggctgctgt      120

```

gcacctgacg	gctcctgcag	gtgtgacccg	ggctgggagg	ggctgcactg	tgagcgctgt	180
gtgaggatgc	ctggctgcca	gcacggatcc	tgccaccagc	catggcagtg	catctgccac	240
agtggctggg	caggcaagtt	ctgtgacaaa	gatgaacata	tctgtaccac	gcagtccccc	300
tgccagaatg	gaggccagtg	catgtatgac	gggggcgggtg	agtaccattg	tgtgtgctta	360
ccaggcttcc	atgggcgtga	ctgcgagcgc	aaggctggac	cctgtgaaca	ggcaggctcc	420
ccatgccgca	atggcgggca	gtgccaggac	gaccagggct	ttgctctcaa	cttcacgtgc	480
cgctgcttgg	tgggctttgt	gggtgcccgc	tgtgaggtaa	atgtggatga	ctgcctgatg	540
cggccttgtg	ctaacgggtg	cacctgcctt	gacggcataa	accgcttctc	ctgcctctgt	600
cctgagggct	ttgctggacg	cttctgcacc	atcaacctgg	atgactgtgc	cagccgcca	660
tgccagagag	gggcccgtg	tgggacgtg	gtccatgact	tgcactgcct	ctgccccagt	720
ggctatggtg	gcaagacttg	tgagcttgtc	ttacctgtcc	cagaccccc	aaccacagtg	780
gacaccctc	tagggccccc	ctcagctgta	gtggtacctg	ccacggggcc	agccccccac	840
agcgcagggg	ctggtctgct	gcggatctca	gtgaaggagg	tgggtcggag	gcaagaggct	900
gggctaggtg	agcctagctt	gggtggccctg	gtggtgtttg	gggcccctac	tgctgccttg	960
gttctggcta	ctgtgttgct	gacctgagg	gcctggcgcc	ggggtgtctg	ccccctgga	1020
ccctgttgct	accctgcccc	acactatgct	ccagcgtgcc	aggaccagga	gtgtcaggtt	1080
agcatgctgc	cagcagggct	ccccctgcca	cgtgacttgc	cccctgagcc	tggaaagacc	1140
acagcactgt	ga					1152

<210> 13

<211> 1254

<212> DNA

<213> Homo sapiens

<400> 13

atggcatctt	acctttatgg	agtactcttt	gctgttggcc	tctgtgctcc	aatctactgt	60
gtgtccccgg	ccaatgcccc	cagtgcatac	ccccgccctt	cctccacaaa	gagcaccctt	120
gcctcacagg	tgtattccct	caacaccgac	tttgccctcc	gcctataccg	caggctgggt	180
ttggagacct	cgagtcagaa	catcttcttc	tccccgtgta	gtgtctccac	ttccctggcc	240
atgctctccc	ttggggccca	ctcagtcacc	aagaccaga	ttctccaggg	cctgggcttc	300
aacctcacac	acacaccaga	gtctgccatc	caccagggct	tccagcacct	ggttcaactca	360
ctgactgttc	ccagcaaaga	cctgaccttg	aagatgggaa	gtgccctctt	cgtcaagaag	420
gagctgcagc	tgcaggcaaa	tttcttgggc	aatgtcaaga	ggctgtatga	agcagaagtc	480
ttttctacag	atttctccaa	ccccctccatt	gcccaggcga	ggatcaacag	ccatgtgaaa	540
aagaagacct	aagggaaggt	tgtagacata	atccaaggcc	ttgaccttct	gacggccatg	600
gttctgggtg	accacatttt	ctttaaagcc	aagtgggaga	agccctttca	ccctgaatat	660
acaagaaaga	acttcccatt	cctggtgggc	gagcaggtca	ctgtgcatgt	ccccatgatg	720
caccagaaaag	agcagttcgc	ttttgggggtg	gatacagagc	tgaactgctt	tgtgctgcag	780
atggattaca	agggagatgc	cgtggccttc	tttgtcctcc	ctagcaaggg	caagatgagg	840
caactggaac	aggccttgtc	agccagaaca	ctgagaaagt	ggagccactc	actccagaaa	900
aggtggatag	aggtgttcat	ccccagattt	tccatttctg	cctcctacaa	tctggaaacc	960
atcctcccga	agatgggcat	ccaaaatgtc	tttgacaaaa	atgctgattt	ttctggaatt	1020

gcaaagagag	actccctgca	ggtttctaaa	gcaaccacaca	aggctgtgct	ggatgtcagt	1080
gaagagggca	ctgaggccac	agcagctacc	accaccaagt	tcatagtccg	atcgaaggat	1140
ggccccctctt	acttcactgt	ctccttcaat	aggaccttcc	tgatgatgat	tacaaataaa	1200
gccacagacg	gtattctctt	tctagggaaa	gtggaaaatc	ccactaaatc	ctag	1254

<210> 14

<211> 732

<212> DNA

<213> Homo sapiens

<400> 14

atgggggtcca	gcagcttctt	ggtcctcatg	gtgtctctcg	ttcttgtgac	cctgggtggct	60
gtggaaggag	ttaaagaggg	tatagagaaa	gcagggggtt	gcccagctga	caacgtacgc	120
tgcttcaagt	ccgatactcc	ccagtgtcac	acagaccagg	actgtctggg	ggaaaggaag	180
tggttgttacc	tgcactgtgg	cttcaagtgt	gtgattcctg	tgaagggaact	ggaagaaggt	240
cagcgcttat	tacataaccg	tgagcttcct	ccagctgcaa	tattaggaga	ttctcttaca	300
gagaaatcgg	ggggctgccc	gccagatgat	gggccctgcc	tcctatcggg	gcctgaccag	360
tgcgtggaag	acagccagtg	tccttgacc	aggaagtgtc	gctacagagc	ttgcttccgc	420
cagtgtgtcc	ccaggggtctc	tggtaaatgc	ctcccccca	ccttgctgac	catccaagcc	480
ccaagcttca	gggccagtgg	gcaaggacgg	agctcaccca	gttcctgtg	ttgcagtga	540
gctgggcagc	tgcccagagg	accaactgcg	ctgcctcagc	cccatgaacc	acctgtgtca	600
caaggactca	gactgtctcg	gcaaaaagcg	atgctgccac	agcgccctgcg	ggcgggattg	660
ccgggatcct	gccagaggta	cggctcctgg	gtgcccaggg	caggtgcctc	ccctctccga	720
gcccagctct	aa					732

<210> 15

<211> 558

<212> DNA

<213> Homo sapiens

<400> 15

atgggggtcca	gcagcttctt	ggtcctcatg	gtgtctctcg	ttcttgtgac	cctgggtggct	60
gtggaaggag	ttaaagaggg	tatagagaaa	gcagggggtt	gcccagctga	caacgtacgc	120
tgcttcaagt	ccgatactcc	ccagtgtcac	acagaccagg	actgtctggg	ggaaaggaag	180
tggttgttacc	tgcactgtgg	cttcaagtgt	gtgattcctg	tgaagggaact	ggaagaagtt	240
ccctgtgttg	cagtgaagct	gggcagctgc	ccagaggacc	aactgcgctg	cctcagcccc	300
atgaaccacc	tgtgtcacia	ggactcagac	tgctcgggca	aaaagcgatg	ctgccacagc	360
gcctgcgggc	gggattgccg	ggatcctgcc	agaggtacgg	ctcctgggtg	cccagggcag	420
gtgcctcccc	tctccgagcc	cagctctaat	actttcttca	ttgctacaag	cttaacagga	480
tgcctcccca	gaagtcagga	cctcccatgg	ccaggattag	gaaactggat	aggggttggg	540
ggagtccctgc	taggatga					558

<210> 16
 <211> 597
 <212> DNA
 <213> Homo sapiens

<400> 16

atgaactcgg gacgcgagcc ccgaacaccc cggacactct taagcatcgc agacatccta	60
gccccgcgca tgggtccccg agcaccctct gcgccgcagc ttccagagtc gggtcggggt	120
ccaacgtcgc cgctgtgcgc gctggaggag ctgactagta aaactttccg cggacttgac	180
gcgcgcgctc tgcagccctc tgaagggcgg gcagggtccg acgcgctggg ccctgggtccc	240
ttcggccgcga aacggcgcaa gtcacgcact gcgttcaccg cgcaacaggt gctggagctg	300
gagcggcgct tcgtcttcca gaagtacctg gcgccgtccg agcgagacgg gctagctacg	360
cgactcggcc tggccaacgc gcagggtggc acttgggttc agaaccggcg agccaagctc	420
aagcgcgatg tggaggagat gcgcgccgac gtcgcctcgc tacgcgcgtt gtccccggaa	480
gtcctgtgca gcttagcact gcccgaaggc gctccagatc ccggcctctg cctcggccct	540
gccggccctg actccccggc ccacctgtca gacgaggaga tacagggtga cgattga	597

<210> 17
 <211> 993
 <212> DNA
 <213> Homo sapiens

<400> 17

atggtatgga aaagagagaa tttctacaag gaggtcaagc gaggaagagc tttgttttta	60
aaaaggcttt gtattttcaa tattgatact gataatacat ttcaaaggat cattgaaaaa	120
ccatcctggg tgggattttt aggtccaatg attaaagcag agactggaga cttcatttat	180
gtacatgtaa aaaataatgc ttcaagagct tatagttatc atcctcatgg gctcacctac	240
tccaaagaaa atgaaggtgc tatctatcct gataatacga caggcctgca aaaggaagat	300
gaatatctgg agccaggga acaatatacc tacaagtggg atgtagaaga acatcaggga	360
cctggcccca atgacagtaa ttgtgtgaca agaatttacc attcccatat agacactgca	420
agagatgtag cttcgggact tattggacca atactgactt gtaaaagagc aataaatgga	480
tacatctatg gaaatctgcc caatctcacc atgtgtgctg aagatagggt ccagtgggat	540
tttgttggca tgggtggcgt ggctgacata cccccgtct acctccgcg acaaactctg	600
atctctcgga atcacagaaa ggacaccatt atgctcttcc cctcctcact ggaagatgcc	660
ttcatgggtg ccaaggcccc tggagtgtgg atgctgggat gccagatata tggtagtgat	720
atattacttt tgcgtgatac aaagtcagag aacttccaag ggcttagccc attccacatg	780
catttcctta caaatgaaga gacctatata caagaagaga gtatgcaggc atttttcaaa	840
gtaagtaatt gccagaaacc ttcaacagaa gcctttgtta ctgggacaca tgttatacat	900
tactatattg ctgctaaaga aattctttgg aactatgctc catctgggat agatttcttc	960
actaaaaaaa atttaacagc agctggaagg taa	993

<210> 18

<211> 1440

<212> DNA

<213> Homo sapiens

<400> 18

```

atggccatcc tcccgttget cctgtgcctg ctgccgctgg cccctgcctc atccccaccc 60
cagtcagcca caccagccc atgtccccgc cgctgccgct gccagacaca gtcgctgccc 120
ctaagcgtgc tgtgccccagg ggcaggcctc ctgttcgtgc caccctcgtt ggaccgcccg 180
gcagccgagc tgcggctggc agacaacttc atcgccctcg tgcgccgccc cgacctggcc 240
aacatgacag gcctgctgca tctgagcctg tcgcggaaca ccatccgcca cgtggctgcc 300
ggcgccttcg ccgacctgcg ggccctgcgt gccctgcacc tggatggcaa ccggctgacc 360
tcaactggcg agggccagct gcgcggcctg gtcaacttgc gccacctcat cctcagcaac 420
aaccagctgg cagcgtggc ggccggcgcc ctggatgatt gtgccgagac actggaggac 480
ctcgacctct cctacaacaa cctcgagcag ctgccctggg aggccctggg ccgcctgggc 540
aacgtcaaca cgttgggcct cgaccacaac ctgctggctt ctgtgcccg cggcgctttt 600
tcccgcctgc acaagctggc ccggctggac atgacctcca accgcctgac cacaatccca 660
cccgaccac tcttctcccg cctgcccctg ctgcgcaggc cccggggctc gcccgcctct 720
gccctggtgc tggcctttgg cgggaacccc ctgcaactgca actgcgagct ggtgtggctg 780
cgtcgcctgg cgcgggagga cgacctcgag gcctgcgcgt cccacactgc tctgggcggc 840
cgctacttct gggcgggtgg cgaggaggag tttgtctgcg agccgcccgt ggtgactcac 900
cgctcaccac ctctggtgt gccgcaggt cggccggctg cctgcgctg ccgggcagtg 960
ggggaccag agccccgtgt gcgttgggtg tcaccccagg gccggctgct aggcaactca 1020
agccgtgccc gcgccttccc caatgggacg ctggagctgc tggtcaccga gccgggtgat 1080
ggtggcatct tcacctgat tgcggccaat gcagctggcg aggccacagc tgctgtggag 1140
ctgactgtgg gtccccacc acctcctcag ctagccaaca gcaccagctg tgaccccccg 1200
cgggacgggg atcctgatgc tctaccccca cctccgctg cctctgcttc tgccaagggtg 1260
gccgacactg ggccccctac cgaccgtggc gtccagggtga ctgagcacgg ggccacagct 1320
gctcttgctc agtggccgga tcagcggcct atcccgggca tccgcatgta ccagatccag 1380
tacaacagct cggctgatga catcctcgtc tacagggtgca ggggtccaggc actggggtag 1440

```

<210> 19

<211> 1887

<212> DNA

<213> Homo sapiens

<400> 19

```

atggccatcc tcccgttget cctgtgcctg ctgccgctgg cccctgcctc atccccaccc 60
cagtcagcca caccagccc atgtccccgc cgctgccgct gccagacaca gtcgctgccc 120
ctaagcgtgc tgtgccccagg ggcaggcctc ctgttcgtgc caccctcgtt ggaccgcccg 180
gcagccgagc tgcggctggc agacaacttc atcgccctcg tgcgccgccc cgacctggcc 240
aacatgacag gcctgctgca tctgagcctg tcgcggaaca ccatccgcca cgtggctgcc 300
ggcgccttcg ccgacctgcg ggccctgcgt gccctgcacc tggatggcaa ccggctgacc 360

```


tcactggg	cagct	gcgcggcctg	gtcaacttgc	gccacctcat	cctcagcaac	420
aaccagctgg	cagcgtggc	ggccggcgcc	ctggatgatt	gtgccgagac	actggaggac	480
ctcgacctct	cctacaacaa	cctcgagcag	ctgccctggg	aggccctggg	ccgcctgggc	540
aacgtcaaca	cgttgggcct	cgaccacaac	ctgctggctt	ctgtgcccgc	cggcgctttt	600
tcccgcctgc	acaagctggc	ccggctggac	atgacctcca	accgcctgac	cacaatccca	660
cccgaaccac	tcttctcccg	cctgccccctg	ctcgccaggc	cccggggctc	gcccgcctct	720
gccctggtgc	tggccttttg	cggaacccc	ctgcaactgca	actgcgagct	ggtgtggctg	780
cgctgcctgg	cgccgggagga	cgacctcgag	gcctgcgcgt	ccccacctgc	tctgggcggc	840
cgctacttct	gggcgggtggg	cgaggaggag	tttgtctgcg	agccgcccgt	ggtgactcac	900
cgctcaccac	ctctggctgt	gcccgcaggt	cgccgggctg	ccctgcgctg	ccgggcagtg	960
ggggacccag	agccccgtgt	gcgttgggtg	tcaccccagg	gccggctgct	aggcaactca	1020
agccgtgccc	gcgcttccc	caatgggacg	ctggagctgc	tggtcaccga	gccgggtgat	1080
ggtggcatct	tcacctgcat	tgccggccaat	gcagctggcg	aggccacagc	tgctgtggag	1140
ctgactgtgg	gtccccacc	acctctcag	ctagccaaca	gcaccagctg	tgaccccccg	1200
cgggacgggg	atcctgatgc	tctcacccca	ccctccgctg	cctctgcttc	tgccaagggtg	1260
gccgacactg	ggccccctac	cgacctgggc	gtccagggtga	ctgagcacgg	ggccacagct	1320
gctcttgtcc	agtggccgga	tcagcggcct	atcccgggca	tccgcatgta	ccagatccag	1380
tacaacagct	cggctgatga	catcctcgtc	tacaggatga	tccggcgga	gagccgctcg	1440
ttcctgctga	cggacctggc	gtcaggccgg	acctacgac	tgtgcgtgct	cgccgtgtat	1500
gaggacacgc	ccacggggct	cacggccacg	cggcctgtgg	gctgcgccc	cttctccacc	1560
gaacctgcgc	tgcggccatg	cggggcggcg	cacgctccct	tcctggggcg	cacgatgatc	1620
atcgcgctgg	gcggcgatc	cgtagcctcg	gtactggctt	tcattctcgt	gctgctaattg	1680
cgtacaagg	tgcacggcgg	ccagcccccc	ggcaaggcca	agattcccg	gcctgttagc	1740
agcgtttgct	cccagaccaa	cggcgccctg	ggccccacgc	ccacgcccgc	cccgcgccgc	1800
ccggagcccg	cggcgctcag	ggccccacac	gtggtccagc	tggactgcga	gccctggggg	1860
cccggccacg	aacctgtggg	acctag				1887

<210> 20

<211> 2538

<212> DNA

<213> Homo sapiens

<400> 20

atgctgagcg	gcgtttggtt	cctcagtgtg	ttaaccgtgg	ccgggatctt	acagacagag	60
agtcgcaaaa	ctgccaaaaga	catttgcaag	atccgctgtc	tgtgcgaaga	aaaggaaaac	120
gtactgaata	tcaactgtga	gaacaaagga	tttacaacag	ttagcctgct	ccagcccccc	180
cagtatcgaa	tctatcagct	ttttctcaat	ggaaacctct	tgacaagact	gtatccaaac	240
gaatttgtca	attactccaa	cgcggtgact	cttcacctag	gtaacaacgg	gttacaggag	300
atccgaacgg	gggcattcag	tggcctgaaa	actctcaaaa	gactgcatct	caacaacaac	360
aagcttgaga	tattgaggga	ggacaccttc	ctaggcctgg	agagcctgga	gtatctccag	420
gccgactaca	attacatcag	tgccatcgag	gctggggcat	tcagcaaact	taacaagctc	480
aaagtgtctca	tcctgaatga	caaccttctg	ctttcactgc	ccagcaatgt	gttccgcttt	540

```

gtcctgctga cccacttaga cctcaggggg aataggctaa aagtaatgcc ttttgctggc      600
gtccttgaac atattggagg gatcatggag attcagctgg aggaaaatcc atggaattgc      660
acttgtgact tacttctctt caaggcctgg ctagacacca taactgtttt tgtgggagag      720
attgtctgtg agactccctt taggttgcat gggaaagacg tgacccagct gaccaggcaa      780
gacctctgtc ccagaaaaag tgccagtgat tccagtcaga ggggcagcca tgctgacacc      840
cacgtccaaa ggctgtcacc tacaatgaat cctgctctca acccaaccag ggctccgaaa      900
gccagccggc cgcccaaat gagaaatcgt ccaactctc gagtgactgt gtcaaaggac      960
aggcaaagtt ttggacccat catggtgtac cagaccaagt ctctgtgcc tctcacctgt     1020
cccagcagct gtgtctgcac ctctcagagc tcagacaatg gtctgaatgt aaactgccaa     1080
gaaaggaagt tactaatat ctctgacctg cagcccaaac cgaccagtcc aaagaaactc     1140
tacctaacag ggaactatct tcaaactgtc tataagaatg acctcttaga atacagttct     1200
ttggacttac tgcacttagg aaacaacagg attgcagtca ttcaggaagg tgcctttaca     1260
aacctgacca gtttacgcag actttatctg aatggcaatt accttgaagt gctgtaccct     1320
tctatgtttg atggactgca gagcttgcaa tatctctatt tagagtataa tgtcattaag     1380
gaaattaagc ctctgacctt tgatgctttg attaacctac agctactgtt tctgaacaac     1440
aaccttcttc ggtccttacc tgataatata tttgggggga cggccctaac caggctgaat     1500
ctgagaaaca accatttttc tcacctgcc gtgaaagggg ttctggatca gctcccggtc     1560
ttcatccaga tagatctgca ggagaacccc tgggactgta cctgtgacat catggggctg     1620
aaagactgga cagaacatgc caattcccct gtcatcatta atgaggtgac ttgcgaatct     1680
cctgctaagc atgcagggga gatactaaaa tttctgggga gggaggctat ctgtccagac     1740
agcccaact tgtcagatgg aaccgtcttg tcaatgaatc acaatacaga cacacctcg     1800
tcgcttagtg tgtctcctag ttcctatcct gaactacaca ctgaagtcc actgtctgtc     1860
ttaattctgg gattgcttgt tgttttcac ttatctgtct gttttggggc tggtttatcc     1920
gtctttgtct tgaaacgccg aaagggagtg ccgagcggtc ccaggaatac caacaactta     1980
gacgtaagct cttttcaatt acagtatggg tcttacaaca ctgagactca cgataaaaca     2040
gacggccatg tctacaacta tatcccccca cctgtgggtc agatgtgcca aaaccccatc     2100
tacatgcaga aggaaggaga cccagtagcc tattaccgaa acctgcaaga gttcagctat     2160
agcaacctgg aggagaaaaa agaagagcca gccacacctg cttacacaat aagtgccact     2220
gagctgctag aaaagcaggc cacaccaaga gagcctgagc tgctgtatca aaatattgct     2280
gagcgagtca aggaacttcc cagcgcaggc ctagtccact ataacttttg taccttacct     2340
aaaaggcagt ttgccccttc ctatgaatct cgacgccaaa accaagacag aatcaataaa     2400
accgttttat atggaactcc caggaaatgc tttgtggggc agtcaaaacc caaccacct     2460
ttactgcaag ctaagccgca atcagaaccg gactacctcg aagttctgga aaaacaaact     2520
gcaatcagtc agctgtga                                     2538

```

<210> 21

<211> 1050

<212> DNA

<213> Homo sapiens

<400> 21

```

atggggatca cctgctggat cgccctgtat gctgtggagg cctccccac ctgcccttcc      60

```

tectgcaagt	gtgacagccg	cagcctggag	gtggactgca	gtggccttgg	cctcaccacg	120
gtgccccag	acgtgcccgc	agccaccgga	accctcttgc	tcttgaacaa	taagctgagt	180
gccctgccaa	gctgggcttt	cgccaacctc	tccagcctgc	agcggttgga	cctgtccaac	240
aacttcctgg	accgggtgcc	ccgtctcatt	ttcggggacc	tgacgaatct	gactgagctt	300
cagctgcgca	ataacagcat	caggaccctg	gacagggacc	tgctgcggca	ctcggcgctg	360
ctccgccacc	tggacctgtc	catcaacggc	ctggcccagt	tgccccctgg	tcttttcgac	420
gggctcctgg	ctctgcgctc	cctctcgctt	cgctccaacc	gtctgcagaa	tctggaccgg	480
ctgacatttg	aacccttagc	aaacctgcag	ctgctgcagg	tcggggataa	cccctgggag	540
tgtgactgta	acctgcgtga	gttcaaacac	tggatggagt	ggttctccta	ccgaggggga	600
cgcttggacc	agcttgccctg	cacctgccc	aaggagctga	gggggaagga	catgcggatg	660
gtcccatgg	agatgttcaa	ctactgctcc	cagctggagg	acgagaatag	ctcagctggg	720
ctggatattc	ctgggccacc	ctgcaccaag	gccagtccag	agcctgctaa	gcccagccc	780
ggggctgagc	cggagccgga	gcccagcaca	gcctgccac	agaagcagag	gcaccggccg	840
gcgagcgtga	ggcgagccat	gggcacgggtg	atcattgcag	gggtcgtgtg	cggcgtcgtc	900
tgcacatga	tgggtggtggc	cgctgcctat	ggctgcatct	acgcctccct	catggccaag	960
taccaccggg	agctcaaaaa	gcgccagccc	ctgatggggg	accccgaggg	cgagcacgag	1020
gaccagaagc	agatctcttc	tgtggcctga				1050

<210> 22

<211> 2215

<212> DNA

<213> Homo sapiens

<400> 22

atgggaatga	ctgttataaa	gcaaatacaca	gatgacctat	ttgtatggaa	tgttctgaat	60
cgcaagaag	taaacatcat	ttgctgcgag	aagggtggagc	aggatgctgc	tagagggatc	120
attcacatga	ttttgaaaaa	gggttcagag	tcctgtaacc	tctttcttaa	atcccttaag	180
gagtggaaact	atcctctatt	tcaggacttg	aatggacaaa	gtctttttca	tcagacatca	240
gaaggagact	tggacgattt	ggctcaggat	ttaaaggact	tgtaccatac	cccattcttt	300
ctgaactttt	atcccccttg	tgaagatatt	gacattattt	ttaacttgaa	aagcaccttc	360
acagaacctg	tcctgtggag	gaaggaccaa	caccatcacc	gcgtggagca	gctgacctg	420
aatggcctcc	tgacggctct	tcagagcccc	tgcatcattg	aaggggaatc	tggcaaaggc	480
aagtccactc	tgctgcagcg	aattgccatg	ctctggggct	ccggaaagtg	caaggctctg	540
accaagtcca	aattcgtctt	cttcctccgt	ctcagcaggg	cccagggtgg	actttttgaa	600
accctctgtg	atcaactcct	ggatatacct	ggcacaatca	ggaagcagac	attcatggcc	660
atgctgctga	agctgcggca	gagggttctt	ttccttcttg	atggctacaa	tgaattcaag	720
ccccagaact	gcccagaaat	cgaagccctg	ataaaggaaa	accaccgctt	caagaacatg	780
gtcatcgta	ccactaccac	tgagtgcctg	aggcacatac	ggcagtttgg	tgccctgact	840
gctgaggtgg	gggatatgac	agaagacagc	gccaggctc	tcattccgaga	agtgtgtatc	900
aaggagcttg	ctgaaggctt	gttgctccaa	attcagaaat	ccagggtgctt	gaggaatctc	960
atgaagaccc	ctctctttgt	ggtcatcact	tgtgcaatcc	agatgggtga	aagtgagttc	1020
cactctcaca	cacaaacaac	gctgttccat	accttctatg	atctgttgat	acagaaaaac	1080

aaacacaaac	ataaaggtgt	ggctgcaagt	gacttcattc	ggagcctgga	ccactgtgga	1140
gacctagctc	tggaggggtgt	gttctcccac	aagtttgatt	tcgaactgca	ggatgtgtcc	1200
agcgtgaatg	aggatgtcct	gctgacaact	gggctcctct	gtaaataatac	agctcaaagg	1260
ttcaagccaa	agtataaatt	ctttcacaag	tcattccagg	agtacacagc	aggacgaaga	1320
ctcagcagtt	tattgacgtc	tcattgagcca	gaggaggtga	ccaaggggaa	tggttacttg	1380
cagaaaatgg	tttccatttc	ggacattaca	tccacttata	gcagcctgct	ccggtacacc	1440
tgtgggtcat	ctgtggaagc	caccaggggt	gttatgaagc	acctcgcagc	agtgtatcaa	1500
cacggctgcc	ttctcggact	ttccatcgcc	aagaggcctc	tctggagaca	ggaatctttg	1560
caaagtgtga	aaaacaccac	tgagcaagaa	attctgaaag	ccataaacat	caattccttt	1620
gtagagtgtg	gcatccattt	atatcaagag	agtacatcca	aatcagccct	gagccaagaa	1680
tttgaagctt	tctttcaagg	taaaagctta	tatatcaact	cagggaacat	ccccgattac	1740
ttatttgact	tctttgaaca	tttgcccaat	tgtgcaagtg	ccctggactt	cattaaactg	1800
gacttttatg	ggggagctat	ggcttcatgg	gaaaaggctg	cagaagacac	aggtggaatc	1860
cacatggaag	aggccccaga	aacctacatt	cccagcaggg	ctgtatcttt	gttcttcaac	1920
tggaagcagg	aattcaggac	tctggaggtc	acactccggg	atttcagcaa	gttgaataag	1980
caagatatca	gatatctggg	gaaaatattc	agctctgcc	caagcctcag	gctgcaata	2040
aagagatgtg	ctggtgtggc	tggaagcctc	agtttggtcc	tcagcacctg	taagaacatt	2100
tattctctca	tgggtggaagc	cagtccccctc	accatagaag	atgagaggga	catcacatct	2160
gtaacaaacc	tgaaaacctt	gagtattcat	gacctacaga	atcaacgggt	gccgg	2215

<210> 23

<211> 3213

<212> DNA

<213> Homo sapiens

<400> 23

atgtacaaaa	gccttaacat	tgacgagtgt	gatttgcattg	cctggctgga	tttgccctgcc	60
gagaaacctt	taggggtggt	taatcgggtc	tgctggggct	tcattcaggtt	caaggggtac	120
atgtaccctt	tggactactt	gaatttcata	aaggacaata	gccgagccct	tattcaaaga	180
atgggaatga	ctgttataaa	gcaaatcaca	gatgacctat	ttgtatggaa	tgttctgaat	240
cgcgaagaag	taaacatcat	ttgctgcgag	aagggtggagc	aggatgctgc	tagagggatc	300
attcacatga	ttttgaaaaa	gggttcagag	tcctgtaacc	tctttcttaa	atcccttaag	360
gagtggaaact	atcctctatt	tcaggacttg	aatggacaaa	gtctttttca	tcagacatca	420
gaaggagact	tggacgattt	ggctcaggat	ttaaaggact	tgtaccatac	cccatctttt	480
ctgaactttt	atcccttgg	tgaagatatt	gacattattt	ttaacttgaa	aagcaccttc	540
acagaacctg	tcctgtggag	gaaggaccaa	caccatcacc	gcgtggagca	gctgacctg	600
aatggcctcc	tgcaggctct	tcagagcccc	tgcatcattg	aaggggaatc	tggcaaaggc	660
aagtccactc	tgctgcagcg	aattgccatg	ctctggggct	ccggaaagtg	caaggctctg	720
accaagttca	aattcgtctt	cttcctccgt	ctcagcaggg	cccaggggtg	actttttgaa	780
accctctgtg	atcaactcct	ggatatacct	ggcacaatca	ggaagcagac	attcatggcc	840
atgctgctga	agctgcggca	gagggttctt	ttccttcttg	atggctacaa	tgaattcaag	900
ccccagaact	gccagaaat	cgaagccctg	ataaaggaaa	accaccgctt	caagaacatg	960

```

gtcatcgtca ccactaccac tgagtgcctg aggcacatac ggcagtttgg tgccctgact 1020
gctgaggtgg gggatatgac agaagacagc gcccaggctc tcatccgaga agtgctgac 1080
aaggagcctt ctgaaggctt gttgctccaa attcagaaat ccagggtgctt gaggaatctc 1140
atgaagaccc ctctctttgt ggtcatcact tgtgcaatcc agatgggtga aagtgaagttc 1200
cactctcaca cacaacaac gctgttccat accttctatg atctgttgat acagaaaaac 1260
aaacacaaac ataaagggtg ggctgcaagt gacttcattc ggagcctgga ccactgtgga 1320
gacctagctc tggaggggtg gttctccac aagtttgatt tcgaactgca ggatgtgtcc 1380
agcgtgaatg aggatgtcct gctgacaact gggctcctct gtaaataac agctcaaagg 1440
ttcaagccaa agtataaatt ctttcacaag tcattccagg agtacacagc aggacgaaga 1500
ctcagcagtt tattgacgtc tcatgagcca gaggaggtga ccaaggggaa tggttacttg 1560
cagaaaatgg tttccatttc ggacattaca tccacttata gcagcctgct cgggtacacc 1620
tgtgggtcat ctgtggaagc caccagggtc gttatgaagc acctcgcagc agtgtatcaa 1680
cacggctgcc ttctcggact ttccatcgcc aagaggcctc tctggagaca ggaatctttg 1740
caaagtgtga aaaacaccac tgagcaagaa attctgaaag ccataaacat caattccttt 1800
gtagagtgtg gcatccattt atatcaagag agtacatcca aatcagccct gagccaagaa 1860
tttgaagctt tctttcaagg taaaagctta tatatcaact cagggaacat ccccgattac 1920
ttatttgact tctttgaaca tttgccaat tgtgcaagtg ccctggactt cattaactg 1980
gacttttatg ggggagctat ggcttcatgg gaaaaggctg cagaagacac aggtggaatc 2040
cacatggaag aggccccaga aacctacatt ccagcaggg ctgtatcttt gttcttcaac 2100
tggaagcagg aattcaggac tctggaggtc aactccggg atttcagcaa gttgaataag 2160
caagatatca gatatctggg gaaaatattc agctctgcc caagcctcag gctgcaaata 2220
aagagatgtg ctgggtgtggc tggaagcctc agtttggtcc tcagcacctg taagaacatt 2280
tattctctca tgggtggaagc cagtccctc accatagaag atgagaggca catcacatct 2340
gtaacaaacc tgaaaacctt gagtattcat gacctacaga atcaacggct gccgggtggt 2400
ctgactgaca gcttgggtaa cttgaagaac cttacaaagc tcataatgga taacataaag 2460
atgaatgaag aagatgctat aaaactagct gaaggcctga aaaacctgaa gaagatgtgt 2520
ttatttcatt tgaccactt gtctgacatt ggagaggga tggattacat agtcaagtct 2580
ctgtcaagtg aacctgtga ccttgaagaa attcaattag tctcctgctg cttgtctgca 2640
aatgcagtga aaatcctagc tcagaatctt cacaatttgg tcaaactgag cattcttgat 2700
ttatcagaaa attacctgga aaaagatgga aatgaagctc ttcatgaact gatcgacagg 2760
atgaacgtgc tagaacagct caccgcactg atgctgccct ggggctgtga cgtgcaaggc 2820
agcctgagca gcctgttgaa acatttggag gaggtccac aactcgtcaa gcttgggttg 2880
aaaaactgga gactcacaga tacagagatt agaattttag gtgcattttt tggaaagaac 2940
cctctgaaaa acttcagca gttgaatttg gcgggaaatc gtgtgagcag tgatggatgg 3000
cttgccctca tgggtgtatt tgagaatctt aagcaattag tgttttttga ctttagtact 3060
aaagaatttc tacctgatcc agcattagtc agaaaactta gccaaagtgt atccaagtta 3120
acttttctgc aagaagctag gcttgttggg tggcaatttg atgatgatga tctcagtgtt 3180
attacaggtg cttttaaact agtaactgct taa 3213

```

<210> 24

<211> 1464

<212> DNA

<213> Homo sapiens

<400> 24

```

atgccgcctt tgccacagtg gtcctttcct cgtccagacc actgccatgt gactttcgtg      60
accctcaagt gtgactcctc caagaagagg cgccgtggcc gcaagtcccc atccaaggag      120
gtgtcccaca tcacagcaga gtttgagatc gagacaaaga tggaagaggc ctcagacaca      180
tgcaagcgcg actgcttgcg gaagcgagca gaacagagcc tgcaggccgc catcaagacc      240
ctgcgcaagt ccatcgggcg gcagcagttc tatgtccagg tctcaggcac tgagtacgag      300
gtagcccaga ggccagccaa ggcgctggag gggcaggggg catgtggcgc aggccagggtg      360
ctacaggaca gcaaatgcgt tgccctgtggg cctggcaccc acttcggtgg tgagctcggc      420
cagtgtgtgt catgtatgcc aggaacatac caggacatgg aaggccagct cagttgcaca      480
ccgtgccccca gcagcgacgg gcttggtctg cctgggtgcc gcaacgtgtc ggaatgtgga      540
ggcaagtgcg ggcctagaag gagaggcttc ttctcgggcg atggcttcaa gccctgccag      600
gcctgccccg tgggcacgta ccagcctgag cccggggcga ccggtgctt cccctgtgga      660
ggggggtttgc tcaccaaaca cgaaggcacc acctccttcc aggactgcga ggctaaagtg      720
cactgctccc ccggccacca ctacaacacc accaccaccc gctgcatccg ctgccccgtc      780
ggcacctacc agccccagtt tggccagaac cactgcatca cctgtccggg caacaccagc      840
acagacttcg atggctccac caacgtcaca cactgcaaaa accagcactg cggcggcgag      900
cttggtgact acaccggcta catcgagtcc cccaactacc ctggcgacta cccagccaac      960
gctgaatgcg tctggcacat cgcgcctccc ccaaagcgca ggatcctcat cgtgggtccct     1020
gagatcttcc tgcccatcga ggatgagtgc ggcatgttc tggatcatgag gaagagtgcc     1080
tctcccacgt ccatcaccac ctatgagacc tgccagacct acgagaggcc catcgccttc     1140
acctcccgtc ccgcgaagct ctggatccag ttcaaatcca atgaaggcaa cagcggcaaa     1200
ggcttccaag tgccctatgt cacctacgat gaggactacc agcaactcat agaggacatc     1260
gtgcgcgatg ggcgcctgta cgcctcggag aaccaccagg aaattttgaa agacaagaag     1320
ctgatcaagg cctcttcga cgtgctggcg catccccaga actacttcaa gtacacagcc     1380
caggaatcca aggagatgtt cccacgggtc ttcatcaaac tgctgcgctc caaagtgtct     1440
cggttcctgc ggcctacaa ataa                                     1464

```

<210> 25

<211> 2897

<212> DNA

<213> Homo sapiens

<400> 25

```

atgggcgcg cgccgtgcg ctggcacttg tgcgtgctgc tggccctggg cacacgcggg      60
cggttgccg ggggcagcg gctcccagggt tcagtcgacg tggatgagt ctcagagggc      120
acagatgact gccacatcga tgccatctgt cagaacacgc ccaagtccta caaatgcctc      180
tgcaagccag gctacaagg ggaaggcaag cagtgtgaag acattgacga gtgtgagaat      240
gactactaca atgggggctg tgtccacgag tgcataca tcccggggaa ctacagggtg      300
acctgctttg atggcttcat gctggcacac gatggacaca actgcctgga tgtggacgag      360
tgtcaggaca ataatggtgg ctgccagcag atctgcgtca atgccatggg cagctacgag      420

```

tgtcagtgcc	acagtggcctt	cttccttagt	gacaaccagc	atacctgcat	ccaccgctcc	480
aatgagggta	tgaactgcat	gaacaaagac	catggctgtg	cccacatctg	ccgggagacg	540
cccaaaggtg	gggtggcctg	cgactgcagg	cccggctttg	accttgccca	aaaccagaag	600
gactgcacac	taacctgtaa	ttatggaaac	ggaggctgcc	agcacagctg	tgaggacaca	660
gacacaggcc	ccacgtgtgg	ttgccaccag	aagtacgccc	tccactcaga	cggctgcacg	720
tgcacgaga	cgtgcgcagt	caataacgga	ggctgcgacc	ggacatgcaa	ggacacagcc	780
actggcgtgc	gatgcagctg	ccccgttgga	ttcacactgc	agccggacgg	gaagacatgc	840
aaagacatca	acgagtgcct	ggtcaacaac	ggaggctgcg	accacttctg	ccgcaacacc	900
gtgggcagct	tcgagtgcgg	ctgccggaag	ggctacaagc	tgctcaccga	cgagcgcacc	960
tgccaggaca	tcgacgagtg	ctccttcgag	cggacctgtg	accacatctg	catcaactcc	1020
ccgggcagct	tccagtgcct	gtgtcaccgc	ggctacatcc	tctacgggac	aacccactgc	1080
ggagatgtgg	acgagtgcag	catgagcaac	gggagctgtg	accagggctg	cgtcaacacc	1140
aagggcagct	acgagtgcgt	ctgtcccccg	gggaggcggc	tccactggaa	cgggaaggat	1200
tgcgtggaga	caggcaagtg	tctttctcgc	gccaagacct	ccccccgggc	ccagctgtcc	1260
tgcagcaagg	caggcggtgt	ggagagctgc	ttcctttcct	gcccggctca	cacactcttc	1320
gtgccagact	cggaaaatag	ctacgtcctg	agctgcggag	ttccagggcc	gcagggcaag	1380
gcgctgcaga	aacgcaacgg	caccagctct	ggcctcgggc	ccagctgctc	agatgcccc	1440
accacccccca	tcaaacagaa	ggcccgttc	aagatccgag	atgccaaagt	ccacctccgg	1500
ccccacagcc	aggcacgagc	aaaggagacc	gccaggcagc	cgtgctgga	ccactgccat	1560
gtgactttcg	tgacctcaa	gtgtgactcc	tccaagaaga	ggcgccgtgg	ccgcaagtcc	1620
ccatccaagg	aggtgtccca	catcacagca	gagtttgaga	tcgagacaaa	gatggaagag	1680
gcctcagaca	catgcgaagc	ggactgcttg	cgggaagcag	cagaacagag	cctgcaggcc	1740
gccatcaaga	ccctgcgcaa	gtccatcggc	cggcagcagt	tctatgtcca	ggtctcaggc	1800
actgagtacg	aggtagccca	gaggccagcc	aaggcgctgg	aggggcaggg	ggcatgtggc	1860
gcaggccagg	tgctacagga	cagcaaatgc	gttgccctgtg	ggcctggcac	ccacttcggt	1920
ggtgagctcg	gccagtgtgt	gtcatgtatg	ccaggaacat	accaggacat	ggaaggccag	1980
ctcagttgca	caccgtgccc	cagcagcgac	gggcttggtc	tgcttggtgc	ccgcaacgtg	2040
tcggaatgtg	gaggccagtg	ttctccaggc	ttcttctcgg	ccgatggctt	caagccctgc	2100
caggcctgcc	ccgtgggcac	gtaccagcct	gagcccgggc	gcaccggctg	cttccccctgt	2160
ggaggggggtt	tgctcaccaa	acacgaaggc	accacctcct	tccaggactg	cgaggctaaa	2220
gtgcactgct	cccccgccca	ccactacaac	accaccaccc	accgctgcat	ccgctgcccc	2280
gtcggcacct	accagcccga	gtttggccag	aaccactgca	tcacctgtcc	gggcaacacc	2340
agcacagact	tcgatggctc	caccaacgtc	acacactgca	aaaaccagca	ctgcggcggc	2400
gagcttggtg	actacaccgg	ctacatcgag	tcccccaact	accctggcga	ctaccagacc	2460
aacgctgaat	gcgtctggca	catcgcgctt	cccccaaagc	gcaggatcct	catcgtggtc	2520
cctgagatct	tcctgcccac	cgaggatgag	tgccggcgatg	ttctgggtcat	gaggaagagt	2580
gcctctccca	cgtccatcac	cacctatgag	acctgccaga	cctacgagag	gcccacgccc	2640
ttcacctccc	gctcccgcaa	gctctggatc	cagttcaaact	ccaatgaagg	caacagcggc	2700
aaaggcttcc	aagtgcctta	tgtcacctac	gatggtaaga	tccactgtct	tcacggccca	2760
ctgtgcacgg	ctcaggcggg	gccttgga	cacagagatg	agtcgcacgt	ccccgcccc	2820
tcaggagct	gcgacctggc	aggtacagac	ctggaagcag	aacgaacact	gtcaggggcc	2880
agagccagac	aggctga					2897

<210> 26
 <211> 2151
 <212> DNA
 <213> Homo sapiens

<400> 26

```

atggctagga tgagctttgt tatagcagct tgccaattgg tgcctgggcct actaatgact      60
tcattaaccg agtcttccat acagaatagt gagggtccac aactttgcgt atgtgaaatt      120
cgccccctgg ttaccccaaca gtcaacttac agagaagcca ccaactgttg ttgcaatgac      180
ctccgcttaa caaggattcc cagtaacctc tctagtgaac cacaagtgtc tctcttacag      240
agcaataaca tcgcaaagac tgtggatgag ctgcagcagc ttttcaactt gactgaacta      300
gatttctccc aaaacaactt tactaacatt aaggagggtc ggctggcaaa cctaaccacg      360
ctcacaacgc tgcatttgga ggaaaatcag attaccgaga tgactgatta ctgtctacaa      420
gacctcagca accttcaaga actctacatc aaccacaacc aaattagcac tatttctgct      480
catgcttttg caggcttaaa aaatctatta aggtccacc tgaactccaa caaattgaaa      540
gttattgata gtcgctgggt tgattctaca cccaacctgg aaattctcat gatcggagaa      600
aaccctgtga ttggaattct ggatatgaac ttcaaaccac tcgcaaattt gagaagctta      660
gttttggcag gaatgtatct cactgatatt cctggaaatg ctttgggtgg tctggatagc      720
cttgagagcc tgtcttttta tgataacaaa ctggttaaag tccctcaact tgccctgcaa      780
aaagtcccaa atttgaaatt cttagacctc aacaaaaacc ccattcaca aatccaagaa      840
ggggacttca aaaatatgct tcggttaaaa gaactgggaa tcaacaatat gggcgagctc      900
gtttctgtcg accgctatgc cctggataac ttgcctgaac tcacaaagct ggaagccacc      960
aataacccta aactctctta catccaccgc ttggctttcc gaagtgtccc tgcctctggaa     1020
agcttgatgc tgaacaacaa tgccttgaat gccatttacc aaaagacagt cgaatccctc     1080
cccaatctgc gtgagatcag tatccatagc aatccccctc ggtgtgactg tgtgatccac     1140
tggattaact ccaacaaaaa caacatccgc ttcattggagc ccctgtccat gttctgtgcc     1200
atgccgcccc aatataaagg gcaccagggt aaggaagttt taatccagga ttcgagtga     1260
cagtgccctc caatgatatc tcacgacagc ttcccaaatac gtttaaactg ggatatcggc     1320
acgacgggtt tcctagactg tcgagccatg gctgagccag aacctgaaat ttactgggtc     1380
actcccattg gaaataagat aactgtggaa accctttcag ataaatacaa gctaagtagc     1440
gaaggtagct tggaaatata taacatacaa attgaagact caggaagata cacatgtgtt     1500
gccagaatg tccaaggggc agacactcgg gtggcaacaa ttaagggttaa tgggaccctt     1560
ctggatggta cccagggtgt aaaaatatac gtcaagcaga cagaatccca ttccatctta     1620
gtgtcctgga aagttaattc caatgtcatg acgtcaaaact taaaatgggtc gtctgccacc     1680
atgaagattg ataaccctca cataacatat actgccaggg tcccagtcga tgtccatgaa     1740
tacaacctaa cgcactctga gccttcaca gattatgaag tgtgtctcac agtgtccaat     1800
attcatcagc agactcaaaa gtcattgcgt aatgtcaca ccaaaaatgc cgccttcgca     1860
gtggacatct ctgatcaaga aaccagtaca gcccttgctg cagtaatggg gtctatgttt     1920
gccgtcatta gccttgctgc cattgtgtgt tactttgcca aaagatttaa gagaaaaaac     1980
taccaccact cattaaaaaa gtatatgcaa aaaacctctt caatcccact aaatgagctg     2040
taccaccac tcattaacct ctgggaaggt gacagcgaga aagacaaaga tggttctgca     2100

```


gacaccaagc caacccaggt cgacacatcc agaagctatt acatgtggta a

2151

<210> 27

<211> 766

<212> PRT

<213> Homo sapiens

<400> 27

Met	Glu	Lys	Val	Leu	Phe	Tyr	Leu	Phe	Leu	Ile	Gly	Ile	Ala	Val	Lys
1				5					10					15	
Ala	Gln	Ile	Cys	Pro	Lys	Arg	Cys	Val	Cys	Gln	Ile	Leu	Ser	Pro	Asn
			20					25					30		
Leu	Ala	Thr	Leu	Cys	Ala	Lys	Lys	Gly	Leu	Leu	Phe	Val	Pro	Pro	Asn
		35					40					45			
Ile	Asp	Arg	Arg	Thr	Val	Glu	Leu	Arg	Leu	Ala	Asp	Asn	Phe	Val	Thr
	50					55					60				
Asn	Ile	Lys	Arg	Lys	Asp	Phe	Ala	Asn	Met	Thr	Ser	Leu	Val	Asp	Leu
65				70					75					80	
Thr	Leu	Ser	Arg	Asn	Thr	Ile	Ser	Phe	Ile	Thr	Pro	His	Ala	Phe	Ala
				85					90				95		
Asp	Leu	Arg	Asn	Leu	Arg	Ala	Leu	His	Leu	Asn	Ser	Asn	Arg	Leu	Thr
			100					105					110		
Lys	Ile	Thr	Asn	Asp	Met	Phe	Ser	Gly	Leu	Ser	Asn	Leu	His	His	Leu
		115					120					125			
Ile	Leu	Asn	Asn	Asn	Gln	Leu	Thr	Leu	Ile	Ser	Ser	Thr	Ala	Phe	Asp
	130					135						140			
Asp	Val	Phe	Ala	Leu	Glu	Glu	Leu	Asp	Leu	Ser	Tyr	Asn	Asn	Leu	Glu
145				150					155					160	
Thr	Ile	Pro	Trp	Asp	Ala	Val	Glu	Lys	Met	Val	Ser	Leu	His	Thr	Leu
				165					170				175		
Ser	Leu	Asp	His	Asn	Met	Ile	Asp	Asn	Ile	Pro	Lys	Gly	Thr	Phe	Ser
			180					185					190		
His	Leu	His	Lys	Met	Thr	Arg	Leu	Asp	Val	Thr	Ser	Asn	Lys	Leu	Gln
	195					200						205			
Lys	Leu	Pro	Pro	Asp	Pro	Leu	Phe	Gln	Arg	Ala	Gln	Val	Leu	Ala	Thr
	210					215						220			
Ser	Gly	Ile	Ile	Ser	Pro	Ser	Thr	Phe	Ala	Leu	Ser	Phe	Gly	Gly	Asn
225				230					235				240		
Pro	Leu	His	Cys	Asn	Cys	Glu	Leu	Leu	Trp	Leu	Arg	Arg	Leu	Ser	Arg
			245					250					255		
Glu	Asp	Asp	Leu	Glu	Thr	Cys	Ala	Ser	Pro	Pro	Leu	Leu	Thr	Gly	Arg
			260					265					270		

Tyr Phe Trp Ser Ile Pro Glu Glu Glu Phe Leu Cys Glu Pro Pro Leu
 275 280 285
 Ile Thr Arg His Thr His Glu Met Arg Val Leu Glu Gly Gln Arg Ala
 290 295 300
 Thr Leu Arg Cys Lys Ala Arg Gly Asp Pro Glu Pro Ala Ile His Trp
 305 310 315 320
 Ile Ser Pro Glu Gly Lys Leu Ile Ser Asn Ala Thr Arg Ser Leu Val
 325 330 335
 Tyr Asp Asn Gly Thr Leu Asp Ile Leu Ile Thr Thr Val Lys Asp Thr
 340 345 350
 Gly Ala Phe Thr Cys Ile Ala Ser Asn Pro Ala Gly Glu Ala Thr Gln
 355 360 365
 Ile Val Asp Leu His Ile Ile Lys Leu Pro His Leu Leu Asn Ser Thr
 370 375 380
 Asn His Ile His Glu Pro Asp Pro Gly Ser Ser Asp Ile Ser Thr Ser
 385 390 395 400
 Thr Lys Ser Gly Ser Asn Thr Ser Ser Ser Asn Gly Asp Thr Lys Leu
 405 410 415
 Ser Gln Asp Lys Ile Val Val Ala Glu Ala Thr Ser Ser Thr Ala Leu
 420 425 430
 Leu Lys Phe Asn Phe Gln Arg Asn Ile Pro Gly Ile Arg Met Phe Gln
 435 440 445
 Ile Gln Tyr Asn Gly Thr Tyr Asp Asp Thr Leu Val Tyr Arg Met Ile
 450 455 460
 Pro Pro Thr Ser Lys Thr Phe Leu Val Asn Asn Leu Ala Ala Gly Thr
 465 470 475 480
 Met Tyr Asp Leu Cys Val Leu Ala Ile Tyr Asp Asp Gly Ile Thr Ser
 485 490 495
 Leu Thr Ala Thr Arg Val Val Gly Cys Ile Gln Phe Thr Thr Glu Gln
 500 505 510
 Asp Tyr Val Arg Cys His Phe Met Gln Ser Gln Phe Leu Gly Gly Thr
 515 520 525
 Met Ile Ile Ile Ile Gly Gly Ile Ile Val Ala Ser Val Leu Val Phe
 530 535 540
 Ile Ile Ile Leu Met Ile Arg Tyr Lys Val Cys Asn Asn Asn Gly Gln
 545 550 555 560
 His Lys Val Thr Lys Val Ser Asn Val Tyr Ser Gln Thr Asn Gly Ala
 565 570 575
 Gln Ile Gln Gly Cys Ser Val Thr Leu Pro Gln Ser Val Ser Lys Gln
 580 585 590
 Ala Val Gly His Glu Glu Asn Ala Gln Cys Cys Lys Ala Thr Ser Asp
 595 600 605

Asn Val Ile Gln Ser Ser Glu Thr Cys Ser Ser Gln Asp Ser Ser Thr
 610 615 620
 Thr Thr Ser Ala Leu Pro Pro Ser Trp Thr Ser Ser Thr Ser Val Ser
 625 630 635 640
 Gln Lys Gln Lys Arg Lys Thr Gly Thr Lys Pro Ser Thr Glu Pro Gln
 645 650 655
 Asn Glu Ala Val Thr Asn Val Glu Ser Gln Asn Thr Asn Arg Asn Asn
 660 665 670
 Ser Thr Ala Leu Gln Leu Ala Ser Arg Pro Pro Asp Ser Val Thr Glu
 675 680 685
 Gly Pro Thr Ser Lys Arg Ala His Ile Lys Pro Ser Lys Phe Ile Thr
 690 695 700
 Leu Pro Ala Glu Arg Ser Gly Ala Arg His Lys Tyr Ser Leu Asn Gly
 705 710 715 720
 Glu Leu Lys Glu Tyr Tyr Cys Tyr Ile Asn Ser Pro Asn Thr Cys Gly
 725 730 735
 Leu Phe Pro Lys Arg Ser Met Ser Met Asn Val Met Phe Ile Gln Ser
 740 745 750
 Asp Cys Ser Asp Gly His Ser Gly Lys Ala Thr Leu Lys Phe
 755 760 765

<210> 28

<211> 148

<212> PRT

<213> Homo sapiens

<400> 28

Ala Met Leu Gly Leu Pro Trp Lys Gly Gly Leu Ser Trp Ala Leu Leu
 1 5 10 15
 Leu Leu Leu Leu Gly Ser Gln Ile Leu Leu Ile Tyr Ala Trp His Phe
 20 25 30
 His Glu Gln Arg Asp Cys Asp Glu His Asn Val Met Ala Arg Tyr Leu
 35 40 45
 Pro Ala Thr Val Glu Phe Ala Val His Thr Phe Asn Gln Gln Ser Lys
 50 55 60
 Asp Tyr Tyr Ala Tyr Arg Leu Gly His Ile Leu Asn Ser Trp Lys Glu
 65 70 75 80
 Gln Val Glu Ser Lys Thr Val Phe Ser Met Glu Leu Leu Leu Gly Arg
 85 90 95
 Thr Arg Cys Gly Lys Phe Glu Asp Asp Ile Asp Asn Cys His Phe Gln
 100 105 110
 Glu Ser Thr Glu Leu Asn Asn Thr Phe Thr Cys Phe Phe Thr Ile Ser

115 120 125
 Thr Arg Pro Trp Met Thr Gln Phe Ser Leu Leu Asn Lys Thr Cys Leu
 130 135 140
 Glu Gly Phe His
 145

<210> 29
 <211> 159
 <212> PRT
 <213> Homo sapiens

<400> 29
 Asx Met Trp Ser Leu Pro Pro Ser Arg Ala Leu Ser Cys Ala Pro Leu
 1 5 10 15
 Leu Leu Leu Phe Ser Phe Gln Phe Leu Val Thr Tyr Ala Trp Arg Phe
 20 25 30
 Gln Glu Glu Glu Glu Trp Asn Asp Gln Lys Gln Ile Ala Val Tyr Leu
 35 40 45
 Pro Pro Thr Leu Glu Phe Ala Val Tyr Thr Phe Asn Lys Gln Ser Lys
 50 55 60
 Asp Trp Tyr Ala Tyr Lys Leu Val Pro Val Leu Ala Ser Trp Lys Glu
 65 70 75 80
 Gln Gly Tyr Asp Lys Met Thr Phe Ser Met Asn Leu Gln Leu Gly Arg
 85 90 95
 Thr Met Cys Gly Lys Phe Glu Asp Asp Ile Asp Asn Cys Pro Phe Gln
 100 105 110
 Glu Ser Pro Glu Leu Asn Asn Val Arg Gln Asp Thr Ser Phe Pro Pro
 115 120 125
 Gly Tyr Ser Cys Gly Cys Arg Met Gly Cys Gly Ala Asp Thr Asp Leu
 130 135 140
 His Leu Leu Leu His His Trp Asn Arg Ala Leu Glu Asp Thr Val
 145 150 155

<210> 30
 <211> 148
 <212> PRT
 <213> Homo sapiens

<400> 30
 Asx Met Trp Ser Leu Pro Pro Ser Arg Ala Leu Ser Cys Ala Pro Leu
 1 5 10 15
 Leu Leu Leu Phe Ser Phe Gln Phe Leu Val Thr Tyr Ala Trp Arg Phe

```

                20                25                30
Gln Glu Glu Glu Glu Trp Asn Asp Gln Lys Gln Ile Ala Val Tyr Leu
      35                40                45
Pro Pro Thr Leu Glu Phe Ala Val Tyr Thr Phe Asn Lys Gln Ser Lys
      50                55                60
Asp Trp Tyr Ala Tyr Lys Leu Val Pro Val Leu Ala Ser Trp Lys Glu
65                70                75                80
Gln Gly Tyr Asp Lys Met Thr Phe Ser Met Asn Leu Gln Leu Gly Arg
      85                90                95
Thr Met Cys Gly Lys Phe Glu Asp Asp Ile Asp Asn Cys Pro Phe Gln
      100                105                110
Glu Ser Pro Glu Leu Asn Asn Thr Cys Thr Cys Phe Phe Thr Ile Gly
      115                120                125
Ile Glu Pro Trp Arg Thr Arg Phe Asp Leu Trp Asn Lys Thr Cys Ser
      130                135                140
Gly Gly His Ser
145

```

```

<210> 31
<211> 820
<212> PRT
<213> Homo sapiens

```

```

<400> 31
Met Leu Arg Leu Gly Leu Cys Ala Ala Ala Leu Leu Cys Val Cys Arg
 1                5                10                15
Pro Gly Ala Val Arg Ala Asp Cys Trp Leu Ile Glu Gly Asp Lys Gly
      20                25                30
Tyr Val Trp Leu Ala Ile Cys Ser Gln Asn Gln Pro Pro Tyr Glu Thr
      35                40                45
Ile Pro Gln His Ile Asn Ser Thr Val His Asp Leu Arg Leu Asn Glu
      50                55                60
Asn Lys Leu Lys Ala Val Leu Tyr Ser Ser Leu Asn Arg Phe Gly Asn
65                70                75                80
Leu Thr Asp Leu Asn Leu Thr Lys Asn Glu Ile Ser Tyr Ile Glu Asp
      85                90                95
Gly Ala Phe Leu Gly Gln Ser Ser Leu Gln Val Leu Gln Leu Gly Tyr
      100                105                110
Asn Lys Leu Ser Asn Leu Thr Glu Gly Met Leu Arg Gly Met Ser Arg
      115                120                125
Leu Gln Phe Leu Phe Val Gln His Asn Leu Ile Glu Val Val Thr Pro
      130                135                140

```

Thr	Ala	Phe	Ser	Glu	Cys	Pro	Ser	Leu	Ile	Ser	Ile	Asp	Leu	Ser	Ser
145					150					155					160
Asn	Arg	Leu	Ser	Arg	Leu	Asp	Gly	Ala	Thr	Phe	Ala	Ser	Leu	Ala	Ser
				165					170						175
Leu	Met	Val	Cys	Glu	Leu	Ala	Gly	Asn	Pro	Phe	Asn	Cys	Glu	Cys	Asp
				180				185					190		
Leu	Phe	Gly	Phe	Leu	Ala	Trp	Leu	Val	Val	Phe	Asn	Asn	Val	Thr	Lys
		195					200					205			
Asn	Tyr	Asp	Arg	Leu	Gln	Cys	Glu	Ser	Pro	Arg	Glu	Phe	Ala	Gly	Tyr
210					215						220				
Pro	Leu	Leu	Val	Pro	Arg	Pro	Tyr	His	Ser	Leu	Asn	Ala	Ile	Thr	Val
225					230					235					240
Leu	Gln	Ala	Lys	Cys	Arg	Asn	Gly	Ser	Leu	Pro	Ala	Arg	Pro	Val	Ser
				245					250						255
His	Pro	Thr	Pro	Tyr	Ser	Thr	Asp	Ala	Gln	Arg	Glu	Pro	Asp	Glu	Asn
			260					265					270		
Ser	Gly	Phe	Asn	Pro	Asp	Glu	Ile	Leu	Ser	Val	Glu	Pro	Pro	Ala	Ser
		275					280						285		
Ser	Thr	Thr	Asp	Ala	Ser	Ala	Gly	Pro	Ala	Ile	Lys	Leu	His	His	Val
290						295					300				
Thr	Phe	Thr	Ser	Ala	Thr	Leu	Val	Val	Ile	Ile	Pro	His	Pro	Tyr	Ser
305					310					315					320
Lys	Met	Tyr	Ile	Leu	Val	Gln	Tyr	Asn	Asn	Ser	Tyr	Phe	Ser	Asp	Val
			325					330						335	
Met	Thr	Leu	Lys	Asn	Lys	Lys	Glu	Ile	Val	Thr	Leu	Asp	Lys	Leu	Arg
			340					345					350		
Ala	His	Thr	Glu	Tyr	Thr	Phe	Cys	Val	Thr	Ser	Leu	Arg	Asn	Ser	Arg
		355					360					365			
Arg	Phe	Asn	His	Thr	Cys	Leu	Thr	Phe	Thr	Thr	Arg	Asp	Pro	Val	Pro
370					375						380				
Gly	Asp	Leu	Ala	Pro	Ser	Thr	Ser	Thr	Thr	Thr	His	Tyr	Ile	Met	Thr
385					390					395					400
Ile	Leu	Gly	Cys	Leu	Phe	Gly	Met	Val	Ile	Val	Leu	Gly	Ala	Val	Tyr
			405						410					415	
Tyr	Cys	Leu	Arg	Lys	Arg	Arg	Met	Gln	Glu	Glu	Lys	Gln	Lys	Ser	Val
			420						425				430		
Asn	Val	Lys	Lys	Thr	Ile	Leu	Glu	Met	Arg	Tyr	Gly	Ala	Asp	Val	Asp
		435					440					445			
Ala	Gly	Ser	Ile	Val	His	Ala	Ala	Gln	Lys	Leu	Gly	Glu	Pro	Pro	Val
		450				455					460				
Leu	Pro	Val	Ser	Arg	Met	Ala	Ser	Ile	Pro	Ser	Met	Ile	Gly	Glu	Lys
465					470					475					480

Leu Pro Thr Ala Lys Gly Leu Glu Ala Gly Leu Asp Thr Pro Lys Val
 485 490 495
 Ala Thr Lys Gly Asn Tyr Ile Glu Val Arg Thr Gly Ala Gly Gly Asp
 500 505 510
 Gly Leu Ala Arg Pro Glu Asp Asp Leu Pro Asp Leu Glu Asn Gly Gln
 515 520 525
 Gly Ser Ala Ala Glu Ile Ser Thr Ile Ala Lys Glu Val Asp Lys Val
 530 535 540
 Asn Gln Ile Ile Asn Asn Cys Ile Asp Ala Leu Lys Leu Asp Ser Ala
 545 550 555 560
 Ser Phe Leu Gly Gly Gly Ser Ser Ser Gly Asp Pro Glu Leu Ala Phe
 565 570 575
 Glu Cys Gln Ser Leu Pro Ala Ala Ala Ala Ala Ser Ser Ala Thr Gly
 580 585 590
 Pro Gly Ala Leu Glu Arg Pro Ser Phe Leu Ser Pro Pro Tyr Lys Glu
 595 600 605
 Ser Ser His His Pro Leu Gln Arg Gln Leu Ser Ala Asp Ala Ala Val
 610 615 620
 Thr Arg Lys Thr Cys Ser Val Ser Ser Ser Gly Ser Ile Lys Ser Ala
 625 630 635 640
 Lys Val Phe Ser Leu Asp Val Pro Asp His Pro Ala Ala Thr Gly Leu
 645 650 655
 Ala Lys Gly Asp Ser Lys Tyr Ile Glu Lys Gly Ser Pro Leu Asn Ser
 660 665 670
 Pro Leu Asp Arg Leu Pro Leu Val Pro Ala Gly Ser Gly Gly Gly Ser
 675 680 685
 Gly Gly Gly Gly Gly Ile His His Leu Glu Val Lys Pro Ala Tyr His
 690 695 700
 Cys Ser Glu His Arg His Ser Phe Pro Ala Leu Tyr Tyr Glu Glu Gly
 705 710 715 720
 Ala Asp Ser Leu Ser Gln Arg Val Ser Phe Leu Lys Pro Leu Thr Arg
 725 730 735
 Ser Lys Arg Asp Ser Thr Tyr Ser Gln Leu Ser Pro Arg His Tyr Tyr
 740 745 750
 Ser Gly Tyr Ser Ser Ser Pro Glu Tyr Ser Ser Glu Ser Thr His Lys
 755 760 765
 Ile Trp Glu Arg Phe Arg Pro Tyr Lys Lys His His Arg Glu Glu Val
 770 775 780
 Tyr Met Ala Ala Gly His Ala Leu Arg Lys Lys Val Gln Phe Ala Lys
 785 790 795 800
 Asp Glu Asp Leu His Asp Ile Leu Asp Tyr Trp Lys Gly Val Ser Ala
 805 810 815

Gln Gln Lys Leu

820

<210> 32

<211> 866

<212> PRT

<213> Homo sapiens

<400> 32

Met	Thr	Ile	Glu	Lys	Met	Phe	Ser	Phe	Tyr	Phe	Leu	Asp	Tyr	Phe	Ser
1				5					10					15	
Leu	Phe	Arg	Ser	Ile	Gln	Leu	Phe	Ala	Asp	Cys	Lys	Lys	Met	Phe	Leu
			20					25					30		
Trp	Leu	Phe	Leu	Ile	Leu	Ser	Ala	Leu	Ile	Ser	Ser	Thr	Asn	Ala	Asp
			35				40						45		
Ser	Asp	Ile	Ser	Val	Glu	Ile	Cys	Asn	Val	Cys	Ser	Cys	Val	Ser	Val
			50			55				60					
Glu	Asn	Val	Leu	Tyr	Val	Asn	Cys	Glu	Lys	Val	Ser	Val	Tyr	Arg	Pro
65					70					75				80	
Asn	Gln	Leu	Lys	Pro	Pro	Trp	Ser	Asn	Phe	Tyr	His	Leu	Asn	Phe	Gln
				85					90					95	
Asn	Asn	Phe	Leu	Asn	Ile	Leu	Tyr	Pro	Asn	Thr	Phe	Leu	Asn	Phe	Ser
			100					105					110		
His	Ala	Val	Ser	Leu	His	Leu	Gly	Asn	Asn	Lys	Leu	Gln	Asn	Ile	Glu
			115				120					125			
Gly	Gly	Ala	Phe	Leu	Gly	Leu	Ser	Ala	Leu	Lys	Gln	Leu	His	Leu	Asn
			130			135					140				
Asn	Asn	Glu	Leu	Lys	Ile	Leu	Arg	Ala	Asp	Thr	Phe	Leu	Gly	Ile	Glu
145					150					155				160	
Asn	Leu	Glu	Tyr	Leu	Gln	Ala	Asp	Tyr	Asn	Leu	Ile	Lys	Tyr	Ile	Glu
				165					170					175	
Arg	Gly	Ala	Phe	Asn	Lys	Leu	His	Lys	Leu	Lys	Val	Leu	Ile	Leu	Asn
			180					185					190		
Asp	Asn	Leu	Ile	Ser	Phe	Leu	Pro	Asp	Asn	Ile	Phe	Arg	Phe	Ala	Ser
			195				200					205			
Leu	Thr	His	Leu	Asp	Ile	Arg	Gly	Asn	Arg	Ile	Gln	Lys	Leu	Pro	Tyr
			210			215					220				
Ile	Gly	Val	Leu	Glu	His	Ile	Gly	Arg	Val	Val	Glu	Leu	Gln	Leu	Glu
225					230					235				240	
Asp	Asn	Pro	Trp	Asn	Cys	Ser	Cys	Asp	Leu	Leu	Pro	Leu	Lys	Ala	Trp
				245					250					255	
Leu	Glu	Asn	Met	Pro	Tyr	Asn	Ile	Tyr	Ile	Gly	Glu	Ala	Ile	Cys	Glu

260	265	270
Thr Pro Ser Asp Leu Tyr Gly Arg	Leu Leu Lys Glu Thr Asn Lys Gln	
275	280	285
Glu Leu Cys Pro Met Gly Thr Gly Ser Asp Phe Asp Val Arg Ile Leu		
290	295	300
Pro Pro Ser Gln Leu Glu Asn Gly Tyr Thr Thr Pro Asn Gly His Thr		
305	310	315
Thr Gln Thr Ser Leu His Arg Leu Val Thr Lys Pro Pro Lys Thr Thr		
325	330	335
Asn Pro Ser Lys Ile Ser Gly Ile Val Ala Gly Lys Ala Leu Ser Asn		
340	345	350
Arg Asn Leu Ser Gln Ile Val Ser Tyr Gln Thr Arg Val Pro Pro Leu		
355	360	365
Thr Pro Cys Pro Ala Pro Cys Phe Cys Lys Thr His Pro Ser Asp Leu		
370	375	380
Gly Leu Ser Val Asn Cys Gln Glu Lys Asn Ile Gln Ser Met Ser Glu		
385	390	395
Leu Ile Pro Lys Pro Leu Asn Ala Lys Lys Leu His Val Asn Gly Asn		
405	410	415
Ser Ile Lys Asp Val Asp Val Ser Asp Phe Thr Asp Phe Glu Gly Leu		
420	425	430
Asp Leu Leu His Leu Gly Ser Asn Gln Ile Thr Val Ile Lys Gly Asp		
435	440	445
Val Phe His Asn Leu Thr Asn Leu Arg Arg Leu Tyr Leu Asn Gly Asn		
450	455	460
Gln Ile Glu Arg Leu Tyr Pro Glu Ile Phe Ser Gly Leu His Asn Leu		
465	470	475
Gln Tyr Leu Tyr Leu Glu Tyr Asn Leu Ile Lys Glu Ile Ser Ala Gly		
485	490	495
Thr Phe Asp Ser Met Pro Asn Leu Gln Leu Leu Tyr Leu Asn Asn Asn		
500	505	510
Leu Leu Lys Ser Leu Pro Val Tyr Ile Phe Ser Gly Ala Pro Leu Ala		
515	520	525
Arg Leu Asn Leu Arg Asn Asn Lys Phe Met Tyr Leu Pro Val Ser Gly		
530	535	540
Val Leu Asp Gln Leu Gln Ser Leu Thr Gln Ile Asp Leu Glu Gly Asn		
545	550	555
Pro Trp Asp Cys Thr Cys Asp Leu Val Ala Leu Lys Leu Trp Val Glu		
565	570	575
Lys Leu Ser Asp Gly Ile Val Val Lys Glu Leu Lys Cys Glu Thr Pro		
580	585	590
Val Gln Phe Ala Asn Ile Glu Leu Lys Ser Leu Lys Asn Glu Ile Leu		

595	600	605
Cys Pro Lys Leu Leu Asn Lys	Pro Ser Ala Pro Phe Thr Ser Pro Ala	
610	615	620
Pro Ala Ile Thr Phe Thr Thr	Pro Leu Gly Pro Ile Arg Ser Pro Pro	
625	630	635
Gly Gly Pro Val Pro Leu Ser Ile Leu Ile Leu Ser Ile Leu Val Val		640
	645	650
Leu Ile Leu Thr Val Phe Val Ala Phe Cys Leu Leu Val Phe Val Leu		655
	660	665
Arg Arg Asn Lys Lys Pro Thr Val Lys His Glu Gly Leu Gly Asn Pro		670
	675	680
Asp Cys Gly Ser Met Gln Leu Gln Leu Arg Lys His Asp His Lys Thr		685
	690	695
Asn Lys Lys Asp Gly Leu Ser Thr Glu Ala Phe Ile Pro Gln Thr Ile		700
705	710	715
Glu Gln Met Ser Lys Ser His Thr Cys Gly Leu Lys Glu Ser Glu Thr		720
	725	730
Gly Phe Met Phe Ser Asp Pro Pro Gly Gln Lys Val Val Met Arg Asn		735
	740	745
Val Ala Asp Lys Glu Lys Asp Leu Leu His Val Asp Thr Arg Lys Arg		750
	755	760
Leu Ser Thr Ile Asp Glu Leu Asp Glu Leu Phe Pro Ser Arg Asp Ser		765
	770	775
Asn Val Phe Ile Gln Asn Phe Leu Glu Ser Lys Lys Glu Tyr Asn Ser		780
785	790	795
Ile Gly Val Ser Gly Phe Glu Ile Arg Tyr Pro Glu Lys Gln Pro Asp		800
	805	810
Lys Lys Ser Lys Lys Ser Leu Ile Gly Gly Asn His Ser Lys Ile Val		815
	820	825
Val Glu Gln Arg Lys Ser Glu Tyr Phe Glu Leu Lys Ala Lys Leu Gln		830
	835	840
Ser Ser Pro Asp Tyr Leu Gln Val Leu Glu Glu Gln Thr Ala Leu Asn		845
	850	855
Lys Ile		860
865		

<210> 33

<211> 533

<212> PRT

<213> Homo sapiens

<400> 33

Met Ala Pro Gly Pro Phe Ser Ser Ala Leu Leu Ser Pro Pro Pro Ala
 1 5 10 15
 Ala Leu Pro Phe Leu Leu Leu Leu Trp Ala Gly Ala Ser Arg Gly Gln
 20 25 30
 Pro Cys Pro Gly Arg Cys Ile Cys Gln Asn Val Ala Pro Thr Leu Thr
 35 40 45
 Met Leu Cys Ala Lys Thr Gly Leu Leu Phe Val Pro Pro Ala Ile Asp
 50 55 60
 Arg Arg Val Val Glu Leu Arg Leu Thr Asp Asn Phe Ile Ala Ala Val
 65 70 75 80
 Arg Arg Arg Asp Phe Ala Asn Met Thr Ser Leu Val His Leu Thr Leu
 85 90 95
 Ser Arg Asn Thr Ile Gly Gln Val Ala Ala Gly Ala Phe Ala Asp Leu
 100 105 110
 Arg Ala Leu Arg Ala Leu His Leu Asp Ser Asn Arg Leu Ala Glu Val
 115 120 125
 Arg Gly Asp Gln Leu Arg Gly Leu Gly Asn Leu Arg His Leu Ile Leu
 130 135 140
 Gly Asn Asn Gln Ile Arg Arg Val Glu Ser Ala Ala Phe Asp Ala Phe
 145 150 155 160
 Leu Ser Thr Val Glu Asp Leu Asp Leu Ser Tyr Asn Asn Leu Glu Ala
 165 170 175
 Leu Pro Trp Glu Ala Val Gly Gln Met Val Asn Leu Asn Thr Leu Thr
 180 185 190
 Leu Asp His Asn Leu Ile Asp His Ile Ala Glu Gly Thr Phe Val Gln
 195 200 205
 Leu His Lys Leu Val Arg Leu Asp Met Thr Ser Asn Arg Leu His Lys
 210 215 220
 Leu Pro Pro Asp Gly Leu Phe Leu Arg Ser Gln Gly Thr Gly Pro Lys
 225 230 235 240
 Pro Pro Thr Pro Leu Thr Val Ser Phe Gly Gly Asn Pro Leu His Cys
 245 250 255
 Asn Cys Glu Leu Leu Trp Leu Arg Arg Leu Thr Arg Glu Asp Asp Leu
 260 265 270
 Glu Thr Cys Ala Thr Pro Glu His Leu Thr Asp Arg Tyr Phe Trp Ser
 275 280 285
 Ile Pro Glu Glu Glu Phe Leu Cys Glu Pro Pro Leu Ile Thr Arg Gln
 290 295 300
 Ala Gly Gly Arg Ala Leu Val Val Glu Gly Gln Ala Val Ser Leu Arg
 305 310 315 320
 Cys Arg Ala Val Gly Asp Pro Glu Pro Val Val His Trp Val Ala Pro
 325 330 335

Asp Gly Arg Leu Leu Gly Asn Ser Ser Arg Thr Arg Val Arg Gly Asp
 340 345 350
 Gly Thr Leu Asp Val Thr Ile Thr Thr Leu Arg Asp Ser Gly Thr Phe
 355 360 365
 Thr Cys Ile Ala Ser Asn Ala Ala Gly Glu Ala Thr Ala Pro Val Glu
 370 375 380
 Val Cys Val Val Pro Leu Pro Leu Met Ala Pro Pro Pro Ala Ala Pro
 385 390 395 400
 Pro Pro Leu Thr Glu Pro Gly Ser Ser Asp Ile Ala Thr Pro Gly Arg
 405 410 415
 Pro Gly Ala Asn Asp Ser Ala Ala Glu Arg Arg Leu Val Ala Ala Glu
 420 425 430
 Leu Thr Ser Asn Ser Val Leu Ile Arg Trp Pro Ala Gln Arg Pro Val
 435 440 445
 Pro Gly Ile Arg Met Tyr Gln Val Gln Tyr Asn Ser Ser Val Asp Asp
 450 455 460
 Ser Leu Val Tyr Ser Ser Ala Ser Leu Met His Ile Val Glu His Gln
 465 470 475 480
 Leu Asn Ala Ser Val Ile Cys Leu Ala Ser Pro Gly Asp Ala Ser Gly
 485 490 495
 Ala Gly Ala Val Ser Leu Pro Val Glu Ser Leu Ser Ser Trp Leu Ser
 500 505 510
 Asp Leu His Arg Glu Thr Cys Leu Leu Ala Ser Ile Ser Ala Phe Pro
 515 520 525
 Val Phe Ser Trp Pro
 530

<210> 34
 <211> 771
 <212> PRT
 <213> Homo sapiens

<400> 34

Met Ala Pro Gly Pro Phe Ser Ser Ala Leu Leu Ser Pro Pro Pro Ala
 1 5 10 15
 Ala Leu Pro Phe Leu Leu Leu Leu Trp Ala Gly Ala Ser Arg Gly Gln
 20 25 30
 Pro Cys Pro Gly Arg Cys Ile Cys Gln Asn Val Ala Pro Thr Leu Thr
 35 40 45
 Met Leu Cys Ala Lys Thr Gly Leu Leu Phe Val Pro Pro Ala Ile Asp
 50 55 60
 Arg Arg Val Val Glu Leu Arg Leu Thr Asp Asn Phe Ile Ala Ala Val

65	70	75	80
Arg Arg Arg Asp Phe Ala Asn Met Thr Ser Leu Val His Leu Thr Leu			
	85	90	95
Ser Arg Asn Thr Ile Gly Gln Val Ala Ala Gly Ala Phe Ala Asp Leu			
	100	105	110
Arg Ala Leu Arg Ala Leu His Leu Asp Ser Asn Arg Leu Ala Glu Val			
	115	120	125
Arg Gly Asp Gln Leu Arg Gly Leu Gly Asn Leu Arg His Leu Ile Leu			
	130	135	140
Gly Asn Asn Gln Ile Arg Arg Val Glu Ser Ala Ala Phe Asp Ala Phe			
145	150	155	160
Leu Ser Thr Val Glu Asp Leu Asp Leu Ser Tyr Asn Asn Leu Glu Ala			
	165	170	175
Leu Pro Trp Glu Ala Val Gly Gln Met Val Asn Leu Asn Thr Leu Thr			
	180	185	190
Leu Asp His Asn Leu Ile Asp His Ile Ala Glu Gly Thr Phe Val Gln			
	195	200	205
Leu His Lys Leu Val Arg Leu Asp Met Thr Ser Asn Arg Leu His Lys			
	210	215	220
Leu Pro Pro Asp Gly Leu Phe Leu Arg Ser Gln Gly Thr Gly Pro Lys			
225	230	235	240
Pro Pro Thr Pro Leu Thr Val Ser Phe Gly Gly Asn Pro Leu His Cys			
	245	250	255
Asn Cys Glu Leu Leu Trp Leu Arg Arg Leu Thr Arg Glu Asp Asp Leu			
	260	265	270
Glu Thr Cys Ala Thr Pro Glu His Leu Thr Asp Arg Tyr Phe Trp Ser			
	275	280	285
Ile Pro Glu Glu Glu Phe Leu Cys Glu Pro Pro Leu Ile Thr Arg Gln			
	290	295	300
Ala Gly Gly Arg Ala Leu Val Val Glu Gly Gln Ala Val Ser Leu Arg			
305	310	315	320
Cys Arg Ala Val Gly Asp Pro Glu Pro Val Val His Trp Val Ala Pro			
	325	330	335
Asp Gly Arg Leu Leu Gly Asn Ser Ser Arg Thr Arg Val Arg Gly Asp			
	340	345	350
Gly Thr Leu Asp Val Thr Ile Thr Thr Leu Arg Asp Ser Gly Thr Phe			
	355	360	365
Thr Cys Ile Ala Ser Asn Ala Ala Gly Glu Ala Thr Ala Pro Val Glu			
	370	375	380
Val Cys Val Val Pro Leu Pro Leu Met Ala Pro Pro Pro Ala Ala Pro			
385	390	395	400
Pro Pro Leu Thr Glu Pro Gly Ser Ser Asp Ile Ala Thr Pro Gly Arg			

405	410	415
Pro Gly Ala Asn Asp Ser Ala Ala Glu Arg Arg Leu Val Ala Ala Glu		
420	425	430
Leu Thr Ser Asn Ser Val Leu Ile Arg Trp Pro Ala Gln Arg Pro Val		
435	440	445
Pro Gly Ile Arg Met Tyr Gln Val Gln Tyr Asn Ser Ser Val Asp Asp		
450	455	460
Ser Leu Val Tyr Arg Met Ile Pro Ser Thr Ser Gln Thr Phe Leu Val		
465	470	475
Asn Asp Leu Ala Ala Gly Arg Ala Tyr Asp Leu Cys Val Leu Ala Val		480
485	490	495
Tyr Asp Asp Gly Ala Thr Ala Leu Pro Ala Thr Arg Val Val Gly Cys		
500	505	510
Val Gln Phe Thr Thr Ala Gly Asp Pro Ala Pro Cys Arg Pro Leu Arg		
515	520	525
Ala His Phe Leu Gly Gly Thr Met Ile Ile Ala Ile Gly Gly Val Ile		
530	535	540
Val Ala Ser Val Leu Val Phe Ile Val Leu Leu Met Ile Arg Tyr Lys		
545	550	555
Val Tyr Gly Asp Gly Asp Ser Arg Arg Val Lys Gly Ser Arg Ser Leu		560
565	570	575
Pro Arg Val Ser His Val Cys Ser Gln Thr Asn Gly Ala Gly Thr Gly		
580	585	590
Ala Ala Gln Ala Pro Ala Leu Pro Ala Gln Asp His Tyr Glu Ala Leu		
595	600	605
Arg Glu Val Glu Ser Gln Ala Ala Pro Ala Val Ala Val Glu Ala Lys		
610	615	620
Ala Met Glu Ala Glu Thr Ala Ser Ala Glu Pro Glu Val Val Leu Gly		
625	630	635
Arg Ser Leu Gly Gly Ser Ala Thr Ser Leu Cys Leu Leu Pro Ser Glu		640
645	650	655
Glu Thr Ser Gly Glu Glu Ser Arg Ala Ala Val Gly Pro Arg Arg Ser		
660	665	670
Arg Ser Gly Ala Leu Glu Pro Pro Thr Ser Ala Pro Pro Thr Leu Ala		
675	680	685
Leu Val Pro Gly Gly Ala Ala Ala Arg Pro Arg Pro Gln Gln Arg Tyr		
690	695	700
Ser Phe Asp Gly Asp Tyr Gly Ala Leu Phe Gln Ser His Ser Tyr Pro		
705	710	715
Arg Arg Ala Arg Arg Thr Lys Arg His Arg Ser Thr Pro His Leu Asp		720
725	730	735
Gly Ala Gly Gly Gly Ala Ala Gly Glu Asp Gly Asp Leu Gly Leu Gly		

740 745 750
 Ser Ala Arg Ala Cys Leu Ala Phe Thr Ser Thr Glu Trp Met Leu Glu
 755 760 765
 Ser Thr Val
 770

<210> 35
 <211> 399
 <212> PRT
 <213> Homo sapiens

<400> 35
 Met Trp Gln Leu Leu Ala Ala Ala Cys Trp Met Leu Leu Leu Gly Ser
 1 5 10 15
 Met Tyr Gly Tyr Asp Lys Lys Gly Asn Asn Ala Asn Pro Glu Ala Asn
 20 25 30
 Met Asn Ile Ser Gln Ile Ile Ser Tyr Trp Gly Tyr Pro Tyr Glu Glu
 35 40 45
 Tyr Asp Val Thr Thr Lys Asp Gly Tyr Ile Leu Gly Ile Tyr Arg Ile
 50 55 60
 Pro His Gly Arg Gly Cys Pro Gly Arg Thr Ala Pro Lys Pro Ala Val
 65 70 75 80
 Tyr Leu Gln His Gly Leu Ile Ala Ser Ala Ser Asn Trp Ile Cys Asn
 85 90 95
 Leu Pro Asn Asn Ser Leu Ala Phe Leu Leu Ala Asp Ser Gly Tyr Asp
 100 105 110
 Val Trp Leu Gly Asn Ser Arg Gly Asn Thr Trp Ser Arg Lys His Leu
 115 120 125
 Lys Leu Ser Pro Lys Ser Pro Glu Tyr Trp Ala Phe Ser Leu Asp Glu
 130 135 140
 Met Ala Lys Tyr Asp Leu Pro Ala Thr Ile Asn Phe Ile Ile Glu Lys
 145 150 155 160
 Thr Gly Gln Lys Arg Leu Tyr Tyr Val Gly His Ser Gln Gly Thr Thr
 165 170 175
 Ile Ala Phe Ile Ala Phe Ser Thr Asn Pro Glu Leu Ala Lys Lys Ile
 180 185 190
 Lys Ile Phe Phe Ala Leu Ala Pro Val Val Thr Val Lys Tyr Thr Gln
 195 200 205
 Ser Pro Met Lys Lys Leu Thr Thr Leu Ser Arg Arg Val Val Lys Val
 210 215 220
 Leu Phe Gly Asp Lys Met Phe His Pro His Thr Leu Phe Asp Gln Phe
 225 230 235 240

Ile Ala Thr Lys Val Cys Asn Arg Lys Leu Phe Arg Arg Ile Cys Ser
 245 250 255
 Asn Phe Leu Phe Thr Leu Ser Gly Phe Asp Pro Gln Asn Leu Asn Met
 260 265 270
 Ser Arg Leu Asp Val Tyr Leu Ser His Asn Pro Ala Gly Thr Ser Val
 275 280 285
 Gln Asn Met Leu His Trp Ala Gln Ala Val Asn Ser Gly Gln Leu Gln
 290 295 300
 Ala Phe Asp Trp Gly Asn Ser Asp Gln Asn Met Met His Phe His Gln
 305 310 315 320
 Leu Thr Pro Pro Leu Tyr Asn Ile Thr Lys Ile Glu Val Pro Thr Ala
 325 330 335
 Ile Trp Asn Gly Gly Gln Asp Ile Val Ala Asp Pro Lys Asp Val Glu
 340 345 350
 Asn Leu Leu Pro Gln Ile Ala Asn Leu Ile Tyr Tyr Lys Leu Ile Pro
 355 360 365
 His Tyr Asn His Val Asp Phe Tyr Leu Gly Glu Asp Ala Pro Gln Glu
 370 375 380
 Ile Tyr Gln Asp Leu Ile Ile Leu Met Glu Glu Tyr Leu Gln Asn
 385 390 395

<210> 36

<211> 255

<212> PRT

<213> Homo sapiens

<400> 36

Ile Val Gly Gly Ser Asn Ala Gln Pro Gly Thr Trp Pro Trp Gln Val
 1 5 10 15
 Ser Leu His His Gly Gly Gly His Ile Cys Gly Gly Ser Leu Ile Ala
 20 25 30
 Pro Ser Trp Val Leu Ser Ala Ala His Cys Phe Met Thr Gly Arg Gln
 35 40 45
 Tyr Arg Cys Pro Glu Thr Arg Arg Thr Arg Ser Ala Leu Pro Thr Arg
 50 55 60
 Lys Arg Arg Arg Ala Tyr Asn His Tyr Ser Gln Gly Ser Asp Leu Ala
 65 70 75 80
 Leu Leu Gln Leu Ala His Pro Thr Thr His Thr Pro Leu Cys Leu Pro
 85 90 95
 Gln Pro Ala His Arg Phe Pro Phe Gly Ala Ser Cys Trp Ala Thr Gly
 100 105 110
 Trp Asp Gln Asp Thr Ser Asp Ala Pro Ser Leu Ser Pro Ala Pro Gly

115 120 125
 Thr Leu Arg Asn Leu Arg Leu Arg Leu Ile Ser Arg Pro Thr Cys Asn
 130 135 140
 Cys Ile Tyr Asn Gln Leu His Gln Arg His Leu Ser Asn Pro Ala Arg
 145 150 155 160
 Pro Gly Met Leu Cys Gly Gly Pro Gln Pro Gly Val Gln Gly Pro Cys
 165 170 175
 Gln Gly Leu Phe Gly Ala Pro Leu Val His Glu Val Arg Gly Thr Trp
 180 185 190
 Phe Leu Ala Gly Leu His Ser Phe Gly Asp Ala Cys Gln Gly Pro Ala
 195 200 205
 Arg Pro Ala Val Phe Thr Ala Leu Pro Ala Met Arg Thr Gly Ser Ala
 210 215 220
 Val Trp Thr Arg Gln Val Tyr Phe Ala Glu Glu Pro Glu Pro Glu Ala
 225 230 235 240
 Glu Pro Gly Ser Cys Leu Ala Asn Ile Arg Pro Phe Ser Leu Gln
 245 250 255

<210> 37

<211> 301

<212> PRT

<213> Homo sapiens

<400> 37

Met Glu Thr Ala Gly Ser Asp Trp Val Ala Gly Gly Pro Leu Thr Gln
 1 5 10 15
 Ala Ser His Pro Ser Glu Cys Gly Lys Ala Pro Arg Pro Gly Ala Trp
 20 25 30
 Pro Trp Glu Ala Gln Val Met Val Pro Gly Ser Arg Pro Cys His Gly
 35 40 45
 Ala Leu Val Ser Glu Ser Trp Val Leu Ala Pro Ala Ser Cys Phe Leu
 50 55 60
 Glu Gln Val Thr His Thr Leu Cys Cys Cys Arg Met Thr Arg Val Gly
 65 70 75 80
 Ala Phe Cys Ala Arg Arg Arg Gly Pro Gly Phe Trp Leu Glu Ser Glu
 85 90 95
 Thr Phe Pro Val Ala Val Tyr Leu Pro Arg Ala Tyr Asn His Tyr Ser
 100 105 110
 Gln Gly Ser Asp Leu Ala Leu Leu Gln Leu Ala His Pro Thr Thr His
 115 120 125
 Thr Pro Leu Cys Leu Pro Gln Pro Ala His Arg Phe Pro Phe Gly Ala
 130 135 140

Ser Cys Trp Ala Thr Gly Trp Asp Gln Asp Thr Ser Asp Ala Pro Gly
 145 150 155 160
 Thr Leu Arg Asn Leu Arg Leu Arg Leu Ile Ser Arg Pro Thr Cys Asn
 165 170 175
 Cys Ile Tyr Asn Gln Leu His Gln Arg His Leu Ser Asn Pro Ala Arg
 180 185 190
 Pro Gly Met Leu Cys Gly Gly Pro Gln Pro Gly Val Gln Gly Pro Cys
 195 200 205
 Gln Gly Leu Phe Gly Ala Pro Leu Val His Glu Val Arg Gly Thr Trp
 210 215 220
 Phe Leu Ala Gly Leu His Ser Phe Gly Asp Ala Cys Gln Gly Pro Ala
 225 230 235 240
 Arg Pro Ala Val Phe Thr Ala Leu Pro Ala Met Arg Thr Gly Ser Ala
 245 250 255
 Val Trp Thr Arg Gln Val Tyr Phe Ala Glu Glu Pro Glu Pro Glu Ala
 260 265 270
 Glu Pro Gly Ser Cys Leu Ala Asn Ile Ser Met Trp Pro Arg Gly Leu
 275 280 285
 Leu Pro Asn Pro Ala Ser Pro Gly Pro Phe Ser Leu Gln
 290 295 300

<210> 38

<211> 383

<212> PRT

<213> Homo sapiens

<400> 38

Met Pro Ser Gly Cys Arg Cys Leu His Leu Val Cys Leu Leu Cys Ile
 1 5 10 15
 Leu Gly Ala Pro Gly Gln Pro Val Arg Ala Asp Asp Cys Ser Ser His
 20 25 30
 Cys Asp Leu Ala His Gly Cys Cys Ala Pro Asp Gly Ser Cys Arg Cys
 35 40 45
 Asp Pro Gly Trp Glu Gly Leu His Cys Glu Arg Cys Val Arg Met Pro
 50 55 60
 Gly Cys Gln His Gly Thr Cys His Gln Pro Trp Gln Cys Ile Cys His
 65 70 75 80
 Ser Gly Trp Ala Gly Lys Phe Cys Asp Lys Asp Glu His Ile Cys Thr
 85 90 95
 Thr Gln Ser Pro Cys Gln Asn Gly Gly Gln Cys Met Tyr Asp Gly Gly
 100 105 110
 Gly Glu Tyr His Cys Val Cys Leu Pro Gly Phe His Gly Arg Asp Cys

115	120	125
Glu Arg Lys Ala Gly Pro Cys	Glu Gln Ala Gly Ser Pro Cys Arg Asn	
130	135	140
Gly Gly Gln Cys Gln Asp Asp	Gln Gly Phe Ala Leu Asn Phe Thr Cys	
145	150	155
Arg Cys Leu Val Gly Phe Val	Gly Ala Arg Cys Glu Val Asn Val Asp	
165	170	175
Asp Cys Leu Met Arg Pro Cys	Ala Asn Gly Ala Thr Cys Leu Asp Gly	
180	185	190
Ile Asn Arg Phe Ser Cys Leu	Cys Pro Glu Gly Phe Ala Gly Arg Phe	
195	200	205
Cys Thr Ile Asn Leu Asp Asp	Cys Ala Ser Arg Pro Cys Gln Arg Gly	
210	215	220
Ala Arg Cys Arg Asp Arg Val	His Asp Phe Asp Cys Leu Cys Pro Ser	
225	230	235
Gly Tyr Gly Gly Lys Thr Cys	Glu Leu Val Leu Pro Val Pro Asp Pro	
245	250	255
Pro Thr Thr Val Asp Thr Pro	Leu Gly Pro Thr Ser Ala Val Val Val	
260	265	270
Pro Ala Thr Gly Pro Ala Pro	His Ser Ala Gly Ala Gly Leu Leu Arg	
275	280	285
Ile Ser Val Lys Glu Val Val	Arg Arg Gln Glu Ala Gly Leu Gly Glu	
290	295	300
Pro Ser Leu Val Ala Leu Val	Val Phe Gly Ala Leu Thr Ala Ala Leu	
305	310	315
Val Leu Ala Thr Val Leu Leu	Thr Leu Arg Ala Trp Arg Arg Gly Val	
325	330	335
Cys Pro Pro Gly Pro Cys Cys	Tyr Pro Ala Pro His Tyr Ala Pro Ala	
340	345	350
Cys Gln Asp Gln Glu Cys Gln	Val Ser Met Leu Pro Ala Gly Leu Pro	
355	360	365
Leu Pro Arg Asp Leu Pro Pro	Glu Pro Gly Lys Thr Thr Ala Leu	
370	375	380

<210> 39

<211> 417

<212> PRT

<213> Homo sapiens

<400> 39

Met Ala Ser Tyr Leu Tyr Gly Val Leu Phe Ala Val Gly Leu Cys Ala
1 5 10 15

Pro Ile Tyr Cys Val Ser Pro Ala Asn Ala Pro Ser Ala Tyr Pro Arg
 20 25 30
 Pro Ser Ser Thr Lys Ser Thr Pro Ala Ser Gln Val Tyr Ser Leu Asn
 35 40 45
 Thr Asp Phe Ala Phe Arg Leu Tyr Arg Arg Leu Val Leu Glu Thr Pro
 50 55 60
 Ser Gln Asn Ile Phe Phe Ser Pro Val Ser Val Ser Thr Ser Leu Ala
 65 70 75 80
 Met Leu Ser Leu Gly Ala His Ser Val Thr Lys Thr Gln Ile Leu Gln
 85 90 95
 Gly Leu Gly Phe Asn Leu Thr His Thr Pro Glu Ser Ala Ile His Gln
 100 105 110
 Gly Phe Gln His Leu Val His Ser Leu Thr Val Pro Ser Lys Asp Leu
 115 120 125
 Thr Leu Lys Met Gly Ser Ala Leu Phe Val Lys Lys Glu Leu Gln Leu
 130 135 140
 Gln Ala Asn Phe Leu Gly Asn Val Lys Arg Leu Tyr Glu Ala Glu Val
 145 150 155 160
 Phe Ser Thr Asp Phe Ser Asn Pro Ser Ile Ala Gln Ala Arg Ile Asn
 165 170 175
 Ser His Val Lys Lys Lys Thr Gln Gly Lys Val Val Asp Ile Ile Gln
 180 185 190
 Gly Leu Asp Leu Leu Thr Ala Met Val Leu Val Asn His Ile Phe Phe
 195 200 205
 Lys Ala Lys Trp Glu Lys Pro Phe His Pro Glu Tyr Thr Arg Lys Asn
 210 215 220
 Phe Pro Phe Leu Val Gly Glu Gln Val Thr Val His Val Pro Met Met
 225 230 235 240
 His Gln Lys Glu Gln Phe Ala Phe Gly Val Asp Thr Glu Leu Asn Cys
 245 250 255
 Phe Val Leu Gln Met Asp Tyr Lys Gly Asp Ala Val Ala Phe Phe Val
 260 265 270
 Leu Pro Ser Lys Gly Lys Met Arg Gln Leu Glu Gln Ala Leu Ser Ala
 275 280 285
 Arg Thr Leu Arg Lys Trp Ser His Ser Leu Gln Lys Arg Trp Ile Glu
 290 295 300
 Val Phe Ile Pro Arg Phe Ser Ile Ser Ala Ser Tyr Asn Leu Glu Thr
 305 310 315 320
 Ile Leu Pro Lys Met Gly Ile Gln Asn Val Phe Asp Lys Asn Ala Asp
 325 330 335
 Phe Ser Gly Ile Ala Lys Arg Asp Ser Leu Gln Val Ser Lys Ala Thr
 340 345 350

His Lys Ala Val Leu Asp Val Ser Glu Glu Gly Thr Glu Ala Thr Ala
 355 360 365
 Ala Thr Thr Thr Lys Phe Ile Val Arg Ser Lys Asp Gly Pro Ser Tyr
 370 375 380
 Phe Thr Val Ser Phe Asn Arg Thr Phe Leu Met Met Ile Thr Asn Lys
 385 390 395 400
 Ala Thr Asp Gly Ile Leu Phe Leu Gly Lys Val Glu Asn Pro Thr Lys
 405 410 415
 Ser

<210> 40
 <211> 243
 <212> PRT
 <213> Homo sapiens

<400> 40
 Met Gly Ser Ser Ser Phe Leu Val Leu Met Val Ser Leu Val Leu Val
 1 5 10 15
 Thr Leu Val Ala Val Glu Gly Val Lys Glu Gly Ile Glu Lys Ala Gly
 20 25 30
 Val Cys Pro Ala Asp Asn Val Arg Cys Phe Lys Ser Asp Pro Pro Gln
 35 40 45
 Cys His Thr Asp Gln Asp Cys Leu Gly Glu Arg Lys Cys Cys Tyr Leu
 50 55 60
 His Cys Gly Phe Lys Cys Val Ile Pro Val Lys Glu Leu Glu Glu Gly
 65 70 75 80
 Gln Arg Leu Leu His Asn Arg Glu Leu Pro Pro Ala Ala Ile Leu Gly
 85 90 95
 Asp Ser Leu Thr Glu Lys Ser Gly Gly Cys Pro Pro Asp Asp Gly Pro
 100 105 110
 Cys Leu Leu Ser Val Pro Asp Gln Cys Val Glu Asp Ser Gln Cys Pro
 115 120 125
 Leu Thr Arg Lys Cys Cys Tyr Arg Ala Cys Phe Arg Gln Cys Val Pro
 130 135 140
 Arg Val Ser Gly Lys Cys Leu Pro Ser Thr Leu Leu Thr Ile Gln Ala
 145 150 155 160
 Pro Ser Phe Arg Ala Ser Gly Gln Gly Arg Ser Ser Pro Ser Ser Leu
 165 170 175
 Cys Cys Ser Glu Ala Gly Gln Leu Pro Arg Gly Pro Thr Ala Leu Pro
 180 185 190
 Gln Pro His Glu Pro Pro Val Ser Gln Gly Leu Arg Leu Leu Gly Gln

195 200 205
 Lys Ala Met Leu Pro Gln Arg Leu Arg Ala Gly Leu Pro Gly Ser Cys
 210 215 220
 Gln Arg Tyr Gly Ser Trp Val Pro Arg Ala Gly Ala Ser Pro Leu Arg
 225 230 235 240
 Ala Gln Leu

<210> 41
 <211> 185
 <212> PRT
 <213> Homo sapiens

<400> 41
 Met Gly Ser Ser Ser Phe Leu Val Leu Met Val Ser Leu Val Leu Val
 1 5 10 15
 Thr Leu Val Ala Val Glu Gly Val Lys Glu Gly Ile Glu Lys Ala Gly
 20 25 30
 Val Cys Pro Ala Asp Asn Val Arg Cys Phe Lys Ser Asp Pro Pro Gln
 35 40 45
 Cys His Thr Asp Gln Asp Cys Leu Gly Glu Arg Lys Cys Cys Tyr Leu
 50 55 60
 His Cys Gly Phe Lys Cys Val Ile Pro Val Lys Glu Leu Glu Glu Val
 65 70 75 80
 Pro Cys Val Ala Val Lys Leu Gly Ser Cys Pro Glu Asp Gln Leu Arg
 85 90 95
 Cys Leu Ser Pro Met Asn His Leu Cys His Lys Asp Ser Asp Cys Ser
 100 105 110
 Gly Lys Lys Arg Cys Cys His Ser Ala Cys Gly Arg Asp Cys Arg Asp
 115 120 125
 Pro Ala Arg Gly Thr Ala Pro Gly Cys Pro Gly Gln Val Pro Pro Leu
 130 135 140
 Ser Glu Pro Ser Ser Asn Thr Phe Phe Ile Ala Thr Ser Leu Thr Gly
 145 150 155 160
 Cys Leu Pro Arg Ser Gln Asp Leu Pro Trp Pro Gly Leu Gly Asn Trp
 165 170 175
 Ile Gly Val Gly Gly Val Leu Leu Gly
 180 185

<210> 42
 <211> 198
 <212> PRT

<213> Homo sapiens

<400> 42

```

Met Asn Ser Gly Arg Glu Pro Arg Thr Pro Arg Thr Leu Leu Ser Ile
 1           5           10           15
Ala Asp Ile Leu Ala Pro Arg Met Val Pro Arg Ala Pro Ser Ala Pro
      20           25           30
Gln Leu Pro Glu Ser Gly Pro Gly Pro Thr Ser Pro Leu Cys Ala Leu
      35           40           45
Glu Glu Leu Thr Ser Lys Thr Phe Arg Gly Leu Asp Ala Arg Ala Leu
      50           55           60
Gln Pro Ser Glu Gly Arg Ala Gly Pro Asp Ala Leu Gly Pro Gly Pro
      65           70           75           80
Phe Gly Arg Lys Arg Arg Lys Ser Arg Thr Ala Phe Thr Ala Gln Gln
      85           90           95
Val Leu Glu Leu Glu Arg Arg Phe Val Phe Gln Lys Tyr Leu Ala Pro
      100          105          110
Ser Glu Arg Asp Gly Leu Ala Thr Arg Leu Gly Leu Ala Asn Ala Gln
      115          120          125
Val Val Thr Trp Phe Gln Asn Arg Arg Ala Lys Leu Lys Arg Asp Val
      130          135          140
Glu Glu Met Arg Ala Asp Val Ala Ser Leu Arg Ala Leu Ser Pro Glu
      145          150          155          160
Val Leu Cys Ser Leu Ala Leu Pro Glu Gly Ala Pro Asp Pro Gly Leu
      165          170          175
Cys Leu Gly Pro Ala Gly Pro Asp Ser Arg Pro His Leu Ser Asp Glu
      180          185          190
Glu Ile Gln Val Asp Asp
      195

```

<210> 43

<211> 330

<212> PRT

<213> Homo sapiens

<400> 43

```

Met Val Trp Lys Arg Glu Asn Phe Tyr Lys Glu Val Lys Arg Gly Arg
 1           5           10           15
Ala Leu Phe Leu Lys Arg Leu Cys Ile Phe Asn Ile Asp Thr Asp Asn
      20           25           30
Thr Phe Gln Arg Ile Ile Glu Lys Pro Ser Trp Leu Gly Phe Leu Gly
      35           40           45

```

```

Pro Met Ile Lys Ala Glu Thr Gly Asp Phe Ile Tyr Val His Val Lys
 50                      55                      60
Asn Asn Ala Ser Arg Ala Tyr Ser Tyr His Pro His Gly Leu Thr Tyr
65                      70                      75                      80
Ser Lys Glu Asn Glu Gly Ala Ile Tyr Pro Asp Asn Thr Thr Gly Leu
                      85                      90                      95
Gln Lys Glu Asp Glu Tyr Leu Glu Pro Gly Lys Gln Tyr Thr Tyr Lys
                      100                      105                      110
Trp Tyr Val Glu Glu His Gln Gly Pro Gly Pro Asn Asp Ser Asn Cys
                      115                      120                      125
Val Thr Arg Ile Tyr His Ser His Ile Asp Thr Ala Arg Asp Val Ala
                      130                      135                      140
Ser Gly Leu Ile Gly Pro Ile Leu Thr Cys Lys Arg Ala Ile Asn Gly
145                      150                      155                      160
Tyr Ile Tyr Gly Asn Leu Pro Asn Leu Thr Met Cys Ala Glu Asp Arg
                      165                      170                      175
Val Gln Trp Tyr Phe Val Gly Met Gly Gly Val Ala Asp Ile His Pro
                      180                      185                      190
Val Tyr Leu Arg Gly Gln Thr Leu Ile Ser Arg Asn His Arg Lys Asp
                      195                      200                      205
Thr Ile Met Leu Phe Pro Ser Ser Leu Glu Asp Ala Phe Met Val Ala
                      210                      215                      220
Lys Ala Pro Gly Val Trp Met Leu Gly Cys Gln Ile His Gly Ser Asp
225                      230                      235                      240
Ile Leu Leu Leu Arg Asp Thr Lys Ser Glu Asn Phe Gln Gly Leu Ser
                      245                      250                      255
Pro Phe His Met His Phe Leu Thr Asn Glu Glu Thr Tyr Ile Gln Glu
                      260                      265                      270
Glu Ser Met Gln Ala Phe Phe Lys Val Ser Asn Cys Gln Lys Pro Ser
                      275                      280                      285
Thr Glu Ala Phe Val Thr Gly Thr His Val Ile His Tyr Tyr Ile Ala
                      290                      295                      300
Ala Lys Glu Ile Leu Trp Asn Tyr Ala Pro Ser Gly Ile Asp Phe Phe
305                      310                      315                      320
Thr Lys Lys Asn Leu Thr Ala Ala Gly Arg
                      325                      330

```

<210> 44

<211> 479

<212> PRT

<213> Homo sapiens

<400> 44

```

Met Ala Ile Leu Pro Leu Leu Leu Cys Leu Leu Pro Leu Ala Pro Ala
 1           5           10           15
Ser Ser Pro Pro Gln Ser Ala Thr Pro Ser Pro Cys Pro Arg Arg Cys
          20           25           30
Arg Cys Gln Thr Gln Ser Leu Pro Leu Ser Val Leu Cys Pro Gly Ala
          35           40           45
Gly Leu Leu Phe Val Pro Pro Ser Leu Asp Arg Arg Ala Ala Glu Leu
 50           55           60
Arg Leu Ala Asp Asn Phe Ile Ala Ser Val Arg Arg Arg Asp Leu Ala
65           70           75           80
Asn Met Thr Gly Leu Leu His Leu Ser Leu Ser Arg Asn Thr Ile Arg
          85           90           95
His Val Ala Ala Gly Ala Phe Ala Asp Leu Arg Ala Leu Arg Ala Leu
          100          105          110
His Leu Asp Gly Asn Arg Leu Thr Ser Leu Gly Glu Gly Gln Leu Arg
          115          120          125
Gly Leu Val Asn Leu Arg His Leu Ile Leu Ser Asn Asn Gln Leu Ala
          130          135          140
Ala Leu Ala Ala Gly Ala Leu Asp Asp Cys Ala Glu Thr Leu Glu Asp
          145          150          155          160
Leu Asp Leu Ser Tyr Asn Asn Leu Glu Gln Leu Pro Trp Glu Ala Leu
          165          170          175
Gly Arg Leu Gly Asn Val Asn Thr Leu Gly Leu Asp His Asn Leu Leu
          180          185          190
Ala Ser Val Pro Ala Gly Ala Phe Ser Arg Leu His Lys Leu Ala Arg
          195          200          205
Leu Asp Met Thr Ser Asn Arg Leu Thr Thr Ile Pro Pro Asp Pro Leu
          210          215          220
Phe Ser Arg Leu Pro Leu Leu Ala Arg Pro Arg Gly Ser Pro Ala Ser
          225          230          235          240
Ala Leu Val Leu Ala Phe Gly Gly Asn Pro Leu His Cys Asn Cys Glu
          245          250          255
Leu Val Trp Leu Arg Arg Leu Ala Arg Glu Asp Asp Leu Glu Ala Cys
          260          265          270
Ala Ser Pro Pro Ala Leu Gly Gly Arg Tyr Phe Trp Ala Val Gly Glu
          275          280          285
Glu Glu Phe Val Cys Glu Pro Pro Val Val Thr His Arg Ser Pro Pro
          290          295          300
Leu Ala Val Pro Ala Gly Arg Pro Ala Ala Leu Arg Cys Arg Ala Val
          305          310          315          320
Gly Asp Pro Glu Pro Arg Val Arg Trp Val Ser Pro Gln Gly Arg Leu

```

			325				330				335				
Leu	Gly	Asn	Ser	Ser	Arg	Ala	Arg	Ala	Phe	Pro	Asn	Gly	Thr	Leu	Glu
			340				345				350				
Leu	Leu	Val	Thr	Glu	Pro	Gly	Asp	Gly	Gly	Ile	Phe	Thr	Cys	Ile	Ala
			355				360				365				
Ala	Asn	Ala	Ala	Gly	Glu	Ala	Thr	Ala	Ala	Val	Glu	Leu	Thr	Val	Gly
			370				375				380				
Pro	Pro	Pro	Pro	Pro	Gln	Leu	Ala	Asn	Ser	Thr	Ser	Cys	Asp	Pro	Pro
385			390				395				400				
Arg	Asp	Gly	Asp	Pro	Asp	Ala	Leu	Thr	Pro	Pro	Ser	Ala	Ala	Ser	Ala
			405				410				415				
Ser	Ala	Lys	Val	Ala	Asp	Thr	Gly	Pro	Pro	Thr	Asp	Arg	Gly	Val	Gln
			420				425				430				
Val	Thr	Glu	His	Gly	Ala	Thr	Ala	Ala	Leu	Val	Gln	Trp	Pro	Asp	Gln
			435				440				445				
Arg	Pro	Ile	Pro	Gly	Ile	Arg	Met	Tyr	Gln	Ile	Gln	Tyr	Asn	Ser	Ser
450			455				460								
Ala	Asp	Asp	Ile	Leu	Val	Tyr	Arg	Cys	Arg	Val	Gln	Ala	Leu	Gly	
465			470				475								

```
<210> 45
<211> 628
<212> PRT
<213> Homo sapiens
```

<400> 45

Met	Ala	Ile	Leu	Pro	Leu	Leu	Leu	Cys	Leu	Leu	Pro	Leu	Ala	Pro	Ala
1				5				10						15	
Ser	Ser	Pro	Pro	Gln	Ser	Ala	Thr	Pro	Ser	Pro	Cys	Pro	Arg	Arg	Cys
			20					25					30		
Arg	Cys	Gln	Thr	Gln	Ser	Leu	Pro	Leu	Ser	Val	Leu	Cys	Pro	Gly	Ala
		35						40				45			
Gly	Leu	Leu	Phe	Val	Pro	Pro	Ser	Leu	Asp	Arg	Arg	Ala	Ala	Glu	Leu
	50					55				60					
Arg	Leu	Ala	Asp	Asn	Phe	Ile	Ala	Ser	Val	Arg	Arg	Arg	Asp	Leu	Ala
65					70					75				80	
Asn	Met	Thr	Gly	Leu	Leu	His	Leu	Ser	Leu	Ser	Arg	Asn	Thr	Ile	Arg
				85					90					95	
His	Val	Ala	Ala	Gly	Ala	Phe	Ala	Asp	Leu	Arg	Ala	Leu	Arg	Ala	Leu
			100					105					110		
His	Leu	Asp	Gly	Asn	Arg	Leu	Thr	Ser	Leu	Gly	Glu	Gly	Gln	Leu	Arg
		115					120					125			

Gly	Leu	Val	Asn	Leu	Arg	His	Leu	Ile	Leu	Ser	Asn	Asn	Gln	Leu	Ala
130							135				140				
Ala	Leu	Ala	Ala	Gly	Ala	Leu	Asp	Asp	Cys	Ala	Glu	Thr	Leu	Glu	Asp
145						150				155					160
Leu	Asp	Leu	Ser	Tyr	Asn	Asn	Leu	Glu	Gln	Leu	Pro	Trp	Glu	Ala	Leu
				165						170					175
Gly	Arg	Leu	Gly	Asn	Val	Asn	Thr	Leu	Gly	Leu	Asp	His	Asn	Leu	Leu
			180							185				190	
Ala	Ser	Val	Pro	Ala	Gly	Ala	Phe	Ser	Arg	Leu	His	Lys	Leu	Ala	Arg
		195					200					205			
Leu	Asp	Met	Thr	Ser	Asn	Arg	Leu	Thr	Thr	Ile	Pro	Pro	Asp	Pro	Leu
	210						215					220			
Phe	Ser	Arg	Leu	Pro	Leu	Leu	Ala	Arg	Pro	Arg	Gly	Ser	Pro	Ala	Ser
225						230					235				240
Ala	Leu	Val	Leu	Ala	Phe	Gly	Gly	Asn	Pro	Leu	His	Cys	Asn	Cys	Glu
				245						250					255
Leu	Val	Trp	Leu	Arg	Arg	Leu	Ala	Arg	Glu	Asp	Asp	Leu	Glu	Ala	Cys
			260						265						270
Ala	Ser	Pro	Pro	Ala	Leu	Gly	Gly	Arg	Tyr	Phe	Trp	Ala	Val	Gly	Glu
		275						280					285		
Glu	Glu	Phe	Val	Cys	Glu	Pro	Pro	Val	Val	Thr	His	Arg	Ser	Pro	Pro
	290						295					300			
Leu	Ala	Val	Pro	Ala	Gly	Arg	Pro	Ala	Ala	Leu	Arg	Cys	Arg	Ala	Val
305					310					315					320
Gly	Asp	Pro	Glu	Pro	Arg	Val	Arg	Trp	Val	Ser	Pro	Gln	Gly	Arg	Leu
				325					330					335	
Leu	Gly	Asn	Ser	Ser	Arg	Ala	Arg	Ala	Phe	Pro	Asn	Gly	Thr	Leu	Glu
			340						345					350	
Leu	Leu	Val	Thr	Glu	Pro	Gly	Asp	Gly	Gly	Ile	Phe	Thr	Cys	Ile	Ala
		355						360					365		
Ala	Asn	Ala	Ala	Gly	Glu	Ala	Thr	Ala	Ala	Val	Glu	Leu	Thr	Val	Gly
	370						375					380			
Pro	Pro	Pro	Pro	Pro	Gln	Leu	Ala	Asn	Ser	Thr	Ser	Cys	Asp	Pro	Pro
385					390					395					400
Arg	Asp	Gly	Asp	Pro	Asp	Ala	Leu	Thr	Pro	Pro	Ser	Ala	Ala	Ser	Ala
				405					410					415	
Ser	Ala	Lys	Val	Ala	Asp	Thr	Gly	Pro	Pro	Thr	Asp	Arg	Gly	Val	Gln
			420						425					430	
Val	Thr	Glu	His	Gly	Ala	Thr	Ala	Ala	Leu	Val	Gln	Trp	Pro	Asp	Gln
		435						440						445	
Arg	Pro	Ile	Pro	Gly	Ile	Arg	Met	Tyr	Gln	Ile	Gln	Tyr	Asn	Ser	Ser
	450						455					460			

Ala Asp Asp Ile Leu Val Tyr Arg Met Ile Pro Ala Glu Ser Arg Ser
 465 470 475 480
 Phe Leu Leu Thr Asp Leu Ala Ser Gly Arg Thr Tyr Asp Leu Cys Val
 485 490 495
 Leu Ala Val Tyr Glu Asp Ser Ala Thr Gly Leu Thr Ala Thr Arg Pro
 500 505 510
 Val Gly Cys Ala Arg Phe Ser Thr Glu Pro Ala Leu Arg Pro Cys Gly
 515 520 525
 Ala Pro His Ala Pro Phe Leu Gly Gly Thr Met Ile Ile Ala Leu Gly
 530 535 540
 Gly Val Ile Val Ala Ser Val Leu Val Phe Ile Phe Val Leu Leu Met
 545 550 555 560
 Arg Tyr Lys Val His Gly Gly Gln Pro Pro Gly Lys Ala Lys Ile Pro
 565 570 575
 Ala Pro Val Ser Ser Val Cys Ser Gln Thr Asn Gly Ala Leu Gly Pro
 580 585 590
 Thr Pro Thr Pro Ala Pro Pro Ala Pro Glu Pro Ala Ala Leu Arg Ala
 595 600 605
 His Thr Val Val Gln Leu Asp Cys Glu Pro Trp Gly Pro Gly His Glu
 610 615 620
 Pro Val Gly Pro
 625

<210> 46

<211> 845

<212> PRT

<213> Homo sapiens

<400> 46

Met Leu Ser Gly Val Trp Phe Leu Ser Val Leu Thr Val Ala Gly Ile
 1 5 10 15
 Leu Gln Thr Glu Ser Arg Lys Thr Ala Lys Asp Ile Cys Lys Ile Arg
 20 25 30
 Cys Leu Cys Glu Glu Lys Glu Asn Val Leu Asn Ile Asn Cys Glu Asn
 35 40 45
 Lys Gly Phe Thr Thr Val Ser Leu Leu Gln Pro Pro Gln Tyr Arg Ile
 50 55 60
 Tyr Gln Leu Phe Leu Asn Gly Asn Leu Leu Thr Arg Leu Tyr Pro Asn
 65 70 75 80
 Glu Phe Val Asn Tyr Ser Asn Ala Val Thr Leu His Leu Gly Asn Asn
 85 90 95
 Gly Leu Gln Glu Ile Arg Thr Gly Ala Phe Ser Gly Leu Lys Thr Leu

	100		105		110
Lys	Arg	Leu	His	Leu	Asn
	115		120		125
Thr	Phe	Leu	Gly	Leu	Glu
	130		135		140
Tyr	Ile	Ser	Ala	Ile	Glu
145			150		155
Lys	Val	Leu	Ile	Leu	Asn
	165		170		175
Val	Phe	Arg	Phe	Val	Leu
	180		185		190
Leu	Lys	Val	Met	Pro	Phe
	195		200		205
Met	Glu	Ile	Gln	Leu	Glu
210			215		220
Leu	Pro	Leu	Lys	Ala	Trp
225			230		235
Ile	Val	Cys	Glu	Thr	Pro
	245		250		255
Leu	Thr	Arg	Gln	Asp	Leu
	260		265		270
Gln	Arg	Gly	Ser	His	Ala
	275		280		285
Met	Asn	Pro	Ala	Leu	Asn
290			295		300
Pro	Lys	Met	Arg	Asn	Arg
305			310		315
Arg	Gln	Ser	Phe	Gly	Pro
	325		330		335
Pro	Leu	Thr	Cys	Pro	Ser
	340		345		350
Asn	Gly	Leu	Asn	Val	Asn
	355		360		365
Asp	Leu	Gln	Pro	Lys	Pro
	370		375		380
Asn	Tyr	Leu	Gln	Thr	Val
385			390		395
Leu	Asp	Leu	Leu	His	Leu
	405		410		415
Gly	Ala	Phe	Thr	Asn	Leu
	420		425		430
Asn	Tyr	Leu	Glu	Val	Leu

435	440	445
Leu Gln Tyr Leu Tyr Leu Glu Tyr Asn Val Ile Lys Glu Ile Lys Pro		
450	455	460
Leu Thr Phe Asp Ala Leu Ile Asn Leu Gln Leu Leu Phe Leu Asn Asn		
465	470	475
Asn Leu Leu Arg Ser Leu Pro Asp Asn Ile Phe Gly Gly Thr Ala Leu		480
485	490	495
Thr Arg Leu Asn Leu Arg Asn Asn His Phe Ser His Leu Pro Val Lys		
500	505	510
Gly Val Leu Asp Gln Leu Pro Ala Phe Ile Gln Ile Asp Leu Gln Glu		
515	520	525
Asn Pro Trp Asp Cys Thr Cys Asp Ile Met Gly Leu Lys Asp Trp Thr		
530	535	540
Glu His Ala Asn Ser Pro Val Ile Ile Asn Glu Val Thr Cys Glu Ser		
545	550	555
Pro Ala Lys His Ala Gly Glu Ile Leu Lys Phe Leu Gly Arg Glu Ala		560
565	570	575
Ile Cys Pro Asp Ser Pro Asn Leu Ser Asp Gly Thr Val Leu Ser Met		
580	585	590
Asn His Asn Thr Asp Thr Pro Arg Ser Leu Ser Val Ser Pro Ser Ser		
595	600	605
Tyr Pro Glu Leu His Thr Glu Val Pro Leu Ser Val Leu Ile Leu Gly		
610	615	620
Leu Leu Val Val Phe Ile Leu Ser Val Cys Phe Gly Ala Gly Leu Phe		
625	630	635
Val Phe Val Leu Lys Arg Arg Lys Gly Val Pro Ser Val Pro Arg Asn		640
645	650	655
Thr Asn Asn Leu Asp Val Ser Ser Phe Gln Leu Gln Tyr Gly Ser Tyr		
660	665	670
Asn Thr Glu Thr His Asp Lys Thr Asp Gly His Val Tyr Asn Tyr Ile		
675	680	685
Pro Pro Pro Val Gly Gln Met Cys Gln Asn Pro Ile Tyr Met Gln Lys		
690	695	700
Glu Gly Asp Pro Val Ala Tyr Tyr Arg Asn Leu Gln Glu Phe Ser Tyr		
705	710	715
Ser Asn Leu Glu Glu Lys Lys Glu Glu Pro Ala Thr Pro Ala Tyr Thr		720
725	730	735
Ile Ser Ala Thr Glu Leu Leu Glu Lys Gln Ala Thr Pro Arg Glu Pro		
740	745	750
Glu Leu Leu Tyr Gln Asn Ile Ala Glu Arg Val Lys Glu Leu Pro Ser		
755	760	765
Ala Gly Leu Val His Tyr Asn Phe Cys Thr Leu Pro Lys Arg Gln Phe		

770 775 780
 Ala Pro Ser Tyr Glu Ser Arg Arg Gln Asn Gln Asp Arg Ile Asn Lys
 785 790 795 800
 Thr Val Leu Tyr Gly Thr Pro Arg Lys Cys Phe Val Gly Gln Ser Lys
 805 810 815
 Pro Asn His Pro Leu Leu Gln Ala Lys Pro Gln Ser Glu Pro Asp Tyr
 820 825 830
 Leu Glu Val Leu Glu Lys Gln Thr Ala Ile Ser Gln Leu
 835 840 845

<210> 47

<211> 349

<212> PRT

<213> Homo sapiens

<400> 47

Met Gly Ile Thr Cys Trp Ile Ala Leu Tyr Ala Val Glu Ala Leu Pro
 1 5 10 15
 Thr Cys Pro Phe Ser Cys Lys Cys Asp Ser Arg Ser Leu Glu Val Asp
 20 25 30
 Cys Ser Gly Leu Gly Leu Thr Thr Val Pro Pro Asp Val Pro Ala Ala
 35 40 45
 Thr Arg Thr Leu Leu Leu Leu Asn Asn Lys Leu Ser Ala Leu Pro Ser
 50 55 60
 Trp Ala Phe Ala Asn Leu Ser Ser Leu Gln Arg Leu Asp Leu Ser Asn
 65 70 75 80
 Asn Phe Leu Asp Arg Leu Pro Arg Ser Ile Phe Gly Asp Leu Thr Asn
 85 90 95
 Leu Thr Glu Leu Gln Leu Arg Asn Asn Ser Ile Arg Thr Leu Asp Arg
 100 105 110
 Asp Leu Leu Arg His Ser Pro Leu Leu Arg His Leu Asp Leu Ser Ile
 115 120 125
 Asn Gly Leu Ala Gln Leu Pro Pro Gly Leu Phe Asp Gly Leu Leu Ala
 130 135 140
 Leu Arg Ser Leu Ser Leu Arg Ser Asn Arg Leu Gln Asn Leu Asp Arg
 145 150 155 160
 Leu Thr Phe Glu Pro Leu Ala Asn Leu Gln Leu Leu Gln Val Gly Asp
 165 170 175
 Asn Pro Trp Glu Cys Asp Cys Asn Leu Arg Glu Phe Lys His Trp Met
 180 185 190
 Glu Trp Phe Ser Tyr Arg Gly Gly Arg Leu Asp Gln Leu Ala Cys Thr
 195 200 205

Leu Pro Lys Glu Leu Arg Gly Lys Asp Met Arg Met Val Pro Met Glu
 210 215 220
 Met Phe Asn Tyr Cys Ser Gln Leu Glu Asp Glu Asn Ser Ser Ala Gly
 225 230 235 240
 Leu Asp Ile Pro Gly Pro Pro Cys Thr Lys Ala Ser Pro Glu Pro Ala
 245 250 255
 Lys Pro Lys Pro Gly Ala Glu Pro Glu Pro Glu Pro Ser Thr Ala Cys
 260 265 270
 Pro Gln Lys Gln Arg His Arg Pro Ala Ser Val Arg Arg Ala Met Gly
 275 280 285
 Thr Val Ile Ile Ala Gly Val Val Cys Gly Val Val Cys Ile Met Met
 290 295 300
 Val Val Ala Ala Ala Tyr Gly Cys Ile Tyr Ala Ser Leu Met Ala Lys
 305 310 315 320
 Tyr His Arg Glu Leu Lys Lys Arg Gln Pro Leu Met Gly Asp Pro Glu
 325 330 335
 Gly Glu His Glu Asp Gln Lys Gln Ile Ser Ser Val Ala
 340 345

<210> 48

<211> 738

<212> PRT

<213> Homo sapiens

<400> 48

Met Gly Met Thr Val Ile Lys Gln Ile Thr Asp Asp Leu Phe Val Trp
 1 5 10 15
 Asn Val Leu Asn Arg Glu Glu Val Asn Ile Ile Cys Cys Glu Lys Val
 20 25 30
 Glu Gln Asp Ala Ala Arg Gly Ile Ile His Met Ile Leu Lys Lys Gly
 35 40 45
 Ser Glu Ser Cys Asn Leu Phe Leu Lys Ser Leu Lys Glu Trp Asn Tyr
 50 55 60
 Pro Leu Phe Gln Asp Leu Asn Gly Gln Ser Leu Phe His Gln Thr Ser
 65 70 75 80
 Glu Gly Asp Leu Asp Asp Leu Ala Gln Asp Leu Lys Asp Leu Tyr His
 85 90 95
 Thr Pro Ser Phe Leu Asn Phe Tyr Pro Leu Gly Glu Asp Ile Asp Ile
 100 105 110
 Ile Phe Asn Leu Lys Ser Thr Phe Thr Glu Pro Val Leu Trp Arg Lys
 115 120 125
 Asp Gln His His His Arg Val Glu Gln Leu Thr Leu Asn Gly Leu Leu

130	135	140
Gln Ala Leu Gln Ser Pro Cys Ile Ile Glu Gly Glu Ser Gly Lys Gly		
145	150	155
Lys Ser Thr Leu Leu Gln Arg Ile Ala Met Leu Trp Gly Ser Gly Lys		160
	165	170
Cys Lys Ala Leu Thr Lys Phe Lys Phe Val Phe Phe Leu Arg Leu Ser		175
	180	185
Arg Ala Gln Gly Gly Leu Phe Glu Thr Leu Cys Asp Gln Leu Leu Asp		190
	195	200
Ile Pro Gly Thr Ile Arg Lys Gln Thr Phe Met Ala Met Leu Leu Lys		205
	210	215
Leu Arg Gln Arg Val Leu Phe Leu Leu Asp Gly Tyr Asn Glu Phe Lys		220
225	230	235
Pro Gln Asn Cys Pro Glu Ile Glu Ala Leu Ile Lys Glu Asn His Arg		240
	245	250
Phe Lys Asn Met Val Ile Val Thr Thr Thr Thr Glu Cys Leu Arg His		255
	260	265
Ile Arg Gln Phe Gly Ala Leu Thr Ala Glu Val Gly Asp Met Thr Glu		270
	275	280
Asp Ser Ala Gln Ala Leu Ile Arg Glu Val Leu Ile Lys Glu Leu Ala		285
	290	295
Glu Gly Leu Leu Leu Gln Ile Gln Lys Ser Arg Cys Leu Arg Asn Leu		300
305	310	315
Met Lys Thr Pro Leu Phe Val Val Ile Thr Cys Ala Ile Gln Met Gly		320
	325	330
Glu Ser Glu Phe His Ser His Thr Gln Thr Thr Thr Leu Phe His Thr Phe		335
	340	345
Tyr Asp Leu Leu Ile Gln Lys Asn Lys His Lys His Lys Gly Val Ala		350
	355	360
Ala Ser Asp Phe Ile Arg Ser Leu Asp His Cys Gly Asp Leu Ala Leu		365
	370	375
Glu Gly Val Phe Ser His Lys Phe Asp Phe Glu Leu Gln Asp Val Ser		380
385	390	395
Ser Val Asn Glu Asp Val Leu Leu Thr Thr Gly Leu Leu Cys Lys Tyr		400
	405	410
Thr Ala Gln Arg Phe Lys Pro Lys Tyr Lys Phe Phe His Lys Ser Phe		415
	420	425
Gln Glu Tyr Thr Ala Gly Arg Arg Leu Ser Ser Leu Leu Thr Ser His		430
	435	440
Glu Pro Glu Glu Val Thr Lys Gly Asn Gly Tyr Leu Gln Lys Met Val		445
	450	455
Ser Ile Ser Asp Ile Thr Ser Thr Tyr Ser Ser Leu Leu Arg Tyr Thr		460

465		470		475		480
Cys Gly Ser Ser Val	Glu Ala Thr Arg	Ala Val Met Lys His	Leu Ala			
	485	490	495			
Ala Val Tyr Gln His	Gly Cys Leu Leu	Gly Leu Ser Ile	Ala Lys Arg			
	500	505	510			
Pro Leu Trp Arg Gln	Glu Ser Leu Gln	Ser Val Lys Asn	Thr Thr Glu			
	515	520	525			
Gln Glu Ile Leu Lys	Ala Ile Asn Ile	Asn Ser Phe Val	Glu Cys Gly			
	530	535	540			
Ile His Leu Tyr Gln	Glu Ser Thr Ser	Lys Ser Ala Leu	Ser Gln Glu			
545	550	555	560			
Phe Glu Ala Phe Phe	Gln Gly Lys Ser	Leu Tyr Ile Asn	Ser Gly Asn			
	565	570	575			
Ile Pro Asp Tyr Leu	Phe Asp Phe Phe	Glu His Leu Pro	Asn Cys Ala			
	580	585	590			
Ser Ala Leu Asp Phe	Ile Lys Leu Asp	Phe Tyr Gly Gly	Ala Met Ala			
	595	600	605			
Ser Trp Glu Lys Ala	Ala Glu Asp Thr	Gly Gly Ile His	Met Glu Glu			
	610	615	620			
Ala Pro Glu Thr Tyr	Ile Pro Ser Arg	Ala Val Ser Leu	Phe Phe Asn			
625	630	635	640			
Trp Lys Gln Glu Phe	Arg Thr Leu Glu	Val Thr Leu Arg	Asp Phe Ser			
	645	650	655			
Lys Leu Asn Lys Gln	Asp Ile Arg Tyr	Leu Gly Lys Ile	Phe Ser Ser			
	660	665	670			
Ala Thr Ser Leu Arg	Leu Gln Ile Lys	Arg Cys Ala Gly	Val Ala Gly			
	675	680	685			
Ser Leu Ser Leu Val	Leu Ser Thr Cys	Lys Asn Ile Tyr	Ser Leu Met			
	690	695	700			
Val Glu Ala Ser Pro	Leu Thr Ile Glu	Asp Glu Arg His	Ile Thr Ser			
705	710	715	720			
Val Thr Asn Leu Lys	Thr Leu Ser Ile	His Asp Leu Gln	Asn Gln Arg			
	725	730	735			
Leu Pro						

<210> 49

<211> 1070

<212> PRT

<213> Homo sapiens

<400> 49

Met Tyr Lys Ser Leu Asn Ile Asp Glu Cys Asp Leu His Ala Trp Leu
 1 5 10 15
 Asp Leu Pro Ala Glu Lys Pro Leu Gly Val Val Asn Arg Val Cys Trp
 20 25 30
 Gly Phe Ile Arg Phe Lys Gly Tyr Met Tyr Pro Leu Asp Tyr Leu Asn
 35 40 45
 Phe Ile Lys Asp Asn Ser Arg Ala Leu Ile Gln Arg Met Gly Met Thr
 50 55 60
 Val Ile Lys Gln Ile Thr Asp Asp Leu Phe Val Trp Asn Val Leu Asn
 65 70 75 80
 Arg Glu Glu Val Asn Ile Ile Cys Cys Glu Lys Val Glu Gln Asp Ala
 85 90 95
 Ala Arg Gly Ile Ile His Met Ile Leu Lys Lys Gly Ser Glu Ser Cys
 100 105 110
 Asn Leu Phe Leu Lys Ser Leu Lys Glu Trp Asn Tyr Pro Leu Phe Gln
 115 120 125
 Asp Leu Asn Gly Gln Ser Leu Phe His Gln Thr Ser Glu Gly Asp Leu
 130 135 140
 Asp Asp Leu Ala Gln Asp Leu Lys Asp Leu Tyr His Thr Pro Ser Phe
 145 150 155 160
 Leu Asn Phe Tyr Pro Leu Gly Glu Asp Ile Asp Ile Ile Phe Asn Leu
 165 170 175
 Lys Ser Thr Phe Thr Glu Pro Val Leu Trp Arg Lys Asp Gln His His
 180 185 190
 His Arg Val Glu Gln Leu Thr Leu Asn Gly Leu Leu Gln Ala Leu Gln
 195 200 205
 Ser Pro Cys Ile Ile Glu Gly Glu Ser Gly Lys Gly Lys Ser Thr Leu
 210 215 220
 Leu Gln Arg Ile Ala Met Leu Trp Gly Ser Gly Lys Cys Lys Ala Leu
 225 230 235 240
 Thr Lys Phe Lys Phe Val Phe Phe Leu Arg Leu Ser Arg Ala Gln Gly
 245 250 255
 Gly Leu Phe Glu Thr Leu Cys Asp Gln Leu Leu Asp Ile Pro Gly Thr
 260 265 270
 Ile Arg Lys Gln Thr Phe Met Ala Met Leu Leu Lys Leu Arg Gln Arg
 275 280 285
 Val Leu Phe Leu Leu Asp Gly Tyr Asn Glu Phe Lys Pro Gln Asn Cys
 290 295 300
 Pro Glu Ile Glu Ala Leu Ile Lys Glu Asn His Arg Phe Lys Asn Met
 305 310 315 320
 Val Ile Val Thr Thr Thr Thr Glu Cys Leu Arg His Ile Arg Gln Phe
 325 330 335

Gly Ala Leu Thr Ala Glu Val Gly Asp Met Thr Glu Asp Ser Ala Gln
 340 345 350
 Ala Leu Ile Arg Glu Val Leu Ile Lys Glu Leu Ala Glu Gly Leu Leu
 355 360 365
 Leu Gln Ile Gln Lys Ser Arg Cys Leu Arg Asn Leu Met Lys Thr Pro
 370 375 380
 Leu Phe Val Val Ile Thr Cys Ala Ile Gln Met Gly Glu Ser Glu Phe
 385 390 395 400
 His Ser His Thr Gln Thr Thr Leu Phe His Thr Phe Tyr Asp Leu Leu
 405 410 415
 Ile Gln Lys Asn Lys His Lys His Lys Gly Val Ala Ala Ser Asp Phe
 420 425 430
 Ile Arg Ser Leu Asp His Cys Gly Asp Leu Ala Leu Glu Gly Val Phe
 435 440 445
 Ser His Lys Phe Asp Phe Glu Leu Gln Asp Val Ser Ser Val Asn Glu
 450 455 460
 Asp Val Leu Leu Thr Thr Gly Leu Leu Cys Lys Tyr Thr Ala Gln Arg
 465 470 475 480
 Phe Lys Pro Lys Tyr Lys Phe Phe His Lys Ser Phe Gln Glu Tyr Thr
 485 490 495
 Ala Gly Arg Arg Leu Ser Ser Leu Leu Thr Ser His Glu Pro Glu Glu
 500 505 510
 Val Thr Lys Gly Asn Gly Tyr Leu Gln Lys Met Val Ser Ile Ser Asp
 515 520 525
 Ile Thr Ser Thr Tyr Ser Ser Leu Leu Arg Tyr Thr Cys Gly Ser Ser
 530 535 540
 Val Glu Ala Thr Arg Ala Val Met Lys His Leu Ala Ala Val Tyr Gln
 545 550 555 560
 His Gly Cys Leu Leu Gly Leu Ser Ile Ala Lys Arg Pro Leu Trp Arg
 565 570 575
 Gln Glu Ser Leu Gln Ser Val Lys Asn Thr Thr Glu Gln Glu Ile Leu
 580 585 590
 Lys Ala Ile Asn Ile Asn Ser Phe Val Glu Cys Gly Ile His Leu Tyr
 595 600 605
 Gln Glu Ser Thr Ser Lys Ser Ala Leu Ser Gln Glu Phe Glu Ala Phe
 610 615 620
 Phe Gln Gly Lys Ser Leu Tyr Ile Asn Ser Gly Asn Ile Pro Asp Tyr
 625 630 635 640
 Leu Phe Asp Phe Phe Glu His Leu Pro Asn Cys Ala Ser Ala Leu Asp
 645 650 655
 Phe Ile Lys Leu Asp Phe Tyr Gly Gly Ala Met Ala Ser Trp Glu Lys
 660 665 670

Ala	Ala	Glu	Asp	Thr	Gly	Gly	Ile	His	Met	Glu	Glu	Ala	Pro	Glu	Thr	675	680	685
Tyr	Ile	Pro	Ser	Arg	Ala	Val	Ser	Leu	Phe	Phe	Asn	Trp	Lys	Gln	Glu	690	695	700
Phe	Arg	Thr	Leu	Glu	Val	Thr	Leu	Arg	Asp	Phe	Ser	Lys	Leu	Asn	Lys	705	710	715
Gln	Asp	Ile	Arg	Tyr	Leu	Gly	Lys	Ile	Phe	Ser	Ser	Ala	Thr	Ser	Leu	725	730	735
Arg	Leu	Gln	Ile	Lys	Arg	Cys	Ala	Gly	Val	Ala	Gly	Ser	Leu	Ser	Leu	740	745	750
Val	Leu	Ser	Thr	Cys	Lys	Asn	Ile	Tyr	Ser	Leu	Met	Val	Glu	Ala	Ser	755	760	765
Pro	Leu	Thr	Ile	Glu	Asp	Glu	Arg	His	Ile	Thr	Ser	Val	Thr	Asn	Leu	770	775	780
Lys	Thr	Leu	Ser	Ile	His	Asp	Leu	Gln	Asn	Gln	Arg	Leu	Pro	Gly	Gly	785	790	795
Leu	Thr	Asp	Ser	Leu	Gly	Asn	Leu	Lys	Asn	Leu	Thr	Lys	Leu	Ile	Met	805	810	815
Asp	Asn	Ile	Lys	Met	Asn	Glu	Glu	Asp	Ala	Ile	Lys	Leu	Ala	Glu	Gly	820	825	830
Leu	Lys	Asn	Leu	Lys	Lys	Met	Cys	Leu	Phe	His	Leu	Thr	His	Leu	Ser	835	840	845
Asp	Ile	Gly	Glu	Gly	Met	Asp	Tyr	Ile	Val	Lys	Ser	Leu	Ser	Ser	Glu	850	855	860
Pro	Cys	Asp	Leu	Glu	Glu	Ile	Gln	Leu	Val	Ser	Cys	Cys	Leu	Ser	Ala	865	870	875
Asn	Ala	Val	Lys	Ile	Leu	Ala	Gln	Asn	Leu	His	Asn	Leu	Val	Lys	Leu	885	890	895
Ser	Ile	Leu	Asp	Leu	Ser	Glu	Asn	Tyr	Leu	Glu	Lys	Asp	Gly	Asn	Glu	900	905	910
Ala	Leu	His	Glu	Leu	Ile	Asp	Arg	Met	Asn	Val	Leu	Glu	Gln	Leu	Thr	915	920	925
Ala	Leu	Met	Leu	Pro	Trp	Gly	Cys	Asp	Val	Gln	Gly	Ser	Leu	Ser	Ser	930	935	940
Leu	Leu	Lys	His	Leu	Glu	Glu	Val	Pro	Gln	Leu	Val	Lys	Leu	Gly	Leu	945	950	955
Lys	Asn	Trp	Arg	Leu	Thr	Asp	Thr	Glu	Ile	Arg	Ile	Leu	Gly	Ala	Phe	965	970	975
Phe	Gly	Lys	Asn	Pro	Leu	Lys	Asn	Phe	Gln	Gln	Leu	Asn	Leu	Ala	Gly	980	985	990
Asn	Arg	Val	Ser	Ser	Asp	Gly	Trp	Leu	Ala	Phe	Met	Gly	Val	Phe	Glu	995	1000	1005

Asn Leu Lys Gln Leu Val Phe Phe Asp Phe Ser Thr Lys Glu Phe Leu
 1010 1015 1020
 Pro Asp Pro Ala Leu Val Arg Lys Leu Ser Gln Val Leu Ser Lys Leu
 1025 1030 1035 104
 Thr Phe Leu Gln Glu Ala Arg Leu Val Gly Trp Gln Phe Asp Asp Asp
 1045 1050 1055
 Asp Leu Ser Val Ile Thr Gly Ala Phe Lys Leu Val Thr Ala
 1060 1065 1070

<210> 50
 <211> 487
 <212> PRT
 <213> Homo sapiens

<400> 50
 Met Pro Pro Leu Pro Gln Trp Ser Phe Pro Arg Pro Asp His Cys His
 1 5 10 15
 Val Thr Phe Val Thr Leu Lys Cys Asp Ser Ser Lys Lys Arg Arg Arg
 20 25 30
 Gly Arg Lys Ser Pro Ser Lys Glu Val Ser His Ile Thr Ala Glu Phe
 35 40 45
 Glu Ile Glu Thr Lys Met Glu Glu Ala Ser Asp Thr Cys Glu Ala Asp
 50 55 60
 Cys Leu Arg Lys Arg Ala Glu Gln Ser Leu Gln Ala Ala Ile Lys Thr
 65 70 75 80
 Leu Arg Lys Ser Ile Gly Arg Gln Gln Phe Tyr Val Gln Val Ser Gly
 85 90 95
 Thr Glu Tyr Glu Val Ala Gln Arg Pro Ala Lys Ala Leu Glu Gly Gln
 100 105 110
 Gly Ala Cys Gly Ala Gly Gln Val Leu Gln Asp Ser Lys Cys Val Ala
 115 120 125
 Cys Gly Pro Gly Thr His Phe Gly Gly Glu Leu Gly Gln Cys Val Ser
 130 135 140
 Cys Met Pro Gly Thr Tyr Gln Asp Met Glu Gly Gln Leu Ser Cys Thr
 145 150 155 160
 Pro Cys Pro Ser Ser Asp Gly Leu Gly Leu Pro Gly Ala Arg Asn Val
 165 170 175
 Ser Glu Cys Gly Gly Lys Cys Gly Pro Arg Arg Arg Gly Phe Phe Ser
 180 185 190
 Ala Asp Gly Phe Lys Pro Cys Gln Ala Cys Pro Val Gly Thr Tyr Gln
 195 200 205
 Pro Glu Pro Gly Arg Thr Gly Cys Phe Pro Cys Gly Gly Gly Leu Leu

210	215	220
Thr Lys His Glu Gly	Thr Thr Ser Phe Gln Asp Cys Glu Ala Lys Val	
225	230	235
His Cys Ser Pro Gly	His His Tyr Asn Thr Thr Thr His Arg Cys Ile	240
	245	250
Arg Cys Pro Val Gly	Thr Tyr Gln Pro Glu Phe Gly Gln Asn His Cys	255
	260	265
Ile Thr Cys Pro Gly	Asn Thr Ser Thr Asp Phe Asp Gly Ser Thr Asn	270
	275	280
Val Thr His Cys Lys	Asn Gln His Cys Gly Gly Glu Leu Gly Asp Tyr	285
	290	295
Thr Gly Tyr Ile Glu	Ser Pro Asn Tyr Pro Gly Asp Tyr Pro Ala Asn	300
	305	310
Ala Glu Cys Val Trp	His Ile Ala Pro Pro Pro Lys Arg Arg Ile Leu	315
	325	330
Ile Val Val Pro Glu	Ile Phe Leu Pro Ile Glu Asp Glu Cys Gly Asp	335
	340	345
Val Leu Val Met Arg	Lys Ser Ala Ser Pro Thr Ser Ile Thr Thr Tyr	350
	355	360
Glu Thr Cys Gln Thr	Tyr Glu Arg Pro Ile Ala Phe Thr Ser Arg Ser	365
	370	375
Arg Lys Leu Trp Ile	Gln Phe Lys Ser Asn Glu Gly Asn Ser Gly Lys	380
	385	390
Gly Phe Gln Val Pro	Tyr Val Thr Tyr Asp Glu Asp Tyr Gln Gln Leu	395
	405	410
Ile Glu Asp Ile Val	Arg Asp Gly Arg Leu Tyr Ala Ser Glu Asn His	415
	420	425
Gln Glu Ile Leu Lys	Asp Lys Lys Leu Ile Lys Ala Leu Phe Asp Val	430
	435	440
Leu Ala His Pro Gln	Asn Tyr Phe Lys Tyr Thr Ala Gln Glu Ser Lys	445
	450	455
Glu Met Phe Pro Arg	Ser Phe Ile Lys Leu Leu Arg Ser Lys Val Ser	460
	465	470
Arg Phe Leu Arg Pro	Tyr Lys	475
	485	480

<210> 51

<211> 965

<212> PRT

<213> Homo sapiens

<400> 51

```

Met Gly Ala Ala Ala Val Arg Trp His Leu Cys Val Leu Leu Ala Leu
 1           5           10           15
Gly Thr Arg Gly Arg Leu Ala Gly Gly Ser Gly Leu Pro Gly Ser Val
          20           25           30
Asp Val Asp Glu Cys Ser Glu Gly Thr Asp Asp Cys His Ile Asp Ala
          35           40           45
Ile Cys Gln Asn Thr Pro Lys Ser Tyr Lys Cys Leu Cys Lys Pro Gly
          50           55           60
Tyr Lys Gly Glu Gly Lys Gln Cys Glu Asp Ile Asp Glu Cys Glu Asn
65           70           75           80
Asp Tyr Tyr Asn Gly Gly Cys Val His Glu Cys Ile Asn Ile Pro Gly
          85           90           95
Asn Tyr Arg Cys Thr Cys Phe Asp Gly Phe Met Leu Ala His Asp Gly
          100          105          110
His Asn Cys Leu Asp Val Asp Glu Cys Gln Asp Asn Asn Gly Gly Cys
          115          120          125
Gln Gln Ile Cys Val Asn Ala Met Gly Ser Tyr Glu Cys Gln Cys His
          130          135          140
Ser Gly Phe Phe Leu Ser Asp Asn Gln His Thr Cys Ile His Arg Ser
145          150          155          160
Asn Glu Gly Met Asn Cys Met Asn Lys Asp His Gly Cys Ala His Ile
          165          170          175
Cys Arg Glu Thr Pro Lys Gly Gly Val Ala Cys Asp Cys Arg Pro Gly
          180          185          190
Phe Asp Leu Ala Gln Asn Gln Lys Asp Cys Thr Leu Thr Cys Asn Tyr
          195          200          205
Gly Asn Gly Gly Cys Gln His Ser Cys Glu Asp Thr Asp Thr Gly Pro
          210          215          220
Thr Cys Gly Cys His Gln Lys Tyr Ala Leu His Ser Asp Gly Arg Thr
225          230          235          240
Cys Ile Glu Thr Cys Ala Val Asn Asn Gly Gly Cys Asp Arg Thr Cys
          245          250          255
Lys Asp Thr Ala Thr Gly Val Arg Cys Ser Cys Pro Val Gly Phe Thr
          260          265          270
Leu Gln Pro Asp Gly Lys Thr Cys Lys Asp Ile Asn Glu Cys Leu Val
          275          280          285
Asn Asn Gly Gly Cys Asp His Phe Cys Arg Asn Thr Val Gly Ser Phe
          290          295          300
Glu Cys Gly Cys Arg Lys Gly Tyr Lys Leu Leu Thr Asp Glu Arg Thr
305          310          315          320
Cys Gln Asp Ile Asp Glu Cys Ser Phe Glu Arg Thr Cys Asp His Ile
          325          330          335

```


Cys Ile Asn Ser Pro Gly Ser Phe Gln Cys Leu Cys His Arg Gly Tyr
 340 345 350
 Ile Leu Tyr Gly Thr Thr His Cys Gly Asp Val Asp Glu Cys Ser Met
 355 360 365
 Ser Asn Gly Ser Cys Asp Gln Gly Cys Val Asn Thr Lys Gly Ser Tyr
 370 375 380
 Glu Cys Val Cys Pro Pro Gly Arg Arg Leu His Trp Asn Gly Lys Asp
 385 390 395 400
 Cys Val Glu Thr Gly Lys Cys Leu Ser Arg Ala Lys Thr Ser Pro Arg
 405 410 415
 Ala Gln Leu Ser Cys Ser Lys Ala Gly Gly Val Glu Ser Cys Phe Leu
 420 425 430
 Ser Cys Pro Ala His Thr Leu Phe Val Pro Asp Ser Glu Asn Ser Tyr
 435 440 445
 Val Leu Ser Cys Gly Val Pro Gly Pro Gln Gly Lys Ala Leu Gln Lys
 450 455 460
 Arg Asn Gly Thr Ser Ser Gly Leu Gly Pro Ser Cys Ser Asp Ala Pro
 465 470 475 480
 Thr Thr Pro Ile Lys Gln Lys Ala Arg Phe Lys Ile Arg Asp Ala Lys
 485 490 495
 Cys His Leu Arg Pro His Ser Gln Ala Arg Ala Lys Glu Thr Ala Arg
 500 505 510
 Gln Pro Leu Leu Asp His Cys His Val Thr Phe Val Thr Leu Lys Cys
 515 520 525
 Asp Ser Ser Lys Lys Arg Arg Arg Gly Arg Lys Ser Pro Ser Lys Glu
 530 535 540
 Val Ser His Ile Thr Ala Glu Phe Glu Ile Glu Thr Lys Met Glu Glu
 545 550 555 560
 Ala Ser Asp Thr Cys Glu Ala Asp Cys Leu Arg Lys Arg Ala Glu Gln
 565 570 575
 Ser Leu Gln Ala Ala Ile Lys Thr Leu Arg Lys Ser Ile Gly Arg Gln
 580 585 590
 Gln Phe Tyr Val Gln Val Ser Gly Thr Glu Tyr Glu Val Ala Gln Arg
 595 600 605
 Pro Ala Lys Ala Leu Glu Gly Gln Gly Ala Cys Gly Ala Gly Gln Val
 610 615 620
 Leu Gln Asp Ser Lys Cys Val Ala Cys Gly Pro Gly Thr His Phe Gly
 625 630 635 640
 Gly Glu Leu Gly Gln Cys Val Ser Cys Met Pro Gly Thr Tyr Gln Asp
 645 650 655
 Met Glu Gly Gln Leu Ser Cys Thr Pro Cys Pro Ser Ser Asp Gly Leu
 660 665 670

Gly Leu Pro Gly Ala Arg Asn Val Ser Glu Cys Gly Gly Gln Cys Ser
 675 680 685
 Pro Gly Phe Phe Ser Ala Asp Gly Phe Lys Pro Cys Gln Ala Cys Pro
 690 695 700
 Val Gly Thr Tyr Gln Pro Glu Pro Gly Arg Thr Gly Cys Phe Pro Cys
 705 710 715 720
 Gly Gly Gly Leu Leu Thr Lys His Glu Gly Thr Thr Ser Phe Gln Asp
 725 730 735
 Cys Glu Ala Lys Val His Cys Ser Pro Gly His His Tyr Asn Thr Thr
 740 745 750
 Thr His Arg Cys Ile Arg Cys Pro Val Gly Thr Tyr Gln Pro Glu Phe
 755 760 765
 Gly Gln Asn His Cys Ile Thr Cys Pro Gly Asn Thr Ser Thr Asp Phe
 770 775 780
 Asp Gly Ser Thr Asn Val Thr His Cys Lys Asn Gln His Cys Gly Gly
 785 790 795 800
 Glu Leu Gly Asp Tyr Thr Gly Tyr Ile Glu Ser Pro Asn Tyr Pro Gly
 805 810 815
 Asp Tyr Pro Ala Asn Ala Glu Cys Val Trp His Ile Ala Pro Pro Pro
 820 825 830
 Lys Arg Arg Ile Leu Ile Val Val Pro Glu Ile Phe Leu Pro Ile Glu
 835 840 845
 Asp Glu Cys Gly Asp Val Leu Val Met Arg Lys Ser Ala Ser Pro Thr
 850 855 860
 Ser Ile Thr Thr Tyr Glu Thr Cys Gln Thr Tyr Glu Arg Pro Ile Ala
 865 870 875 880
 Phe Thr Ser Arg Ser Arg Lys Leu Trp Ile Gln Phe Lys Ser Asn Glu
 885 890 895
 Gly Asn Ser Gly Lys Gly Phe Gln Val Pro Tyr Val Thr Tyr Asp Gly
 900 905 910
 Lys Ile His Cys Leu His Gly Pro Leu Cys Thr Ala Gln Ala Gly Pro
 915 920 925
 Trp Arg His Arg Asp Glu Ser His Val Pro Ala Pro Ser Gly Ser Cys
 930 935 940
 Asp Leu Ala Gly Thr Asp Leu Glu Ala Glu Arg Thr Leu Ser Gly Ala
 945 950 955 960
 Arg Ala Arg Gln Ala
 965

<210> 52

<211> 716

<212> PRT

<213> Homo sapiens

<400> 52

```

Met Ala Arg Met Ser Phe Val Ile Ala Ala Cys Gln Leu Val Leu Gly
 1             5             10             15
Leu Leu Met Thr Ser Leu Thr Glu Ser Ser Ile Gln Asn Ser Glu Cys
      20             25             30
Pro Gln Leu Cys Val Cys Glu Ile Arg Pro Trp Phe Thr Pro Gln Ser
      35             40             45
Thr Tyr Arg Glu Ala Thr Thr Val Asp Cys Asn Asp Leu Arg Leu Thr
      50             55             60
Arg Ile Pro Ser Asn Leu Ser Ser Asp Thr Gln Val Leu Leu Leu Gln
65             70             75             80
Ser Asn Asn Ile Ala Lys Thr Val Asp Glu Leu Gln Gln Leu Phe Asn
      85             90             95
Leu Thr Glu Leu Asp Phe Ser Gln Asn Asn Phe Thr Asn Ile Lys Glu
      100            105            110
Val Gly Leu Ala Asn Leu Thr Gln Leu Thr Thr Leu His Leu Glu Glu
      115            120            125
Asn Gln Ile Thr Glu Met Thr Asp Tyr Cys Leu Gln Asp Leu Ser Asn
      130            135            140
Leu Gln Glu Leu Tyr Ile Asn His Asn Gln Ile Ser Thr Ile Ser Ala
145            150            155            160
His Ala Phe Ala Gly Leu Lys Asn Leu Leu Arg Leu His Leu Asn Ser
      165            170            175
Asn Lys Leu Lys Val Ile Asp Ser Arg Trp Phe Asp Ser Thr Pro Asn
      180            185            190
Leu Glu Ile Leu Met Ile Gly Glu Asn Pro Val Ile Gly Ile Leu Asp
      195            200            205
Met Asn Phe Lys Pro Leu Ala Asn Leu Arg Ser Leu Val Leu Ala Gly
      210            215            220
Met Tyr Leu Thr Asp Ile Pro Gly Asn Ala Leu Val Gly Leu Asp Ser
225            230            235            240
Leu Glu Ser Leu Ser Phe Tyr Asp Asn Lys Leu Val Lys Val Pro Gln
      245            250            255
Leu Ala Leu Gln Lys Val Pro Asn Leu Lys Phe Leu Asp Leu Asn Lys
      260            265            270
Asn Pro Ile His Lys Ile Gln Glu Gly Asp Phe Lys Asn Met Leu Arg
      275            280            285
Leu Lys Glu Leu Gly Ile Asn Asn Met Gly Glu Leu Val Ser Val Asp
      290            295            300
Arg Tyr Ala Leu Asp Asn Leu Pro Glu Leu Thr Lys Leu Glu Ala Thr

```

305	310	315	320
Asn Asn Pro Lys Leu Ser Tyr Ile His Arg Leu Ala Phe Arg Ser Val			
325	330	335	
Pro Ala Leu Glu Ser Leu Met Leu Asn Asn Asn Ala Leu Asn Ala Ile			
340	345	350	
Tyr Gln Lys Thr Val Glu Ser Leu Pro Asn Leu Arg Glu Ile Ser Ile			
355	360	365	
His Ser Asn Pro Leu Arg Cys Asp Cys Val Ile His Trp Ile Asn Ser			
370	375	380	
Asn Lys Thr Asn Ile Arg Phe Met Glu Pro Leu Ser Met Phe Cys Ala			
385	390	395	400
Met Pro Pro Glu Tyr Lys Gly His Gln Val Lys Glu Val Leu Ile Gln			
405	410	415	
Asp Ser Ser Glu Gln Cys Leu Pro Met Ile Ser His Asp Ser Phe Pro			
420	425	430	
Asn Arg Leu Asn Val Asp Ile Gly Thr Thr Val Phe Leu Asp Cys Arg			
435	440	445	
Ala Met Ala Glu Pro Glu Pro Glu Ile Tyr Trp Val Thr Pro Ile Gly			
450	455	460	
Asn Lys Ile Thr Val Glu Thr Leu Ser Asp Lys Tyr Lys Leu Ser Ser			
465	470	475	480
Glu Gly Thr Leu Glu Ile Ser Asn Ile Gln Ile Glu Asp Ser Gly Arg			
485	490	495	
Tyr Thr Cys Val Ala Gln Asn Val Gln Gly Ala Asp Thr Arg Val Ala			
500	505	510	
Thr Ile Lys Val Asn Gly Thr Leu Leu Asp Gly Thr Gln Val Leu Lys			
515	520	525	
Ile Tyr Val Lys Gln Thr Glu Ser His Ser Ile Leu Val Ser Trp Lys			
530	535	540	
Val Asn Ser Asn Val Met Thr Ser Asn Leu Lys Trp Ser Ser Ala Thr			
545	550	555	560
Met Lys Ile Asp Asn Pro His Ile Thr Tyr Thr Ala Arg Val Pro Val			
565	570	575	
Asp Val His Glu Tyr Asn Leu Thr His Leu Gln Pro Ser Thr Asp Tyr			
580	585	590	
Glu Val Cys Leu Thr Val Ser Asn Ile His Gln Gln Thr Gln Lys Ser			
595	600	605	
Cys Val Asn Val Thr Thr Lys Asn Ala Ala Phe Ala Val Asp Ile Ser			
610	615	620	
Asp Gln Glu Thr Ser Thr Ala Leu Ala Ala Val Met Gly Ser Met Phe			
625	630	635	640
Ala Val Ile Ser Leu Ala Ser Ile Ala Val Tyr Phe Ala Lys Arg Phe			

					645					650					655			
Lys	Arg	Lys	Asn	Tyr	His	His	Ser	Leu	Lys	Lys	Tyr	Met	Gln	Lys	Thr			
			660						665				670					
Ser	Ser	Ile	Pro	Leu	Asn	Glu	Leu	Tyr	Pro	Pro	Leu	Ile	Asn	Leu	Trp			
		675						680					685					
Glu	Gly	Asp	Ser	Glu	Lys	Asp	Lys	Asp	Gly	Ser	Ala	Asp	Thr	Lys	Pro			
	690						695					700						
Thr	Gln	Val	Asp	Thr	Ser	Arg	Ser	Tyr	Tyr	Met	Trp							
705						710					715							

WO 01/66690

56/66

Gly Ala Leu Thr Ala Glu Val Gly Asp Met Thr Glu Asp Ser Ala Gln
 340 345 350
 Ala Leu Ile Arg Glu Val Leu Ile Lys Glu Leu Ala Glu Gly Leu Leu
 355 360 365
 Leu Gln Ile Gln Lys Ser Arg Cys Leu Arg Asn Leu Met Lys Thr Pro
 370 375 380
 Leu Phe Val Val Ile Thr Cys Ala Ile Gln Met Gly Glu Ser Glu Phe
 385 390 395 400
 His Ser His Thr Gln Thr Thr Leu Phe His Thr Phe Tyr Asp Leu Leu
 405 410 415
 Ile Gln Lys Asn Lys His Lys His Lys Gly Val Ala Ala Ser Asp Phe
 420 425 430
 Ile Arg Ser Leu Asp His Cys Gly Asp Leu Ala Leu Glu Gly Val Phe
 435 440 445
 Ser His Lys Phe Asp Phe Glu Leu Gln Asp Val Ser Ser Val Asn Glu
 450 455 460
 Asp Val Leu Leu Thr Thr Gly Leu Leu Cys Lys Tyr Thr Ala Gln Arg
 465 470 475 480
 Phe Lys Pro Lys Tyr Lys Phe Phe His Lys Ser Phe Gln Glu Tyr Thr
 485 490 495
 Ala Gly Arg Arg Leu Ser Ser Leu Leu Thr Ser His Glu Pro Glu Glu
 500 505 510
 Val Thr Lys Gly Asn Gly Tyr Leu Gln Lys Met Val Ser Ile Ser Asp
 515 520 525
 Ile Thr Ser Thr Tyr Ser Ser Leu Leu Arg Tyr Thr Cys Gly Ser Ser
 530 535 540
 Val Glu Ala Thr Arg Ala Val Met Lys His Leu Ala Ala Val Tyr Gln
 545 550 555 560
 His Gly Cys Leu Leu Gly Leu Ser Ile Ala Lys Arg Pro Leu Trp Arg
 565 570 575
 Gln Glu Ser Leu Gln Ser Val Lys Asn Thr Thr Glu Gln Glu Ile Leu
 580 585 590
 Lys Ala Ile Asn Ile Asn Ser Phe Val Glu Cys Gly Ile His Leu Tyr
 595 600 605
 Gln Glu Ser Thr Ser Lys Ser Ala Leu Ser Gln Glu Phe Glu Ala Phe
 610 615 620
 Phe Gln Gly Lys Ser Leu Tyr Ile Asn Ser Gly Asn Ile Pro Asp Tyr
 625 630 635 640
 Leu Phe Asp Phe Phe Glu His Leu Pro Asn Cys Ala Ser Ala Leu Asp
 645 650 655
 Phe Ile Lys Leu Asp Phe Tyr Gly Gly Ala Met Ala Ser Trp Glu Lys
 660 665 670